Illinois Environmental Protection Agency

1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276 • (217) 782-3397

National Pollutant Discharge Elimination System (NPDES)
CSO Discharge Monitoring Report (DMR)

Monitoring Period: Month: January Year: 2024 No. CSO Discharges Occurred: 0

Name: City of Charleston STP Permit Number: IL0021644

Address: 1200 West Madison/520 Jackson Ave

City: Charleston State: IL Zip Code: 61920

Contact Person: Rhett Mason Phone Number: 217-345-2413

Rain Event Start Date	Estimated Duration (hours)	Estimated Rainfall (inches)	CSO Outfalls that Discharged		Est. Discharge Duration (hours)	Est. Discharge Volume (MG)
			Outfall Number	Outfall Description		
01/06/2024		0.15	002			0
01/08/2024		0.26	002			0
01/09/2024		0.41	002			0
01/12/2024		1.22	002			0
01/22/2024		0.25	002			0
01/23/2024		0.48	002			0
01/25/2024		0.4	002			0
01/27/2024		0.46	002			0
01/28/2024		0.11	002			0

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment. Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

Brandon Combs
Name of Principal Executive Officer

Rhett Mason
Signature

Superintendent
Title

February 1, 2024
Date