



Illinois Environmental Protection Agency

1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276 • (217) 782-3397

National Pollutant Discharge Elimination System (NPDES) CSO Discharge Monitoring Report (DMR)

Monitoring Period: Month: October Year: 2023 No. CSO Discharges Occurred: 0
 Name: City of Charleston STP Permit Number: IL0021644
 Address: 1200 West Madison/520 Jackson Ave
 City: Charleston State: IL Zip Code: 61920
 Contact Person: Rhett Mason Phone Number: 217-345-2413

Rain Event Start Date	Estimated Duration (hours)	Estimated Rainfall (inches)	CSO Outfalls that Discharged		Est. Discharge Duration (hours)	Est. Discharge Volume (MG)
			Outfall Number	Outfall Description		
10/05/2023		0.61	002			0
10/13/2023		0.71	002			0
10/19/2023		0.16	002			0
10/27/2023		0.13	002			0
10/28/2023		0.18	002			0
10/29/2023		0.63	002			0

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment. Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

Brandon Combs
 Name of Principal Executive Officer
Rhett Mason
 Signature

Superintendent
 Title
 Nov 3, 2023
 Date