

CHAPTER 10: SIGNS

SECTION 10.1: PURPOSE AND INTENT

In an effort to present a consistent image and visual harmony throughout the Town of Cornelius zoning districts, the purpose of Chapter 10 is to inform and guide you towards selecting an appropriate, acceptable type of sign for your business or event needs. Guidelines within this Chapter are intended to ensure consistency in style, scale, visibility, readability and clarity, as well as location and quantity, while allowing for a varied, exciting and interesting visual landscape for Cornelius. The Town has adopted these sign regulations in order to:

- Protect the public welfare and town property values by preserving the aesthetic and environmental qualities of the Town.
- Promote safety by eliminating traffic hazards or hazards due to collapse, decay, or abandonment of signs.
- Maintain the economic viability of businesses in our community through the availability of appropriate signage.
- Promote the efficient transfer of public and commercial information through sign management.

Permanent and temporary signs requiring a permit must have a sign permit approved by the Town of Cornelius Planning Department. All businesses or organizations interested in installing signs are responsible for acquiring such permits. You are required to select signage options from the permitted options indicated herein, and submit design drawings prepared by a sign manufacturer or signage designer for approval by the Town. All designs shall be submitted for approval to the Town of Cornelius Planning Department. All sign types, not just those specifically covered herein, must comply with this Ordinance and be approved by the Town. Signs made non-conforming on adoption of this Chapter shall be subject to the provisions of Section 14.6. For easy reference, a chart has been included on page 10-23 to identify what type of signage is allowed within each zoning district.

SECTION 10.2: SIGN CLASSIFICATION

10.2.1: Allowed Signs

Except as otherwise provided in this Chapter, it shall be unlawful for any person to erect, construct, enlarge, modify, move or replace any sign or cause the same to be done, without first having obtained a sign permit for such sign from the Zoning Administrator or designee as required by this Chapter unless denoted as not requiring a permit. A fee, in accordance with a fee schedule adopted by the Town Board of Commissioners, shall be charged for each sign permit issued. Permitted sign types appear on the following pages 10-5 through 10-19. IF a sign does not require a permit, the sign shall adhere to all regulations prescribed within the Chapter of the Code pertaining to that sign type.

All sign types shown in this Chapter that require a permit will have a symbol resembling  next to the description name at the top of the column of criteria for each sign.

If a sign does not require a permit, the sign shall adhere to all regulations prescribed with this Chapter of the Code pertaining to that sign type.

10.2.2: Allowed Signs Subject to Variance Approvals

A variance to sign criteria may need to be considered for specific reasons of a proven hardship or unique circumstance. The Town of Cornelius is willing to consider such variances, and may adjust the sign requirements if deemed necessary due to hardship and subject to the variance process outlined in this section. The Zoning Administrator or designee may consider minor variances administratively. A minor



CHAPTER 10: SIGNS

variance is one that will not have a significant impact on the aesthetics of the community, subject to consideration of the following decision standards:

- The proposed sign dimensions are visually compatible with the development characteristics within view along the adjoining streetscape;
- The sign is visually proportional to the façade upon which it is proposed (building-mounted signs only);
- The proposed signage will not create a significant negative aesthetic impact or nuisance to adjoining residential uses and/or zoning districts; and,
- The proposed signage will not cause glare or visibility hazards along public rights of way.

If a request is deemed to be a major variance by the Zoning Administrator, the request(s) will be decided by the Board of Adjustment after a variance hearing subject to the requirements of Chapter 3. At the variance hearing, careful review and consideration will be given to each request. In order to request a variance, a variance application must be completed. A Variance fee, in accordance with a fee schedule adopted by the Town Board of Commissioners, shall also be charged for each variance request submitted.

10.2.3: Prohibited Signs

Sign types shown herein labeled as Prohibited shall not be installed at any time in the Town of Cornelius zoning jurisdiction. Prohibited sign types appear on pages 10-20 through 10-22 of this Chapter.

SECTION 10.3: GENERAL STANDARDS

These general standards apply to all of the types of allowed signs, where applicable.


WHAT IS A SIGN?

A sign is any object, display or structure, or part thereof, which is used to advertise, identify, direct, or attract attention to an object, person, institution, organization, business, product, service, event or location by any means, including words, letters, figures, design, symbols, fixtures, colors, illumination, or projected images. The term “sign” does not include the flag or emblem of any nation, organization of nations, state, political subdivision thereof, or any fraternal, religious, school, or civic organization; works of art which in no way identify a product or business; scoreboards located on athletic fields; or religious symbols.

SIGN AREA

The sign area is the area of smallest geometric figure, which encompasses the facing of the sign including the copy, insignia, logo, symbol, photograph, background, and borders.

In the case of signs mounted back-to-back, only one side of the sign is to be used for computation of the area. Back-to-back signs shall be defined as double-faced signs. Otherwise, the surface area of each sign is to be separately computed. In the case of cylindrical signs, signs in the shape of cubes, or other signs that are substantially three-dimensional with respect to their display surfaces, the entire display surface or surfaces is included in computations of area. If a sign is attached to a ground mounted sign serving as an entrance wall, only that portion of that wall onto which the sign face or letters are placed shall be calculated in the sign area. Entrance wall area outside of the sign height and width shall not be considered a part of the sign. The



CHAPTER 10: SIGNS

entrance wall or fence outside of sign area width shall not exceed three feet (3') in height.


DESIGN

- A. Materials, colors and shapes of proposed signs should be architecturally compatible with the buildings and the surrounding area of its location.
- B. The sign shall not be the dominant feature of its location and shall be scaled in accordance with the size of the conforming signs on adjacent and nearby properties.

SIGN HEIGHT

The height of a sign shall be the vertical distance from the mean grade elevation taken at the fronting street side of a structure to the highest point of a sign or supporting structure.

Ornamentation such as caps, spires, and finials shall not extend more than one foot (1') from the top of the sign. The use of berms or raised landscape areas is only permitted to raise the base of the sign to the mean elevation of the fronting street.



Maximum height for all ground mounted signs is six feet (6').

SETBACK

All signs shall be set back a minimum of five feet (5') from the right-of-way (ROW) of a public or private street. At intersections, no sign shall be in the sight triangle as defined by this Code. See definition and example of required sight triangles below.

No freestanding sign shall be located within 200' of any other freestanding sign unless the Planning Director determines that practical difficulties exist for locating the sign.


SIGHT TRIANGLES

A sight triangle is the triangular area formed at street intersections by a diagonal line connecting two points located on intersecting right-of-way lines (or a ROW line and the curb or a driveway), each point being seventy-five feet (75') from the intersection along a major thoroughfare and thirty-five feet (35') along the minor thoroughfare from the intersection, and the two intersecting ROW lines (or a ROW line and a driveway). Generally, nothing is erected, placed, planted or allowed to grow in such a manner as to limit or obstruct the sight distance of motorists entering or leaving the intersection.




CHAPTER 10: SIGNS

Sidewalks as the right of way:



Street curb as the right of way:



LETTERING

Channel Illuminated Lettering, logos, or Push-thru Acrylic signs should be proportional to the building.

Logos shall be calculated as part of the total area of the sign.

A Channel Illuminated Sign is a sign whose light source is located in the interior of a sign so that light illumination shines through the front surface of the sign in specific "cut-away" areas. Any words, lettering, figures, numerals, emblems, devices, trademarks or trade names, or any combination thereof, by which anything is made known and which is designed to attract attention and/or convey a message, may be displayed by channel cutting the words, lettering, figures, etc. out of the surface of the sign. The sign itself is illuminated through cuts or channels made through the surface of the sign. Please see examples on Page 10-7.

A Push-thru acrylic sign is typically an internally illuminated sign with letters and/or logos cut out of translucent acrylic that is as thick or thicker than the opaque sign face material and mounted on the inside of the sign face so that the acrylic material's thickness extends flush with or pushing through and beyond the front plane of the sign face. Acrylic letters are raised from the surface of a sign face so that light passes through the edges. Acrylic that extends beyond the front plane of sign face may also have a light diffusing opaque color applied to the front face of all letters/logos to create a back light effect if desired. Please see examples on Page 10-7 and Page 10-13.

MAINTENANCE

All signs and all components thereof, including supports, braces, anchors, etc., shall be kept in a good state of repair, in compliance with all building and electrical codes, and in conformance with the requirements of this Ordinance. Any sign which is determined by the Zoning Administrator to be insecure, in danger of falling or otherwise endangering the public safety shall be immediately removed by its owner unless it is repaired and made to otherwise comply with the requirements of this Ordinance. For reference on non-conformities, see Chapter 14 of this Code.



CHAPTER 10: SIGNS

ILLUMINATION

Illuminated signs shall conform to the following:


- A. If illumination is external, it shall be located and directed solely at the sign.
- B. The light source shall not be visible from or cast into the right-of-way or cause glare hazards to pedestrians, motorists, or adjacent properties.
- C. Light source shall not be mounted to any part of sign.
- D. Only one exterior light shall be permitted per sign face for signs sixteen (16) square feet or less and two (2) exterior lights for sign faces that exceed sixteen (16) square feet in size.

E. No open face channel letters are allowed, where the method of illumination includes but is not limited to: Neon tubing, LED lighting, light bulb arrangement or similar is exposed. See figure A at right for example. The only allowable types of internally illuminated signs are face-lit channel letters, side-lit channel letters, reverse lit channel letters, or push-thru acrylic sign panels. Only one type of illumination is permitted per sign; for example, the combination of face lighting and reverse lighting on the same sign is prohibited. For reverse and side lit channel letters, the only type of light allowed is white. See examples of back-lit reverse channel letters on page 10-7. Additional restrictions on sign illumination are established for various individual sign types in Sections 10.5 and 10.6.




F. All exposed raceways must be painted to match finish of wall face sign is being attached to. If wall surface is brick, black raceway is suitable. See definitions of acceptable types of channel letters under "Lettering" on Page 10-4.

G. A maximum of ten (10) foot candles is permitted on any portion of sign. A foot candle is defined as a unit of illuminance or light falling onto a surface. It stands for the light level on a surface one foot from a standard candle. One foot candle is equal to one lumen per square foot. A Lumen is the basic measure of the quantity of light emitted by a source. See figures B & C at right



H. An isolux lighting plan shall be required for any externally lighted sign. Lux (lx) is defined as a unit of illuminance or light falling onto a surface. One lux is equal to one lumen per square meter. Ten lux approximately equals one foot candle.



I. A commercial sign within one hundred (100) linear feet of a pre-existing residential structure shall not be illuminated between the hours of 12:00 midnight and 6:00 a.m. A residence shall be deemed "pre-existing" for purposes of this Section if it has a valid building permit in effect for construction of said structure or if construction of said structure was complete on or prior to the effective date of this Code.



CHAPTER 10: SIGNS

SECTION 10.4: ALLOWED SIGN TYPES – BUILDING MOUNTED

10.4.1: GENERAL PROVISIONS

Sign types include wall mounted signs or wall-mounted lettering.

- Signs may only be placed on the establishment’s occupied portion of wall area.
- The total area of all signs on a street front shall not exceed 10% of the establishment’s wall area, with a maximum sign area of 100 square feet. In no instance shall signage on an establishment’s occupied portion of wall area exceed a total of 100 square feet.
- The total quantity of building mounted signs per establishment shall be as follows:
 - One primary identification sign (Wall, Architectural Canopy/Architectural Façade Structure, Awning, Projecting Blade, or Mural) may be permitted per street-fronting façade. In the Town Center (TC) District, establishments may have one Projecting Blade Sign in addition to a primary Wall, Architectural Canopy/Architectural Façade Structure, or Awning Sign per street-fronting façade.
 - One primary identification sign may be permitted per non-street-fronting wall, provided that the wall serves as a primary entrance to the establishment, and fronts a parking lot. For sites approved on or after February 19, 2018 with a Type B building frontage street buffer, as allowed in Chapter 7, a sign may be placed on a non-street fronting wall without a primary entrance (in place of the on street fronting wall or parking lot wall requirement with a primary entrance). This allowance is not to increase the total number or size of signs allowed.
 - Secondary signs (Window, Permanent Building Mounted Banners, Delivery/Service, Bulletin Boards, Open/Closed, Interior, Historical Markers) and temporary signs (Building Mounted Special Event, Building Mounted Temporary Real Estate Sign) may be permitted as additional signage for an establishment, and shall not count towards the maximum number or maximum total area of signage per establishment, provided that they comply with all standards established by this ordinance.
 - Accessory/Subordinate Structures to a Primary Structure, including service station canopies, are permitted one primary identification sign per street-fronting façade unless otherwise permitted within this ordinance (HC, IC, BC, CO districts only).
- Temporary signs covering existing wall mounted signs are permitted for change of business/ownership for a period not to exceed sixty (60) days. A banner permit is required.

10.4.2: LETTERING REQUIREMENTS

Wall Sign Letter & Logo Heights

Logos, channel letters, dimensional letters, and push-thru letters as part of a sign plaque shall:

- Not exceed thirty-six inches (36”) in height for businesses less than thirty-five thousand (35,000) square feet.
- Not exceed forty-eight inches (48”) in height for businesses of thirty-five thousand (35,000) square feet or more.

Permission for any increases in size allowances is subject to a variance procedure described in Section 10.2.2 of this Code.



CHAPTER 10: SIGNS

SECTION 10.5: BUILDING MOUNTED SIGN DESCRIPTIONS



WALL SIGNS

Permissible Districts: HC, IC, NMX, VC, TC, TN, WMX, CO, BC

CRITERIA

Up to one wall sign shall be permitted per street-facing façade, and/or parking-lot facing primary façade, in accordance with the quantity standards set in 10.4.1, "General Provisions." No wall sign shall exceed 10% of the total aggregate area of the façade.

In calculating the maximum permitted aggregate area of wall signs for all buildings except shopfronts, the square footage of windows and doorways shall be excluded.

In calculating the maximum permitted aggregate area of wall signs for shopfront buildings, the square footage of windows and doorways shall be included. A shopfront is defined as the front facade of a business or retail use. The facade of a shopfront is aligned directly on the frontage line with the entrance at grade. This is typical for sidewalk retail. Shopfronts often have awnings or a colonnade. The residential portion of mixed use buildings shall not be used to calculate the aggregate wall area.

A transition line should separate the signage from the facade below.

No wall sign shall project more than 18 inches (18") from the building wall. Further, no wall sign or its supporting structure shall cover any window or part of a window, nor shall it extend on/above the roof line, or mansard roof.

No wall sign shall be attached to any cupola, tower, chimney, or other architectural structure that is above the roof line.

Wall sign illumination shall adhere to the standards established in Section 10.3. Additionally, all lots that are located in the Town Center (TC) district, that further abut the portion of Catawba Avenue located between School Street and Main Street, shall only utilize Side-Lit Channel Letters, Back-Lit Channel Letters, or Building Mounted Spot Lighting (or similar external illumination) method. Face-Lit and Push-Through Acrylic wall signs shall be prohibited on lots that meet this description.

Examples of allowed Identification Wall Signs:

Face-Lit Channel Letters



Back-Lit Reverse Channel Letters



Side-Lit Channel Letters



CHAPTER 10: SIGNS

Push-Through Acrylic



Building Mounted Spot Lighting



STRUCTURAL CANOPY/ARCHITECTURAL FAÇADE STRUCTURE SIGNS

Permissible Districts: HC, IC, NMX, VC, TC, TN, WMX, CO, BC

CRITERIA

- Only one business identification sign per business allowed on the same side of a building.
- A business may not have both a wall sign and a structural canopy/ architectural façade structure sign on the same side of a building.
- Maximum height = 24”
- Maximum area = 10% of the wall space tenant controls, not to exceed a total sign size of 100 sq. ft., for signs integrated into or on top of an architectural feature attached to the front façade of a building.
- In no case shall a Structural Canopy/Architectural Façade Structure Sign extend or project above the parapet/principal roof line.
- No sign shall be attached below a structural protective cover.
- Signs may only be comprised of individual letters (such as channel letters). No placards or box signs allowed.
 - Illumination shall be internal – face lit or back lit.
 - Illumination of this sign type on lots that are located in the Town Center (TC) district, that further about the portion of Catawba Avenue located between School Street and Main Street, shall only utilize the Back-Lit or Building Mounted Spot Lighting (or similar external illumination) method.
 - No open face channel letters



TOWN OF CORNELIUS LAND DEVELOPMENT CODE

CHAPTER 10: SIGNS

P AWNING

Permissible Districts: HC, IC, NMX, VC, TC, TN, WMX, CO, BC, TR-O

CRITERIA:

Businesses may elect to utilize custom screened awning signs. These graphics would be considered in addition to any other type of street frontage sign and subject to the Town's approval. Custom awnings/logos must be professionally designed. Any graphics or logo types applied to the awning face or valance count towards overall allowable signage area per wall face.

All awnings should be made of woven fabric, suggested weight to be 9.25 oz. per square yard. A flame-resistant fabric needs to be used when any part of an awning extends over any public or private right of way.

Pitch can and will vary, but is limited to a minimum 35 degrees and a maximum 55 degrees. The bottom valance length can and should vary in length from 0" to a maximum 9". Bottom edge of awning/valance must be 8'- 6" min. above the sidewalk or grade below. Structural tubing should be steel or aluminum frame only.

Example of allowed screened awning:



P PROJECTING BLADE SIGNS

Permissible Districts: HC, IC, NMX, VC, TC, TN, TR-O, WMX, CO, BC

CRITERIA

The projecting sign shall maintain a minimum clearance per building standards and should be consistent with architecture for the building.

One projecting blade/arm sign per primary business entrance.

The projecting sign shall not project more than four feet (4') from the wall and shall not exceed eight (8) square feet in area. Projecting signs should reflect the proportional and dimensional relationships of the structure. The projecting sign shall not be mounted above the floor of the second story, parapet wall or eave line of the building. Signs may be installed onto corners of buildings where applicable.

Projecting blade signs may be externally illuminated with low-intensity spot lighting that may be only mounted to or incorporated into the signs armature, or internally illuminated as push-through acrylic panels. Lighting must be positioned on sign face, and not be cast into right-of-way, nor cause glare hazards to pedestrians, motorists, or adjacent properties. No building mounted spot lighting of any kind allowed for blade/arm sign illumination. Maximum allowed number of foot candles for Projecting blade/arm signs is six (6).

Examples of allowed projecting blade/arm signs:



CHAPTER 10: SIGNS

WINDOW

Permissible Districts: HC, IC, NMX, VC, TC, TN, TR-O, WMX, CO, BC

CRITERIA

Permanent tenant identification information may appear in storefront windows and glass doors as signage. Window signs used for shop front and mixed use buildings are permitted provided that:

- A. Aggregate total of window signs shall not exceed twenty-five percent (25%) of the window. If multiple windows on the street front are available, each use of vinyl per window may not exceed twenty-five percent (25%) per window.
- B. Vinyl lettering for days and hours of operation can be up to three inch (3") high letters and numerals, and shall be figured into the aggregate total area allowed. Other logo types or letters can be larger than three inches (3").
- C. Neon or similar type of internal illumination is allowed on window signs. In the Town Center (TC) district and Transitional Residential Overlay (TR-O), only one Window Sign per establishment may be illuminated.

Signs that are installed or hung in an interior storefront (inside and visible through the window) shall also not exceed twenty-five percent (25%) of window area. Such signs may be placed at a distance no greater than five feet (5') from window.

Examples of allowed window vinyl applications:



MURALS

Permissible Districts: HC, IC, NMX, VC, TC, TN, WMX, CO, BC

CRITERIA

Painted mural display applications may be allowed along an available exterior non street-fronting wall spaces only, pending approval by the Zoning Administrator after review and recommendation by the Architectural Review Board.

Murals must be painted to suitable portions of non streetfronting wall surfaces. Murals may not be painted around or over any windows, awnings or doors.

Murals may be externally lighted with building proportionate spotlighting, gooseneck or similar. Fixtures should be adequately spaced, four (4) to six (6) feet apart. No ground mounted uplighting is allowed.

Examples of allowed mural signs:



CHAPTER 10: SIGNS

P BUILDING MOUNTED BANNER SIGNS

Permissible Districts: HC, IC, NMX, VC, TC, TN, TR-O, WMX, CO, BC

CRITERIA

Permanent Building Mounted Banners mounted only to a non-fronting wall in perpendicular, vertical orientation to wall surface are permitted, provided that the structure is at least twenty-six feet (26') in height and has received approval by the Zoning Administrator after review and recommendation by the Architectural Review Board. Such banners are not allowed on ground levels of building walls.

Vinyl sign substrate is allowed, provided that the sign is installed and secured tightly to building. No loose, non-secure attachments are allowed. Rigid, weatherproof panel construction is required. Building Mounted Banners should have sleeves to mount to a top AND bottom armature, consisting only of round or square steel tubing, spaced apart to ensure rigid installation. No loose, flapping or hanging banners are allowed for this use. Bottom banner mounting armature must be a minimum of twelve feet (12') from the ground.

No individual building mounted banner shall exceed sixteen (16) square feet or be wider than two feet (2') wide.

Maximum banner area is ten percent (10%) of the wall area, not to exceed one hundred (100) square feet. Maximum number of banners is determined by the total aggregate of sign area per street front. Area of one side of each banner counts towards total aggregate area of signage.



No such banner or metal armature shall be attached to any other existing signs.

P BUILDING MOUNTED SPECIAL EVENT

Permissible Districts: HC, IC, NMX, VC, TC, TN, WMX, CO, BC, TR-O

CRITERIA

Temporary banners and flags for special events and used in conjunction with a commercial building, project, or enterprise are allowed according to the specifications below. An application for a banner permit must be completed for every banner and subject to the approved fee schedule.

- A. One banner per business is allowed for a maximum of three (3) days each month.
- B. No banner shall exceed thirty-two (32) square feet
- C. All banners shall be attached to the street frontage wall of a principal structure. If primary entrance wall fronts a parking lot, then banner may be attached to such wall. Banners may be firmly affixed to porch rails or columns when principal structure wall design prohibits banner placement on the wall.
- D. No such banner shall be attached to a roof structure. If possible, banners should not be hung in window spaces.
- E. Vinyl banners are permitted, provided that the sign is installed and secured tightly to building. No loose, non-secure attachments are allowed.
- F. Grand Opening banners are allowed for thirty (30) consecutive days. Grand Opening banners must comply with all other requirements of this section.

Examples of allowed building mounted special event signs:



CHAPTER 10: SIGNS

BUILDING MOUNTED

TEMPORARY REAL ESTATE FOR SALE/LEASE/UNDER DEVELOPMENT/CONSTRUCTION SIGNS

Permissible Districts: RP, GR, NR, HC, IC, NMX, VC, TC, TN, TR-O, WMX, BC, CO

CRITERIA

Building mounted real estate or construction signs advertising a specific property for sale, lease or rent, under development or under construction shall be located as follows:

- A. One sign per street frontage advertising real estate (“For Sale”, “For Rent”, “For Lease” or “For Development”) (“Constructed by”, Company name/logo, contact address is acceptable content) not greater than six (6) square feet in area in a Residential District, and not greater than sixteen (16) square feet in area (not to exceed six feet (6’) in height) in nonresidential districts/commercial districts. Any such sign shall only appear on the available building.
- B. All such temporary real estate signs should be removed within seven (7) days after the property has been sold, rented, leased, etc. In instances of construction signs, all such temporary signs should be removed within seven (7) days after issuance of the final Certificate of Occupancy of a single tenant building or the first Certificate of Occupancy of a multi-tenant structure.
- C. All allowed signs shall not be illuminated.
- D. Rigid, weatherproof board construction is required. All signs should be installed and secured tightly to building. No loose, non-secure attachments are allowed.

Examples of permitted building mounted real estate signs:



CHAPTER 10: SIGNS


P DELIVERY/SERVICE

Permissible Districts: HC, IC, NMX, VC, TC, TN, WMX, BC, CO

CRITERIA

Shipping and employee entrance identification signage is allowed at rear entrances to a business. Standard 1/4" aluminum plate (maximum area is three (3) square feet, maximum eighteen inches (18") in height or twenty-four inches (24") in width with approximately four inch (4") high letters. Signs must be mounted conspicuously near rear door or delivery doors for easy identification.

Examples of allowed delivery service signs:



P ON-PREMISES BULLETIN BOARDS

Permissible Districts: RP, GR, NR, HC, IC, NMX, VC, TC, TN, TR-O, WMX, CO, BC

On-premises bulletin boards and signs that contain information of a non-commercial nature are allowed. Such bulletin boards and signs may have a maximum area of thirty-two (32) square feet.



ON-PREMISES OPEN/CLOSED SIGNS

Permissible Districts: RP, GR, NR, HC, IC, NMX, VC, TC, TN, TR-O, WMX, BC, CO

On premises instructional signs (open/closed) not exceeding one (1) square foot are allowed.



INTERIOR SIGNAGE

Permissible Districts: HC, IC, NMX, VC, TC, TN, WMX, BC, CO

Any sign inside a building, not attached to or placed within an external window, or piece of glass that is not legible more than three feet (3') beyond the building, in which it is located is allowed.



P HISTORIC MARKERS

Permissible Districts: RP, GR, NR, , HC, IC, NMX, VC, TC, TN, TR-O, WMX, BC, CO

Memorial Plaques or Historical Plaques/Markers indicating things or events such as historical landmarks, are allowed. Maximum size of such signs is four (4) square feet and shall not exceed two feet (2') in height. Sign Plaques should be fabricated as individual cast metal signs, bronze or similar. Letters and image content and framed edges on plaques may be dimensional, with recessed sign faces.



GOVERNMENT SIGNS

Permissible Districts: RP, GR, NR, HC, IC, NMX, VC, TC, TN, TR-O, WMX, BC, CO

Except as otherwise required by law, any building mounted signs used on Local, State or Federal Government buildings or facilities, or any related parking and directional signage shall conform to the specific criteria listed for such signs in this Chapter.



CHAPTER 10: SIGNS

10.6 ALLOWED SIGN TYPES – SITE INSTALLED

GROUND MOUNTED SIGNS

- A. All ground mounted signs shall be located a minimum of five feet (5') behind the street right-of-way. At intersections, no sign shall be in the sight triangle as defined by this Code. See definition and example of required sight triangles on Page 10.3. Such hardship will be reviewed on a request basis by the Zoning Administrator and subject to the variance process.
- B. No ground mounted sign shall be located closer than ten feet (10') to any adjacent lot line. A fifteen foot (15') side-yard setback shall be required if the side lot line abuts a residential district.
- C. Temporary signs covering existing ground mounted signs are permitted for change of business/ownership for a period not to exceed sixty (60) days. A permit is required.

P GROUND MOUNTED/SINGLE TENANT MONUMENT

Permissible Districts: RP, GR, NR, , HC, IC, NMX, VC, TC, TN, WMX, CO, BC (See chart at end of Chapter for additional conditions)

CRITERIA

- A. All ground mounted signs in commercial and mixed-use developments can be up to a maximum of thirty-two (32) square feet in size and a maximum height of six feet (6') from mean grade elevation.

All ground mounted signs in residential developments are allowed for school and civic use only, and can be up to a maximum area of sixty-four (64) square feet in size and a maximum height of six feet (6') from mean grade elevation. See criteria for Residential Monuments on Page 10.14 for other types of residential monument signs.

- B. A maximum of three (3) monument signs are permitted if there are multiple street frontages and/or multiple entrances into the site. One single-tenant sign per primary street frontage. Signs are to be placed a minimum of 800 feet apart. Additional monuments on secondary road entrances should be smaller in scale than the primary single-tenant sign, not to exceed thirty-two (32) square feet in total area.



P GROUND MOUNTED/MULTITENANT MONUMENT

Permissible Districts: HC, IC, NMX, VC, TC, TN, WMX, CO, BC *ALLOWED ONLY IN MULTI-TENANT CENTERS

CRITERIA

- A. Ground mounted/multi-tenant monuments shall be allowed for commercial and mixed-use developments (Shopping centers, office complexes, etc.), schools and civic uses. Individual tenant ground mounted signs are not permitted under this set of criteria.
- B. Maximum sign area allowed is sixty-four (64) square feet and the maximum height allowed is six feet (6') from mean grade elevation.
- C. A maximum of three (3) monument signs are permitted if there are multiple street frontages and/or multiple entrances into a development. One multi-tenant sign per primary street frontage. Signs are to be spaced a minimum of 800 feet apart. Additional monuments on secondary road entrances should be smaller in scale than the primary multi-tenant sign, not to exceed thirty-two (32) square feet in total area.



CHAPTER 10: SIGNS

P RESIDENTIAL NEIGHBORHOOD

Permissible Districts: RP, GR, NR, NMX, VC, TC, TN, CO

CRITERIA

- A. Up to two (2) single sided signs per main street frontage entrance may be installed, or one (1) double sided sign is allowed. Multiple double-sided entry signs per street frontage entrance are not allowed. Minimum setback for a residential monument signs is five feet (5') from the right of way.
- B. Maximum sign area permitted is thirty-two (32) square feet and maximum permitted height is six feet (6'). Overall monument (armatures, monument bases, brick or stone structural elements, etc.) including maximum allowed sign area should not exceed sixty-four (64) square feet with a maximum overall allowed height of nine feet (9').
- C. In the case that a ground mounted sign is not allowed because of the setback restrictions, an arm sign may be used.

Examples of allowed residential neighborhood signs:



P ARM SIGNS

Permissible Districts: NMX, VC, TC, TN, TR-O

CRITERIA

- A. Arm signs shall not exceed eight (8) square feet. Maximum height shall not exceed six feet (6').
- B. All arm signs shall be located a minimum of five feet (5') behind any right-of-way.
- C. A ten foot (10') side-yard setback shall be required if the side lot line abuts a residential district.



FLAGPOLES

Permissible Districts: GR, RP, NR, HC, IC, NMX, VC, TC, TN, TR-O, WMX, CO, BC

CRITERIA

Flags bearing the official design of a government, educational institution, church, or fraternal organization shall be allowed. An establishment may have three (3) flags depicting these official designs. Flagpoles shall not exceed thirty feet (30') in height. Flags shall not exceed forty (40) square feet.



Decorative/ornamental flags shall not exceed fifteen (15) square feet. A maximum of three (3) flags allowed per establishment. Each builder in a subdivision may be allowed three flags per sales office.

Flagpoles flying the flag of the United States of America or the flag of the State of North Carolina may exceed the established maximum pole height, quantity of flags per establishment, and/or flag size, with the approval of a Special Use Permit. See Chapter 3.3.5 for the set of standards that flagpoles and flags must meet in order to demonstrate that the site-specific proposal does not represent a detriment to public health, safety and welfare in accordance with NCGS 144-7(b), and therefore be eligible for approval by the Board of Adjustment.



CHAPTER 10: SIGNS

P SERVICE STATION LED SIGNS

Permissible Districts: HC, VC, BC, CO

CRITERIA

Permanent ground mounted sign for use only by fuel service stations for the purpose of advertising fuel costs are allowed.

- A. No such sign shall exceed thirty-two (32) square feet with a maximum height of six feet (6'). The LED numerals may not exceed twelve inches (12") in height. Signs may be double sided.
- B. All ground mounted signs shall be located a minimum of five feet (5') behind the street right-of-way. At intersections, no sign shall be in the sight triangle as defined by this ordinance. See example of required sight triangles on Page 10.3.
- C. Color. All lighted LED numerals shall only be green or red in color. LED background screen may only be black.
- D. Illumination. The sign must not exceed a maximum illumination of 5000 nits (candelas per square meter) during daylight hours and a maximum illumination of 500 nits (candelas per square meter) between dusk to dawn as measured from the sign's face at maximum brightness. Such signs may not display light of such intensity or brilliance to cause glare or otherwise impair the vision of the driver, or results in a nuisance to the driver.



SANDWICH BOARDS

Permissible Districts: NMX, VC, TC, TN, TR-O, HC, WMX
*NOT ALLOWED ON NC 115, US 21, WEST CATAWBA AVE, CATAWBA AVE EXCEPT WITHIN PORTIONS OF STREET WITHIN TC DISTRICT

CRITERIA

- A. One sandwich board sign or Aframe sign per business.
- B. Sandwich board sign or A-frame sign shall not exceed eight (8) square feet per sign face.
- C. Signs shall not impede normal pedestrian traffic or handicap accessibility.
- D. Signs shall not be placed along street frontage or at intersections of NC 115, US 21, West Catawba Avenue, Catawba Avenue except within portions of the TC district. Businesses along these corridors may place A-frame signage internal to the site.
- E. Where allowed, A-frame sign should be located within ten feet (10') of the main entrance of the building and must be removed daily.



CHAPTER 10: SIGNS

P SCHOOL AND CIVIC SIGNAGE

*Excludes governmental wayfinding and directional signage in public rights-of-way
Permissible Districts: HC, IC, NMX, VC, TC, TN, GR, NR, RP, WMX, BC, CO

CRITERIA

For school and civic uses only.

- A. Maximum sign area allowed is sixty-four (64) square feet in accordance with GROUND MOUNTED/MULTITENANT MONUMENT sign section of this ordinance.
- B. Changeable copy is allowed provided:
 1. The changeable face portion of signs shall not exceed 40% of the sign face. Signs may be double sided.
 2. The changeable copy continuously shows one message for a minimum of one (1) hour before switching to another message, except for time and temperature.
 3. Signs shall not dim, flash, fade or scroll and not incorporate moving, rotating, fluttering, blinking or flashing elements, animation, video or audio.
 4. The sign surround shall be clad in brick, stone or stucco matching the principle building.
 5. Electronic Signs shall only be affixed to ground mounted signs.
 6. All non-conforming signs on the property where electronic sign is proposed must be removed prior to electronic sign installation.
 7. Changeable copy messaging space may not be sold to commercial enterprises.
 8. Signs operate only 6:00 AM - 11:00 PM.
 9. Lighting, daytime or nighttime, must be automatically adjustable according to ambient lighting conditions, safe for passing motorists and subject to approval of the Director of Planning, such lighting approval being discretionary on due consideration of public safety, aesthetics, site conditions, functionality and any other factors potentially affecting the public interest and safety.
- C. No ground mounted sign shall be located closer than ten feet (10') to any adjacent lot line. A fifteen-foot (15') side-yard setback shall be required if the side lot line abuts a residential district.
- D. Temporary non-snipie signs may be used by schools and civic organizations to promote special events off-premise within the Town of Cornelius subject to the following conditions:
 1. Must be securely fastened into the ground as to not create a public safety hazard;
 2. Must have permission of the property owner where sign is being installed;
 3. May be placed no more than 7 days before the event and must come down no later than two (2) days after event.
 4. Maximum height allowed is six feet (6') and maximum total size of 32 square feet.
- E. Daily signage advertising day of events may be placed no earlier than 6 PM the day before and must be removed no later than 8 AM the day after.
- F. One on-premise temporary banner will be permitted at a time provided that it is completely and securely affixed to poles. Poles must be decorative in nature, must be set back at least fifteen (15) feet from the right-of-way, and must be removed when not in use. The Planning Director may issue a minor sign variance for placement of temporary banner when there is no alternative to meeting the fifteen foot (15') setback. No permit is required for this banner type. Maximum banner size allowed is 32 sq. ft. Temporary banner signs shall be placed no more than 7-days before the event and must come down no later than two (2) days after the event.



CHAPTER 10: SIGNS

TEMPORARY CONSTRUCTION FENCE SIGN

Permissible Districts: RP, GR, NR, HC, IC, NMX, VC, TC, TR-O, WMX, CO, BC

CRITERIA

On-site signage and related graphics printed on temporary construction fence wrap shall adhere to the following standards:

- A. Signage shall only be allowed on temporary construction fencing erected in order to enclose and screen a construction site from public view.
- B. Signage and related graphics shall be limited to portions of fence wrap that adjoin, or are visible from, a street or right of way.
- C. Such fencing and associated signage shall not exceed 8' tall. Under no circumstances shall the signage protrude above or beyond the fence structure.
- D. Sign graphics shall be printed on the primary fence wrap material, which shall be comprised of a durable, visually consistent, and fire-resistant canvas, fabric, or similar material that covers the entirety of the provided construction fencing. Banners, sign boards, or similar independent sign structures mounted over top of wrapped temporary construction fencing are prohibited.
- E. The wrap material shall feature regular perforations, or similar method, to enhance stability and allow air flow through the material.
- F. The signage and associated fencing shall not obstruct sight distance/visibility triangles at intersections.
- G. Signage and associated fencing shall be removed upon issuance of the final Certificate of Occupancy for the subject construction site, or 24 months after installation of the fencing, whichever occurs first. The applicant may petition the Planning Director for a 12 month extension of the signage, which may be issued provided that the construction site remains active, and the fence remains in good repair.



TEMPORARY REAL ESTATE FOR SALE/LEASE/UNDER DEVELOPMENT/CONSTRUCTION SIGNS NOT INSTALLED ON A BUILDING

Permissible Districts: RP, GR, NR, HC, IC, NMX, VC, TC, TN, TR-O, WMX, CO, BC

CRITERIA

Site Installed real estate or construction signs advertising a specific property for sale, lease or rent, under development or under construction shall be located as follows:

- A. One sign per street frontage advertising real estate ("For Sale", "For Rent", "For Lease" or "For Development") ("Constructed by", Company name/logo, contact address is acceptable content) not greater than six (6) square feet in area in a residential zoning district, and not greater than sixteen (16) square feet in area (not to exceed six feet (6') in height) in nonresidential zoning districts/commercial districts. For vacant sites with approved development plans over twenty (20) acres, additional signage may be approved at the discretion of the Zoning




CHAPTER 10: SIGNS

Administrator provided it does not negatively affect the overall aesthetics of the immediate area to which it is placed. Signs may be located on the property being advertised so long as said sign is located a minimum of five feet (5') behind the on-site permanent ground mounted sign. If no on-site permanent ground mounted sign exists, sign shall be located within five feet (5') of the front facade of the building. For sites or locations where there are no alternatives for placement of sign within the prescribed setbacks, the Planning Director at their discretion may issue a minor sign variance per Section 10.2.2 of this Chapter. If the property so advertised lies on a corner lot or double frontage lot, then a second sign may be oriented along the second street as long as the two signs are at least two hundred fifty feet (250') apart as measured by the shortest straight line.

Provided there is sufficient setback, sign may be constructed as either a: single-sided sign that faces parallel to the street front or double-sided sign that orients perpendicular to the street front. In the case of a corner lot, sign may be double sided and installed at a 45-degree angle perpendicular to the street corner. No three sided signs, v-shaped signs or four-sided vertical box signs are allowed.

- B. In addition to the on-site real estate sign(s), a maximum of two (2) directional signs, each not exceeding six (6) square feet in area, shall be allowed off the subject premises for special events such as open house. Such signs must be placed outside all existing rights-of-way. The message of said signs shall be limited to the name of the property or development being advertised, an address, a telephone number, a directional arrow, mileage to the subject property, and the terms "Lot/Home For Sale", "For Rent", "For Lease", "For Development", "Open House" etc. Signs may not be erected more than 24 hours before the event and must be removed within 24 hours after the event.
- C. All such temporary signs should be removed within seven (7) days after the property has been sold, rented, leased, etc.
- D. All allowed signs shall not be illuminated.
- E. Site Installed vinyl banners are prohibited for all such real estate signs.
- F. Rigid, weatherproof board construction is required for all real estate signs. For signs within commercial districts it is required that poles be covered with lumecore or similar material and capped.
- G. Temporary real estate signs for Marina Slips should be no larger than three (3) square feet and one sign per slip is permissible, either placed at the specific dock or end of the dock for visibility from the water. Vinyl banners are prohibited for Marina slips. Rigid, weatherproof board construction is required.
- H. All real estate signs for multi-tenant buildings, both those with individual unit ownership and those with multiple tenants, planned or approved after December 31, 2010 shall incorporate into their monument signage or have an approved plan for a single common temporary real estate sign not to exceed sixteen (16) square feet. Plan for a single common real estate sign shall be incorporated into the declaration of covenants, conditions and restrictions of any multi-tenant building. Real estate signs shall be located behind any permanent monument signs that are located on the property and may not be located within any street right-of-way or sight safety triangle.



CHAPTER 10: SIGNS

P HISTORIC/DEDICATORY MARKERS

Permissible Districts: RP, GR, NR, MHN, HC, IC, NMX, VC, TC, TN, TR-O, WMX, CO, BC

CRITERIA

Memorial Plaques or Historical Plaques/Markers indicating things or events such as historical landmarks

Maximum size of such signs is four (4) square feet and shall not exceed two feet (2') in height. Sign Plaques should be fabricated as individual cast metal signs, bronze or similar. Letters and image content, and framed edges on plaques may be dimensional, with recessed sign faces.

Historical Plaques shall receive a recommendation by the Historic Preservation Committee and be approved by the Zoning Administrator.



P DRIVE-THRU MENU BOARDS

Permissible Districts: HC, IC, NMX, VC, TN, WMX, TC, BC, CO

Drive-thru menu boards provided that they shall not exceed thirty-two (32) square feet and not be visible from the public or private right-of-way. Menu boards should be consistent with architectural standards. See Chapter 5 of this Code for additional requirements.



DIRECTIONAL

*Excludes governmental wayfinding and directional signage in public rights-of-way.

Permissible Districts: RP, GR, NR, HC, IC, NMX, VC, TC, TN, TR-O, WMX, BC, CO

No more than three (3) directional signs per principle use may be erected.

- Allowed in RP, GR and NR for schools and civic use only.
- All such signs shall be located off the right-of-way.
- All such signs shall not exceed three feet (3') in height as measured from the grade of the road upon which it fronts and shall be located outside the required sight triangle as defined by this Ordinance.
- All such signs shall not be illuminated.
- All directional signs shall be freestanding signs. Portable signs shall be prohibited.
- There shall be no more than two (2) directional signs on separate supports at the intersection of any two (2) roads.
- A maximum of two (2) signs may be placed on the same supports.
- The maximum area of any directional sign shall be four (4) square feet.



GOVERNMENT SIGNS

Permissible Districts: RP, GR, NR, HC, IC, NMX, VC, TC, TN, TR-O, WMX, BC, CO

Except as otherwise required by law, any site installed signs used on the premises of any Local, State or Federal Government building facility, or any related parking and directional signage shall conform to the specific applicable sign criteria listed for such signs within this Chapter. Governmental wayfinding and directional signage in public rights-of-way shall be conforming with design standards prepared separately from this Chapter.



CHAPTER 10: SIGNS

WARNING/PUBLIC INTEREST SIGNS

Permissible Districts: RP, GR, NR, HC, IC, NMX, VC, TC, TN, TR-O, WMX, CO, BC

“Warning”, “No Trespassing” and similar informational signs provided they do not exceed four (4) square feet in area.



YARD SALE SIGNS

Permissible Districts: RP, GR, NR, HC, IC, NMX, VC, TC, TN, TR-O, WMX, BC, CO

One (1) on-premise and three (3) off-premise yard sale signs per yard sale. All such signs may be placed no earlier than twenty-four (24) hours before the sale and shall be removed within twenty-four (24) hours after the yard sale has been terminated.

No such sign shall be greater than four (4) square feet in area. All such signs shall be located off the street right of way.



STADIUM SIGNS/RECREATIONAL SIGNS

Permissible Districts: RP, GR, NR, HC, IC, NMX, VC, TC, TN, TR-O, WMX, BC, CO

Signs located within a stadium intended to be read only by persons seated within the stadium, and not from any right of way outside of the stadium.



Maximum size allowed is thirty-two (32) square feet in total area.

Facility signage associated with naming shall be limited to thirty-two (32) square feet in total area.

All free standing signage shall not exceed six feet (6') in total height.

Internal pedestrian signage shall not exceed two (2) square feet in total area.

CAMPAIGN/ELECTION SIGNS

Permissible Districts: ALL Districts

During the period beginning on the 30th day before the beginning date of “one-stop” early voting and ending by the 10th day after the primary or election day, persons may place political signs as follows:

- Each sign shall not exceed six (6) square feet in area.
- The property owner upon whose land the sign is placed shall give express permission for the placement of said signs and will be held responsible for violations.
- No sign shall be placed in any Town owned right-of-way, on any telephone pole or street sign, or on any public property unless otherwise allowed per the NC General Statutes that are modified from time to time.
- Placement of political signage within windows of business is permitted subject to Section 10.5 (Window signs) of this Ordinance and not subject to the 30-day time period.



CHAPTER 10: SIGNS

SECTION 10.7: PROHIBITED SIGN TYPES

In order to maintain the character and the aesthetic quality of place within the Town of Cornelius zoning district the following sign types are prohibited:

1. Signs in any location or right of way which obstruct a motorist's vision of traffic control signals, other vehicular traffic, or pedestrian traffic. Any sign determined by the Zoning Administrator to be obstructing the view of bicyclists or motorists using any street, approach to any street intersection, or which interferes with the effectiveness of or obscures any traffic sign, device, or signal is prohibited.



4. Signs in any traffic right-of-way which contain lights, words, language and/or other devices not erected by a public authority which may be erroneously construed as government signs, traffic regulatory, or emergency warning signs.



7. Flashing signs, rotating signs, signs with flashing or reflective disks, signs with flashing lights or lights of changing degree of intensity or color or signs with electrically scrolled messages (except government signs and signs which give time and temperature information) affixed to any part of a permanent (or temporary) ground, pole or building frontage sign. Flashing or animated signs may also not be erected in building storefronts. If a time and temperature sign alternates between a time message and a temperature message it shall continuously show one message a minimum of three (3) seconds in time before switching to the other message.



2. Highly reflective signs or spotlights, which hamper the vision of motorists or bicyclists. Signs with intermittent lights resembling flashing lights customarily associated with danger, emergency vehicles or for navigation purposes, and/or located and so illuminated as to provide a background of colored lights blending with traffic signal lights to the extent of confusing a motorist when viewed from an approaching position of a vehicle's distance from 100 to 1000 feet.



5. Any sign located outdoors which interferes with free passage from or obstructs any fire escape, downspout, window, door, stairway, ladder, or opening intended as a means of ingress or egress or providing light or air.



8. Any permanent or temporary signs attached to poles or light poles that denote any purpose of general wayfinding or branding of a residential subdivision, or mixed-use community not approved by the Town.



3. Illuminated tubing or neon signs (except as allowed in Window signs), or signs containing a visible light source, permanent or temporary. (Exception: channel letters in accordance with this section where the neon is the source of internal illumination but not exposed.)



6. Any sign located in such a way as to intentionally deny an adjoining property owner visual access to an existing sign.



CHAPTER 10: SIGNS

9. Vehicular signs on or off premise displayed on parked vehicles in public view in such a manner, location, or time period indicating it is and for the purpose of attracting attention to a business being advertised.



10. Abandoned or dilapidated signs.



11. Roof signs.



12. Off premise advertising signs (i.e. billboards) including those types that include people wearing costumes and/or holding temporary signs.



13. Permanent or temporary signs placed on a piece of property without permission from its owners or agent. Also prohibited are flyers made of any material attached to utility poles or walls.



14. Inflatable signs and balloons used as permanent or temporary signage.



15. Any sign or form of lettering attached to, rather than printed on, an awning.



Acceptable examples:



16. Any printed and/or translucent canvas awnings with internal illumination. Acceptable forms of printed awnings shown above.



17. Any sign whose sign face was initially constructed and designed to be placed and/or transported on wheels, regardless if said sign face is removed from its base and placed on or in the ground so as to otherwise classify said sign as a "free-standing" sign as herein defined.



18. Internally illuminated wall box signs with screened translucent faces, or non-illuminated box signs. All internally lit wall sign types must conform to the permitted sign types shown for wall signs.



19. Any sign affixed to, placed, or painted on any other sign, fence, tree, utility pole, or tower. (Exempt: official traffic, parking or informational signs placed by units of government.)



CHAPTER 10: SIGNS

20. Any sign attached to gas pumps or gas pump islands that can be read from off the property.



21. Home occupation signs either attached to the building or on the property that advertise business simultaneously conducted primarily by a resident of the same dwelling).



22. Any sign that contains letters, trademarks, moving parts or lights that is located on a decorative or architectural feature of a building or on a work of art associated with, or located on any building.



23. Permanent signs or temporary promotional advertisements that provide full coverage of storefronts and/or windows. Town Zoning Administrator may approve temporary circumstances as to conceal interior construction and/or renovation of space.



24. Temporary "Snipe" or "Bandit" signs are not permitted anywhere within the Town of Cornelius unless noted within this ordinance.



Snipe/Bandit signs are signs made of corrugated cardboard, metal, wood or similar material placed on wire support poles or similar support and placed within the Town right-of-way or on private property. This signage does not include campaign/election signs that must follow regulations on page 10-19 or real estate signs that must follow regulations on page 10-17.

25. Temporary or permanent "feather" banner signs of any type, size, color, or composition.



26. Temporary or permanent "flag" banner strands of any type, size, color, or composition.



CHAPTER 10: SIGNS

SIGN REGULATIONS

District Types: RP=Rural Preservation GR=General Residential	NR=Neighborhood Residential NMX=Neighborhood Mixed Use TRD-O=Transitional Residential District Overlay	HC=Highway Commercial TN=Traditional Neighborhood	IC=Industrial Campus TC=Town Center		
SIGN TYPE	RESIDENTIAL RP, GR, NR	COMMERCIAL HC, IC	MIXED-USE NMX, VC, TC, TN	TRD-O	CONDITIONS (Page)
Building-Mounted					
Wall Sign	N	P	P	N	10-7
Structural Canopy/Architectural Façade Signs	N	P	P	N	10-8
Awning	N	P	P	N	10-9
Banners - Permanent Banner Signs	P (4)	P	P	P	10-11
Banners - Temporary Special Event Banners	P (4)	P	P	P	10-11
Delivery/Service	N	P	P	N	10-13
Government Signs	√	√	√	√	10-13
Historic Markers	P	P	P	P	10-13
Interior Signs	N	√	√	N	10-13
Mural	N	P	P	P	10-10
On-Premises Bulletin Boards	P	P	P	P	10-13
On-Premises Open/Closed Signs	√	√	√	√	10-13
Projecting Blade	N	P	P	P	10-9
Temporary Real Estate/For Sale/Construction	√	√	√	√	10-12
Window	N	√	√	√	10-10
Site-Installed					
Ground Monument - Single Tenant	P (4)	P	P (2) (6)	N	10-14
Ground Monument - Multi-Tenant	N	P (1)	P (1)	N	10-14
Arm	N	N	P (6)	P	10-15
Campaign/Election Signs	√	√	√	√	10-20
School/Civic Signage	P (4)	P (4)	P (4)	P (4)	10-17
Drive-thru Menu Boards	N	P	P	N	10-19
Flagpole	√	√	√	√	10-15
Government Signs	√	√	√	√	10-19
Historical/Dedicatory Markers	√	√	√	√	10-19
LED Service Station Signs	N	P	P	N	10-16
Residential Neighborhood Monument	P	N	P	N	10-15
Sandwich Boards - Temporary	√	N	√ (5)	√ (3)	10-16
Directional	P (4)	P (4)	P (4)	P (4)	10-19
Stadium Signs/Recreational Signs	√	√	√	√	10-20
Temporary Real Estate/For Sale/ Construction	√	√	√	√	10-18
Temporary Construction Fence Sign	√	√	√	√	10-19
Yard Sale Signs	√	√	√	√	10-20
<p>P = Allowed – Permit Required</p> <p>N = Prohibited</p> <p>√ = Allowed – Permit Not Required</p>	<p>(1) Allowed only in a multi-tenant center</p> <p>(2) Ground Mounted Allowed on All Yard Lots</p> <p>(3) Allowed in TC district only</p> <p>(4) Allowed only for School/Civic uses</p>		<p>(5) Not allowed on NC 115, US 21, West Catawba Avenue, Catawba Avenue except in TC district</p> <p>(6) Ground mounted or ARM sign</p>		



CHAPTER 10: SIGNS

THIS PAGE INTENTIONALLY BLANK

