

City of Fall River Massachusetts **RECEIVED**
Office of the City Clerk

2019 SEP 20 P 2:47

MEETINGS SCHEDULED
CITY COUNCIL CHAMBER, ONE GOVERNMENT CENTER
FALL RIVER, MA

ALISON M. BOUCHARD
CITY CLERK

TUESDAY, SEPTEMBER 24, 2019
AGENDA

INÊS LEITE
ASSISTANT CITY CLERK

5:55 P.M. PUBLIC HEARINGS
Curb Removals

1. Nghiep Bang, 22 Bayview Street, for the removal of curbing as follows:

	Existing Driveway	Proposed Driveway Access	Existing To Be Replaced	Total Driveway Access
22 Bayview Street	13' 7"	16'	0'	29' 7"

The petitioner has an existing 13 foot 7 inch driveway opening on Bayview Street and would like to add a 16 foot driveway on his Wheeler Street frontage, to improve off-street parking access and provide additional off-street parking spaces.

The proposed work improves access to the property and does not cause a significant adverse effect to on-street parking in the area.

2. Millstone Medical Outsourcing Real Estate LLC, 580 Commerce Drive, for the removal of curbing as follows:

	Existing Driveway	Proposed Driveway Access	Existing To Be Replaced	Total Driveway Access
580 Commerce Drive	77'	26'	0'	103'
633 Commerce Drive	53'	42'	27'	68'

The petitioner is proposing to adjust driveway access openings to their property as part of a facility expansion project.

3. Couto Management Group/Dunkin Donuts, 169 Main Street, Stoneham, MA, for the removal of curbing as follows:

	Existing Driveway	Proposed Driveway Access	Existing To Be Replaced	Total Driveway Access
400 Quarry Street	60' 11"	20'	0'	80' 11"

The petitioner has existing openings totaling 60 feet 11 inches opening on Quarry Street and would like to add a 20 foot driveway for the purpose of legally accessing the dumpsters serving the property.

ADA Coordinator: Gary P. Howayeck, Esq. 508-324-2650

One Government Center • Fall River, MA 02722

TEL 508-324-2220 • FAX 508-324-2211 • EMAIL city_clerks@fallriverma.org

The proposed work improves access to the property and does not cause a significant adverse effect to on-street parking in the area.

4. David DeSousa, 1071 Smith Street, No. Dighton, MA, for the removal of curbing as follows:

	Existing Driveway	Proposed Driveway Access	Existing To Be Replaced	Total Driveway Access
405 Shove Street	11'	13' 3"	0'	24' 3"

The petitioner has an existing 11 foot driveway opening and would like to widen the driveway an additional 13 foot 3 inch, to improve off-street parking and provide an additional off-street parking space.

The proposed work improves access to the property and does not cause a significant adverse effect to on-street parking in the area.

6:00 P.M. COMMITTEE ON FINANCE (OR IMMEDIATELY FOLLOWING THE PUBLIC HEARINGS IF THAT MEETING RUNS PAST 6:00 P.M.)

1. Citizen Input
2. *Mayor and loan order of \$2,100,000.00 for the purchase of snow removal equipment (referred 9-10-19)

7:00 P.M. REGULAR MEETING OF THE CITY COUNCIL (OR IMMEDIATELY FOLLOWING THE COMMITTEE ON FINANCE MEETING IF THAT MEETING RUNS PAST 7:00 P.M.)

PRIORITY MATTERS

1. *Mayor and veto of proposed ordinance to limit number of marijuana licenses (Laid on the table in accordance with Sec. 3-7 of the City Charter)

PRIORITY COMMUNICATIONS

2. *Traffic Commissioner recommending amendments to traffic ordinances
3. *City Engineer request for street opening in pavement less than five years old at 807 Plymouth Avenue
4. *Library Administrator and Annual Report of the Fall River Public Library

COMMITTEE REPORTS – None

ORDINANCES

Second reading and enrollment

5. *Proposed Ordinance – Traffic, Miscellaneous
6. *Proposed Ordinance – City Fire Alarms

RESOLUTIONS – None

CITATIONS

7. Maplewood Independent Youth Baseball 8U Team

Wesley Araujo	Noah Cahoon	Stephen Charves	Shea Doyle
RJ Fitzgerald	Kaiden Furtado	Brady Mak	Camden Medeiros
Luke Medeiros	Noah Primo	Landon Ravenelle	Brayden Souza
Coach Jeff Medeiros	Coach Ryan Doyle	Manager Craig Araujo	

ORDERS – HEARINGS

Curb Removals:

8. *Nghiep Bang, 22 Bayview Street – total of 29' 7" at 22 Bayview Street
9. *Millstone Medical Outsourcing Real Estate LLC, 580 Commerce Drive – total of 103' at 580 Commerce Drive and 68' at 633 Commerce Drive
10. *Couto Management Group/Dunkin Donuts, 169 Main Street, Stoneham, MA – total of 80' 11" at 400 Quarry Street
11. *David DeSousa, 1071 Smith Street, No. Dighton, MA – total of 24' 3" at 405 Shove Street

ORDERS – MISCELLANEOUS

12. **Police Chief's report on licenses:**

Taxicab Drivers:

Leo R. Chase Robert Pimentel

13. **Auto Repair Shop License Renewal:**

Faouzi Raad, Michael and Tia, Inc., d/b/a Fawzi's Auto located at 256 Bedford Street

14. **Auto Body Shop License Renewals:**

John Medeiros, Medeiros Auto Body and Sales, Inc. located at 96-98 Alden Street

Arthur Camara, Deschenes Body Repair, Inc. located at 851 Eastern Avenue

Richard Duclos d/b/a Richard's Auto Body and Paint located at 44 Sixth Street

15. *Light order – 460 Baker Street pole #5

COMMUNICATIONS – INVITATIONS – PETITIONS

16. *Claims

Drainlayer License:

17. Global Contracting Services, Inc.

18. Structure over a public way – Shane Heneghen requesting a banner over Bedford Street at the Fire Station to advertise Mass Save Energy Efficiency Day

19. Structure over a public way – Holy Name School requesting a banner over Bedford Street near the Fire Station to advertise their Harvest Festival

20. *Planning Board Minutes – July 31, 2019

BULLETINS – NEWSLETTERS – NOTICES

21. *Communication from city resident re: false alarm charges


City Clerk

ITEMS FILED AFTER THE AGENDA DEADLINE: **CITY COUNCIL MEETING DATE: SEPTEMBER 24, 2019**

OTHER POTENTIAL MATTERS (to be acted upon if recommendation is received)

Reports of the Committee on Finance:

Loan Order - \$2,100,000.00 for the purchase of snow removal equipment

ADA Coordinator: Gary P. Howayeck, Esq. 508-324-2650

LOAN ORDER

(DEPARTMENTAL EQUIPMENT)

FINANCE 2

ORDERED: That the City appropriates the amount of Two Million One Hundred Thousand Dollars (\$2,100,000) for the purpose of purchasing the following departmental equipment including the payment of all cost incidental or related thereto:

Snow Removal Equipment – Streets & Highway Department

\$2,100,000


To meet this appropriation, the City Treasurer, with the approval of the Mayor, is authorized to borrow said sum under and pursuant to M.G.L. Chapter 44 Section 7(9), or pursuant to any other enabling authority, and to issue bonds or notes of the City therefor, Any premiums received by the City upon the sale of any bonds or notes approved by this vote, may be applied to the payment of costs approved by this vote in accordance with Chapter 44, Section 20 of the General Laws, thereby reducing the amount authorized to be borrowed to pay such costs by a like amount.

BE IT FURTHER ORDERED: That the Treasurer is authorized to file an application with the appropriate officials of the Commonwealth of Massachusetts (the "Commonwealth") to qualify under Chapter 44A of the General Laws any and all bond of the City to be issued pursuant to this Order, and to provide such information and execute such documents as such officials of the Commonwealth may require.

CITY OF FALL RIVER
IN CITY COUNCIL

SEP 10 2019

*Authorized to be published
and referred to the
Committee on Finance*



City of Fall River
Massachusetts
Office of the Mayor

FINANCE **2**
RECEIVED

2019 SEP -9 A 10:48

CITY CLERK _____
FALL RIVER, MA

JASIEL F. CORREIA II
Mayor

September 4, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722


RE: Loan Order for DCM

Honorable Members of the Council:

The Department of Community Maintenance (DCM) has evaluated its equipment needs and after receiving quotes on capital items for the snow removal equipment we are requesting a loan authorization in the amount of \$2,100,000.

Your approval of this Loan Order is respectfully requested.

Best Regards,


Jasiel F. Correia II
Mayor

CITY OF FALL RIVER
IN CITY COUNCIL

SEP 10 2019

a/c placed on file



City of Fall River
Massachusetts
Department of Community Maintenance
CEMETERIES • TREES • PARKS • SANITATION • ENGINEERING
STREETS & HIGHWAYS • TRAFFIC & PARKING • VEHICLES

FINANCE 2

Administrative Services Division

JASIEL F. CORREIA II
Mayor

JOHN A. PERRY JR.
Director

September 4, 2019

City of Fall River
Mayor Jasiel F. Correia
One Government Center
Fall River, MA 02722

Honorable Mayor Correia,

The Department of Community Maintenance in an effort to replace its aging and failing fleet of snow removal equipment respectfully requests your support and approval for the purchase of a new snow removal fleet. The total appropriation needed to accomplish this and better serve Fall River's residents would total \$2,100,000.

A letter addressed to the Auditor's department from your office, approving and requesting an appropriation order for this amount would be needed to move forward with this project.

It is our intent to put this before Council at their September 10th meeting. Your support with this matter would be greatly appreciated.

Respectfully,

John Perry Jr.
Director, Department of Community Maintenance

CITY OF FALL RIVER
Snow Removal Equipment

FINANCE 2

Coastal Intl Trucks, Inc	Combination Salt/Plow/Dump 4x2	\$ 154,289.00
Coastal Intl Trucks, Inc	Combination Salt/Plow/Brine 4x2	\$ 135,674.00
Coastal Intl Trucks, Inc	(5)Combination Salt/Plow 4x2	\$ 658,370.00
Coastal Intl Trucks, Inc	Combination Salt/Plow/Brine 4x4	\$ 156,370.00
Coastal Intl Trucks, Inc	Combination Salt/Plow/Dump 4x4	\$ 174,985.00
Coastal Intl Trucks, Inc	(5)Combination Salt/Plow 4x4	\$ 761,850.00
Various	Misc accessories & equipment	\$ 58,462.00

\$ 2,100,000.00


INTERNATIONAL®

FINANCE 2

August 15, 2019

Prepared For:
CITY OF FALL RIVER
Jeremy Lambert
ONE GOVERNMENT CENTER
FALL RIVER, MA 02722-
(508)324 - 2581
Reference ID: N/A

Presented By:
COASTAL INTL TRUCKS, LLC
Ted Gilmartin
17 O'KEEFE LANE
WARWICK RI 02888 -
(401)784-3060



Model Profile
2020 HV507 SFA (HV507)

①
Comb. Salt / Plow / Dump.
①
ADD ON feature

AXLE CONFIG: 4X2
APPLICATION: Construction Dump
MISSION: Requested GVWR: 37000. Calc. GVWR: 36220
Calc. Start / Grade Ability: 39.57% / 2.44% @ 55 MPH
Calc. Geared Speed: 75.9 MPH

DIMENSION: Wheelbase: 163.00, CA: 88.00, Axle to Frame: 39.00
ENGINE, DIESEL: {Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM
Governed Speed, 300 Peak HP (Max)

TRANSMISSION, AUTOMATIC: {Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with
PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max,
On/Off Highway

CLUTCH: Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING: {Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity

AXLE, REAR, SINGLE: {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends Gear Ratio: 5.38

CAB: Conventional, Day Cab

TIRE, FRONT: (2) 11R22.5 Load Range H ENDURANCE RSA (GOODYEAR), 496 rev/mile, 75 MPH, All-Position

TIRE, REAR: (4) 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive

SUSPENSION, REAR, SINGLE: 23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs

PAINT: Cab schematic 100WK
Location 1: 9219, Winter White (Std)
Chassis schematic N/A

Cab & Chassis	\$83,124.00
Body & Equipment	\$71,165.00
TOTAL	<u>\$154,289.00</u>



ORDER ENTRY

FINANCE 2QUOTATIONQUOTE / ORDER # **N8153**REF: **C/O FALL RIVER DPW**6 ENTERPRISE DRIVE
LONDONDERRY, NH 03053
PHONE: 603-669-2250
FAX: 603-669-0501
DATE: 8/15/19CUSTOMER: **COASTAL IHC TRUCKS LLC**CONTACT: **TED GILMARTIN**ADDRESS: **17 O'KEEFE LANE
WARWICK, RI, 02888**PHONE: **401-784-3060**FAX: **401-784-3070**TRUCK INFO:

VIN #:

YEAR: **2020**MAKE: **IHC**MODEL: **HV**CA: **96"**TRANS: **AUTOMATIC**

BODY SR. #

HOIST SR. #

"BEAU-ROC" STAINLESS STEEL DUMP # BR-SS 11' LONG X 36" SIDES X 42" GATE
304 SS CONSTRUCTION WITH 3/16" **HARDOX 450 STEEL FLOOR - NON HEATABLE**
304 7 GA SIDES W/ DIRT SHEDDERS & VERTICAL BOX BRACING
304 7 GA DOUBLE ACTING SIX (6) PANEL TAILGATE
FORMED 3/16" 50W STEEL LONG SILLS W/ REINFORCED GUSSETS - 10" HIGH
36" CAB SHIELDMAILHOT **CS-100-4.5-3** FRONT MOUNT TELESCOPIC HOIST **25** TON CAP
SAFETY PROP / BACKUP ALARM & BODY UP ALARM
SET OF FRONT & REAR MUD FLAPS
ALL LIGHTS & REFLECTORS TO MEET FMVSS-108 (LED)INSTALLEDOPTIONS:

- ☒ HOT SHIFT PTO DRIVEN CENTRAL HYDRAULICS TO RUN DUMP
PLOW LIFT / PLOW ANGLE & 2FFL VALVE FOR SANDER
- ☒ THREE STAINLESS STEEL COAL DOORS INSTALLED IN GATE
- ☒ TURNBUCKLE TAILGATE SAFETY LOCKS
- ☒ 10' FLINK 6.4 YD. LMC5H STAINLESS STEEL SANDER INSTALLED
- ☒ STAINLESS STEEL SPILL SHEILD FRONT & REAR
- ☒ STAINLESS STEEL LED LIGHTBAR W/ STROBES / STT & REVERSE LIGHTS
- ☒ STEEL REAR SPINNER GUARD RECIEVER TUBE MOUNTED
- ☒ 10' POWER ANGLE BAKER PLOW 42" HIGH MOLDBOARD **#2PR559U**
W/ RUBBER DEFLECTOR & Q.L. BAR
- ☒ LOW PROFILE QUICK LINK PLOW FRAME W/ PLOW LIGHTS INSTALLED
ON HOOD
- ☒ LED 404 STROBES 2 IN CABSHIELD FACE & 2 IN REAR POSTS SEPARATE SWITCHES
- ☒ GRILL MOUNTED LED STROBES ON ONE SWITCH
- ☒ TWO LED SPOT LIGHTS INSTALLED IN REAR TO VIEW SPREAD
- ☒ 20 TON HOOK ON 3/4" PLATE W/ D-RINGS & PLUG
- ☒ AERO ELECTRIC COVER W/ ASPHALT TARP
- ☒ STOP TURN & TAIL LIGHTS IN REAR POSTS (LED)

TOTAL: \$ 71,165.00
X 2 UNITSI HAVE READ AND APPROVED THE ABOVE QUOTATION AND
HEREBY AUTHORIZE YOU TO COMPLETE THE WORK.

CUSTOMER SIGNATURE: _____

DATE: _____

QUOTATION IS VOID AFTER **30** DAYS.QUOTED BY: **Nick Covatis**


INTERNATIONAL®

FINANCE 2

August 15, 2019

Prepared For:
CITY OF FALL RIVER
Jeremy Lambert
ONE GOVERNMENT CENTER
FALL RIVER, MA 02722-
(508)324 - 2581
Reference ID: N/A

Presented By:
COASTAL INTL TRUCKS, LLC
Ted Gilmartin
17 O'KEEFE LANE
WARWICK RI 02888 -
(401)784-3060



Model Profile
2020 HV507 SFA (HV507)

Plan / Sailer.
Not Dump but Prime

AXLE CONFIG:	4X2
APPLICATION:	Construction Dump
MISSION:	Requested GVWR: 37000. Calc. GVWR: 36220 Calc. Start / Grade Ability: 39.57% / 2.44% @ 55 MPH Calc. Geared Speed: 75.9 MPH
DIMENSION:	Wheelbase: 163.00; CA: 88.00; Axle to Frame: 39.00
ENGINE, DIESEL:	{Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity
AXLE, REAR, SINGLE:	{Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends Gear Ratio: 5.38
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 11R22.5 Load Range H ENDURANCE RSA (GOODYEAR), 496 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(4) 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE:	23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs
PAINT:	Cab schematic 100WK Location 1: 9219, Winter White (Std) Chassis schematic N/A

Cab & Chassis	\$83,124.00
Body & Equipment	\$52,550.00
TOTAL	<u>\$135,674.00</u>



FINANCE 2

ORDER ENTRY # _____

6 ENTERPRISE DRIVE
LONDONDERRY, NH 03053
PHONE: 603-669-2250
FAX: 603-669-0501

FLINK SANDER QUOTATION

QUOTE / ORDER # N8152REF: C/O FALL RIVER DPWDATE: 8/15/19CUSTOMER: **COASTAL IHC TRUCKS LLC**

CONTACT: TED GILMARTIN

ADDRESS: 17 O'KEEFE LANE
WARWICK, RI, 02888

PHONE: 401-784-3060

FAX: 401-784-3070

VIN # : _____

YEAR: 2020MAKE: IHCMODEL: HVCA: 84"TRANS: AUTOMATICMODEL # LMCSH

SERIAL # _____

FLINK STAINLESS STEEL SANDER 6.4 CU. YD. CAPACITY**10' HOPPER LENGTH / 50" OVERALL HEIGHT / 84" TOP WIDTH**

10 GA HOPPER SHELL W/ 45 DEGREE SLOPED SIDES - CONTINUOUSLY WELDED INSIDE SEAM

10 GA FLANGED SIDE SUPPORTS - THREE MINIMUM PER SIDE

2-1/4" PITCH PINTLE CHAIN WITH 3/8" X 1-1/2" CROSS BARS SPACED AT 4-1/2" ON CENTERS

7 GA CONVEYOR SIDE RAILS / BOLT-IN CHAIN SHIELDS / 7 GA. FLOOR / F & R WIPERS

50:1 WORM DRIVE GEAR BOX / SELF LOCKING SCREW JACK FOR REAR ADJUSTMENT

3/8" BAR FLIGHTS - STANDARD EVERY OTHER CHAIN LINK

GREASE EXTENSION TUBES TO THE REAR / REAR SLACK ADJUSTERS

H/D TOP SCREEN & H BEAM INSTALLED / FOUR 5/8" ROD LIFT LOOPS

TIP-UP ADJUSTABLE SPINNER ASSEMBLY / TOP MOUNTED MOTOR

INSTALLED -----

OPTIONS:

- ☒ HOT SHIFT PTO DRIVEN CENTRAL HYDRAULICS TO RUN PLOW LIFT
PLOW ANGLE & 2FLL VALVE FOR SANDER -----
- ☒ STAINLESS STEEL FRONT CAB SHIELD ON SANDER -----
- ☒ STAINLESS STEEL SPILL SHEILD IN REAR -----
- ☒ STAINLESS STEEL CAT WALKS -----
- ☒ STAINLESS STEEL LADDER DRIVERS SIDE FRONT -----
- ☒ STAINLESS STEEL FLOOR PAN -----
- ☒ 10' POWER ANGLE BAKER PLOW 42" HIGH MOLDBOARD #2PR559U
W/ RUBBER DEFLECTOR & Q.L. BAR -----
- ☒ LOW PROFILE QUICK LINK PLOW FRAME W/ PLOW LIGHTS INSTALLED
ON HOOD -----
- ☒ LED 402 STROBES IN CABSHIELD FACE -----
- ☒ GRILL MOUNTED LED STROBES -----
- ☒ TWO LED SPOT LIGHTS INSTALLED TO VIEW SPREAD -----
- ☒ STAINLESS STEEL LED LIGHTBAR W/ STROBES / STT & REVERSE -----
- ☒ HEAVY DUTY SPINNER GUARD ENCLOSED IN TRUCK FRAME
(NEED CHASSIS TO COME WITH EXTRA OVERHANG) -----
- ☒ DUAL 90 GALLON LIQUID TANKS INSTALLED & ELECTRICALLY OPERATED

TOTAL: \$ 52,550.00
X 2 UNITS

I HAVE READ AND APPROVED THE ABOVE QUOTATION AND
HEREBY AUTHORIZE YOU TO COMPLETE THE WORK.

CUSTOMER SIGNATURE: _____

DATE: _____

QUOTATION IS VALID FOR 30 DAYS.QUOTED BY: Nick Covatis


INTERNATIONAL®

FINANCE 2

August 15, 2019

Prepared For:
CITY OF FALL RIVER
Jeremy Lambert
ONE GOVERNMENT CENTER
FALL RIVER, MA 02722-
(508)324 - 2581
Reference ID: N/A

Presented By:
COASTAL INTL TRUCKS, LLC
Ted Gilmartin
17 O'KEEFE LANE
WARWICK RI 02888 -
(401)784-3060



Model Profile
2020 HV507 SFA (HV507)

*Plow / Saltex
No Dump
No Brime*

AXLE CONFIG:
APPLICATION:
MISSION:

4X2
Construction Dump
Requested GVWR: 37000. Calc. GVWR: 36220
Calc. Start / Grade Ability: 39.57% / 2.44% @ 55 MPH
Calc. Geared Speed: 75.9 MPH

DIMENSION:
ENGINE, DIESEL:

Wheelbase: 163.00, CA: 88.00, Axle to Frame: 39.00
{Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM
Governed Speed, 300 Peak HP (Max)

TRANSMISSION, AUTOMATIC:

{Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with
PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max,
On/Off Highway

CLUTCH:

Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING:

{Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity

AXLE, REAR, SINGLE:

{Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends Gear Ratio: 5.38

CAB:

Conventional, Day Cab

TIRE, FRONT:

(2) 11R22.5 Load Range H ENDURANCE RSA (GOODYEAR), 496 rev/mile, 75 MPH, All-Position

TIRE, REAR:

(4) 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive

SUSPENSION, REAR, SINGLE:

23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs

PAINT:

Cab schematic 100WK

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

Cab & Chassis \$83,124.00

Body & Equipment \$48,550.00

TOTAL \$131,674.00 X 5 \$658,370.00



FINANCE 2

ORDER ENTRY # _____

6 ENTERPRISE DRIVE
LONDONDERRY, NH 03053
PHONE: 603-669-2250
FAX: 603-669-0501

FLINK SANDER QUOTATION

QUOTE / ORDER # N8151REF: C/O FALL RIVER DPWDATE: 8/15/19CUSTOMER: **COASTAL IHC TRUCKS LLC**

CONTACT: TED GILMARTIN

ADDRESS: 17 O'KEEFE LANE
WARWICK, RI, 02888

PHONE: 401-784-3060

FAX: 401-784-3070

VIN # : _____

YEAR: 2020MAKE: IHCMODEL: HVCA: 84"TRANS: AUTOMATICMODEL # LMC5H

SERIAL # _____

FLINK STAINLESS STEEL SANDER 6.4 CU. YD. CAPACITY**10' HOPPER LENGTH / 50" OVERALL HEIGHT / 84" TOP WIDTH**

10 GA HOPPER SHELL W/ 45 DEGREE SLOPED SIDES - CONTINUOUSLY WELDED INSIDE SEAM

10 GA FLANGED SIDE SUPPORTS - THREE MINIMUM PER SIDE

2-1/4" PITCH PINTLE CHAIN WITH 3/8" X 1-1/2" CROSS BARS SPACED AT 4-1/2" ON CENTERS

7 GA CONVEYOR SIDE RAILS / BOLT-IN CHAIN SHIELDS / 7 GA. FLOOR / F & R WIPERS

50:1 WORM DRIVE GEAR BOX / SELF LOCKING SCREW JACK FOR REAR ADJUSTMENT

3/8" BAR FLIGHTS - STANDARD EVERY OTHER CHAIN LINK

GREASE EXTENSION TUBES TO THE REAR / REAR SLACK ADJUSTERS

H/D TOP SCREEN & H BEAM INSTALLED / FOUR 5/8" ROD LIFT LOOPS

TIP-UP ADJUSTABLE SPINNER ASSEMBLY / TOP MOUNTED MOTOR

INSTALLED -----

OPTIONS:

- ☒ HOT SHIFT PTO DRIVEN CENTRAL HYDRAULICS TO RUN PLOW LIFT
PLOW ANGLE & 2FLL VALVE FOR SANDER -----
- ☒ STAINLESS STEEL FRONT CAB SHIELD ON SANDER -----
- ☒ STAINLESS STEEL SPILL SHEILD IN REAR -----
- ☒ STAINLESS STEEL CAT WALKS -----
- ☒ STAINLESS STEEL LADDER DRIVERS SIDE FRONT-----
- ☒ STAINLESS STEEL FLOOR PAN -----
- ☒ 10' POWER ANGLE BAKER PLOW 42" HIGH MOLDBOARD #2PR559U
W/ RUBBER DEFLECTOR & Q.L. BAR -----
- ☒ LOW PROFILE QUICK LINK PLOW FRAME W/ PLOW LIGHTS INSTALLED
ON HOOD-----
- ☒ LED 402 STROBES IN CABSHIELD FACE -----
- ☒ GRILL MOUNTED LED STROBES -----
- ☒ TWO LED SPOT LIGHTS INSTALLED TO VIEW SPREAD -----
- ☒ STAINLESS STEEL LED LIGHTBAR W/ STROBES / STT & REVERSE -----
- ☒ HEAVY DUTY SPINNER GUARD ENCLOSED IN TRUCK FRAME
(NEED CHASSIS TO COME WITH EXTRA OVERHANG) -----

TOTAL: **\$ 48,550.00****X 10 UNITS**

I HAVE READ AND APPROVED THE ABOVE QUOTATION AND
HEREBY AUTHORIZE YOU TO COMPLETE THE WORK.

CUSTOMER SIGNATURE: _____

DATE: _____

QUOTATION IS VALID FOR 30 DAYS.QUOTED BY: Nick Covatis

Description

EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab

ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger

TAIL PIPE (1) Turnback Type

EXHAUST HEIGHT 10'

MUFFLER/TAIL PIPE GUARD (1) Aluminum

SWITCH, FOR EXHAUST 2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Includes

- : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
- : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel
- : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
- : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
- : STARTER SWITCH Electric, Key Operated
- : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
- : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
- : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
- : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
- : WIRING, CHASSIS Color Coded and Continuously Numbered

HORN, ELECTRIC (2) Disc Style

POWER SOURCE Cigar Type Receptacle without Plug and Cord

ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Sense

BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn

BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud

RADIO AM/FM/WB/Clock/Bluetooth/USB Input/3.5MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music

SPEAKERS (2) 6.5" Dual Cone Mounted in Doors

BACK-UP ALARM Electric, 102 dBA

AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications

RUNNING LIGHT (2) Daytime

CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade

HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on

STARTING MOTOR {Delco Remy 39MT} 12 Volt; Gear Reduced, with Thermal Over-Crank Protection

INDICATOR, LOW COOLANT LEVEL with Audible Alarm

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

BATTERY BOX Steel, with Aluminum Cover, 14" Wide, 2-3 Battery Capacity, Mounted Left Side Under Cab

HORN, AIR Black, Single Trumpet, with Lanyard Pull Cord

TURN SIGNALS, FRONT Dual Face, LED, Amber/Amber, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors

FENDER EXTENSIONS Rubber

FINANCE 2

Description

LOGOS EXTERIOR Model Badges

LOGOS EXTERIOR, ENGINE Badges

GRILLE Stationary, Chrome

FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV

PAINT SCHEMATIC, PT-1 Single Color, Design 100

Includes

: PAINT SCHEMATIC ID LETTERS "WK"

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

SURCHARGE, REAR AXLE for Meritor Rear Axles

CLUTCH Omit Item (Clutch & Control)

ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection

BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines

Includes

: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door

ENGINE, DIESEL {Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)

FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed

Includes

: FAN Nylon

RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core with Internal Water to Oil Transmission Cooler and 1167 In Charge Air Cooler

Includes

: DEAERATION SYSTEM with Surge Tank

: HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps

: RADIATOR HOSES Premium, Rubber

AIR CLEANER Single Element

FEDERAL EMISSIONS {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2019

THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel

EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door

ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; with Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines

TRANSMISSION, AUTOMATIC {Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway

SHIFT CONTROL PARAMETERS Allison S-1 Performance Programming in Primary and Allison Fixed Programming in Secondary

TRANSMISSION SHIFT CONTROL for Column Mounted Stalk Shifter

TRANSMISSION OIL Synthetic; 29 thru 42 Pints

ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction

PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission

2

Description

AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends . Gear Ratio: 5.38

SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs

AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 30 thru 39.99 Pints

FUEL/WATER SEPARATOR {Racor 400 Series,} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor

LOCATION FUEL/WATER SEPARATOR Mounted Inboard of 5 Gallon DEF Tank, Under Cab

FUEL TANK Top Draw, Non-Polished Aluminum, 24" Dia, 50 US Gal (189L), Mounted Left Side, Under Cab

DEF TANK 5 US Gal (19L) Capacity, Frame Mounted Outside Left Rail, Under Cab

CAB Conventional, Day Cab

AIR CONDITIONER with Integral Heater and Defroster

GAUGE CLUSTER Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display

GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust

SEAT, TWO-MAN PASSENGER {National} Mid Back, Fixed Back, Vinyl, with Under Seat Storage

MIRRORS (2) C-Loop, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width

Notes

: Mirror Dimensions are Rounded to the Nearest 0.5"

CAB INTERIOR TRIM Classic, for Day Cab

Includes

: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger

: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted

: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap

WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature

FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood

CAB REAR SUSPENSION Air Bag Type

INSTRUMENT PANEL Flat Panel

WINDSHIELD WIPER BLADES Snow Type

ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab

WHEELS, FRONT {Accuride 28828} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs

WHEELS, REAR {Accuride 28828} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs

BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions

INTERNATIONAL®

Vehicle Specifications
2020 HV507 SFA (HV507)

FINANCE 2

August 15, 2019

Description

(4) TIRE, REAR 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive

(2) TIRE, FRONT 11R22.5 Load Range H ENDURANCE RSA (GOODYEAR), 496 rev/mile, 75 MPH, All-Position

Services Section:

WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A

SERVICES, TOWING {Navistar} Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident

SRV CONTRACT, EXT MAJOR COMP {Navistar Prepackaged Components} To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case

SRV CONTRACT, EXT VEH COVERAGE {Navistar} To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission

SRV CONTRACT, EXT CMMS ENGINE {Cummins} To 60-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1

INTERNATIONAL®


FINANCE

2

August 15, 2019

Prepared For:
CITY OF FALL RIVER
Jeremy Lambert
ONE GOVERNMENT CENTER
FALL RIVER, MA 02722-
(508)324 - 2581
Reference ID: N/A

Presented By:
COASTAL INTL TRUCKS, LLC
Ted Gilmartin
17 O'KEEFE LANE
WARWICK RI 02888 -
(401)784-3060



Model Profile
2020 HV507 SFA (HV507)

AXLE CONFIG: 4X4
APPLICATION: Construction Dump
MISSION: Requested GVWR: 37000. Calc. GVWR: 36220
Calc. Start / Grade Ability: 39.38% / 2.08% @ 55 MPH
Calc. Geared Speed: 75.9 MPH
DIMENSION: Wheelbase: 163.00, CA: 88.00, Axle to Frame: 39.00
ENGINE, DIESEL: {Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM
Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC: {Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with
PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max,
On/Off Highway
CLUTCH: Omit Item (Clutch & Control)
AXLE, FRONT DRIVING: {Fabco FSD-14A} Single Reduction, 14,600-lb Capacity, with Hub Piloted Wheel Mounting
AXLE, REAR, SINGLE: {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends Gear Ratio: 5.38
CAB: Conventional, Day Cab
TIRE, FRONT: (2) 11R22.5 Load Range H G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
TIRE, REAR: (4) 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE: 23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs
PAINT: Cab schematic 100WK
Location 1: 9219, Winter White (Std)
Chassis schematic N/A

Plow / Sailer
w Brine
No Dump

Cab & Chassis	\$103,820.00
Body & Equipment	\$ 52,550.00
TOTAL	<u>\$156,370.00</u>



FINANCE²

ORDER ENTRY # _____

6 ENTERPRISE DRIVE
LONDONDERRY, NH 03053
PHONE: 603-669-2250
FAX: 603-669-0501

FLINK SANDER QUOTATION

QUOTE / ORDER # N8152REF: C/O FALL RIVER DPWDATE: 8/15/19CUSTOMER: COASTAL IHC TRUCKS LLCCONTACT: TED GILMARTINADDRESS: 17 O'KEEFE LANE
WARWICK, RI, 02888PHONE: 401-784-3060FAX: 401-784-3070

VIN # : _____

YEAR: 2020MAKE: IHCMODEL: HVCA: 84"TRANS: AUTOMATICMODEL # LMC5H

SERIAL # _____

FLINK STAINLESS STEEL SANDER 6.4 CU. YD. CAPACITY10' HOPPER LENGTH / 50" OVERALL HEIGHT / 84" TOP WIDTH10 GA HOPPER SHELL W/ 45 DEGREE SLOPED SIDES - CONTINUOUSLY WELDED INSIDE SEAM10 GA FLANGED SIDE SUPPORTS - THREE MINIMUM PER SIDE2-1/4" PITCH PINTLE CHAIN WITH 3/8" X 1-1/2" CROSS BARS SPACED AT 4-1/2" ON CENTERS7 GA CONVEYOR SIDE RAILS / BOLT-IN CHAIN SHIELDS / 7 GA. FLOOR / F & R WIPERS50:1 WORM DRIVE GEAR BOX / SELF LOCKING SCREW JACK FOR REAR ADJUSTMENT3/8" BAR FLIGHTS - STANDARD EVERY OTHER CHAIN LINKGREASE EXTENSION TUBES TO THE REAR / REAR SLACK ADJUSTERSH/D TOP SCREEN & H BEAM INSTALLED / FOUR 5/8" ROD LIFT LOOPSTIP-UP ADJUSTABLE SPINNER ASSEMBLY / TOP MOUNTED MOTORINSTALLED -----

OPTIONS:

- ☒ HOT SHIFT PTO DRIVEN CENTRAL HYDRAULICS TO RUN PLOW LIFT
PLOW ANGLE & 2FFL VALVE FOR SANDER -----
- ☒ STAINLESS STEEL FRONT CAB SHIELD ON SANDER -----
- ☒ STAINLESS STEEL SPILL SHEILD IN REAR -----
- ☒ STAINLESS STEEL CAT WALKS -----
- ☒ STAINLESS STEEL LADDER DRIVERS SIDE FRONT -----
- ☒ STAINLESS STEEL FLOOR PAN -----
- ☒ 10' POWER ANGLE BAKER PLOW 42" HIGH MOLDBOARD #2PR559U
W/ RUBBER DEFLECTOR & Q.L. BAR -----
- ☒ LOW PROFILE QUICK LINK PLOW FRAME W/ PLOW LIGHTS INSTALLED
ON HOOD -----
- ☒ LED 402 STROBES IN CABSHIELD FACE -----
- ☒ GRILL MOUNTED LED STROBES -----
- ☒ TWO LED SPOT LIGHTS INSTALLED TO VIEW SPREAD -----
- ☒ STAINLESS STEEL LED LIGHTBAR W/ STROBES / STT & REVERSE -----
- ☒ HEAVY DUTY SPINNER GUARD ENCLOSED IN TRUCK FRAME
(NEED CHASSIS TO COME WITH EXTRA OVERHANG) -----
- ☒ DUAL 90 GALLON LIQUID TANKS INSTALLED & ELECTRICALLY OPERATED

TOTAL: \$ 52,550.00
X 2 UNITS

I HAVE READ AND APPROVED THE ABOVE QUOTATION AND
HEREBY AUTHORIZE YOU TO COMPLETE THE WORK.

CUSTOMER SIGNATURE: _____


DATE: _____

QUOTATION IS VALID FOR 30 DAYS.QUOTED BY: Nick Covatis

Prepared For:
CITY OF FALL RIVER
Jeremy Lambert
ONE GOVERNMENT CENTER
FALL RIVER, MA 02722-
(508)324 - 2581
Reference ID: N/A

FINANCE 2

Presented By:
COASTAL INTL TRUCKS, LLC
Ted Gilmartin
17 O'KEEFE LANE
WARWICK RI 02888 -
(401)784-3060



*Am/Salkr
w/ Dumper*

Model Profile 2020 HV507 SFA (HV507)

AXLE CONFIG:	4X4
APPLICATION:	Construction Dump
MISSION:	Requested GVWR: 37000. Calc. GVWR: 36220 Calc. Start / Grade Ability: 39.38% / 2.08% @ 55 MPH Calc. Geared Speed: 75.9 MPH
DIMENSION:	Wheelbase: 163.00, CA: 88.00, Axle to Frame: 39.00
ENGINE, DIESEL:	{Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT DRIVING:	{Fabco FSD-14A} Single Reduction, 14,600-lb Capacity, with Hub Piloted Wheel Mounting
AXLE, REAR, SINGLE:	{Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends Gear Ratio: 5.38
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 11R22.5 Load Range H G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
TIRE, REAR:	(4) 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE:	23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs
PAINT:	Cab schematic 100WK Location 1: 9219, Winter White (Std) Chassis schematic N/A

Cab & Chassis	\$103,820.00
Body & Equipment	\$ 71,165.00
TOTAL	<u>\$174,985.00</u>



FINANCE 2
ORDER ENTRY # _____

QUOTATION

QUOTE / ORDER # N8153

REF: C/O FALL RIVER DPW

6 ENTERPRISE DRIVE
LONDONDERRY, NH 03053
PHONE: 603-669-2250
FAX: 603-669-0501
DATE: 8/15/19

CUSTOMER: COASTAL IHC TRUCKS LLC

CONTACT: TED GILMARTIN
ADDRESS: 17 O'KEEFE LANE
WARWICK, RI, 02888
PHONE: 401-784-3060
FAX: 401-784-3070

TRUCK INFO:

VIN #: _____
YEAR: 2020
MAKE: IHC
MODEL: HV
CA: 96"
TRANS: AUTOMATIC

BODY SR. # _____

HOIST SR. # _____

"BEAU-ROC" STAINLESS STEEL DUMP # BR-SS 11' LONG X 36" SIDES X 42" GATE
.304 SS CONSTRUCTION WITH 3/16" HARDOX 450 STEEL FLOOR - NON HEATABLE
.304 7 GA SIDES W/ DIRT SHEDDERS & VERTICAL BOX BRACING
.304 7 GA DOUBLE ACTING SIX (6) PANEL TAILGATE
FORMED 3/16" 50W STEEL LONG SILLS W/ REINFORCED GUSSETS - 10" HIGH
36" CAB SHIELD

MAILHOT CS- 100-4.5-3 FRONT MOUNT TELESCOPIC HOIST 25 TON CAP
SAFETY PROP / BACKUP ALARM & BODY UP ALARM
SET OF FRONT & REAR MUD FLAPS
ALL LIGHTS & REFLECTORS TO MEET FMVSS-108 (LED)

INSTALLED -----

OPTIONS:

- ☒ HOT SHIFT PTO DRIVEN CENTRAL HYDRAULICS TO RUN DUMP
PLOW LIFT / PLOW ANGLE & 2FFL VALVE FOR SANDER -----
- ☒ THREE STAINLESS STEEL COAL DOORS INSTALLED IN GATE
- ☒ TURNBUCKLE TAILGATE SAFETY LOCKS -----
- ☒ 10' FLINK 6.4 YD. LMC5H STAINLESS STEEL SANDER INSTALLED -----
- ☒ STAINLESS STEEL SPILL SHEILD FRONT & REAR -----
- ☒ STAINLESS STEEL LED LIGHTBAR W/ STROBES / STT & REVERSE LIGHTS
- ☒ STEEL REAR SPINNER GUARD RECIEVER TUBE MOUNTED -----
- ☒ 10' POWER ANGLE BAKER PLOW 42" HIGH MOLDBOARD #2PR559U
W/ RUBBER DEFLECTOR & Q.L. BAR -----
- ☒ LOW PROFILE QUICK LINK PLOW FRAME W/ PLOW LIGHTS INSTALLED
ON HOOD-----
- ☒ LED 404 STROBES 2 IN CABSHIELD FACE & 2 IN REAR POSTS SEPARATE SWITCHES
- ☒ GRILL MOUNTED LED STROBES ON ONE SWITCH-----
- ☒ TWO LED SPOT LIGHTS INSTALLED IN REAR TO VIEW SPREAD -----
- ☒ 20 TON HOOK ON 3/4" PLATE W/ D-RINGS & PLUG -----
- ☒ AERO ELECTRIC COVER W/ ASPHALT TARP -----
- ☒ STOP TURN & TAIL LIGHTS IN REAR POSTS (LED) -----

TOTAL: \$ 71,165.00
X 2 UNITS

I HAVE READ AND APPROVED THE ABOVE QUOTATION AND
HEREBY AUTHORIZE YOU TO COMPLETE THE WORK.

CUSTOMER SIGNATURE: _____

DATE: _____

QUOTATION IS VOID AFTER 30 DAYS.

QUOTED BY: Nick Covatis


INTERNATIONAL®

FINANCE 2

August 15, 2019

Prepared For:
CITY OF FALL RIVER
Jeremy Lambert
ONE GOVERNMENT CENTER
FALL RIVER, MA 02722-
(508)324 - 2581
Reference ID: N/A

Presented By:
COASTAL INTL TRUCKS, LLC
Ted Gilmartin
17 O'KEEFE LANE
WARWICK RI 02888 -
(401)784-3060



Model Profile 2020 HV507 SFA (HV507)

AXLE CONFIG: 4X4
APPLICATION: Construction Dump
MISSION: Requested GVWR: 37000. Calc. GVWR: 36220
Calc. Start / Grade Ability: 39.38% / 2.08% @ 55 MPH
Calc. Geared Speed: 75.9 MPH

DIMENSION: Wheelbase: 163.00, CA: 88.00, Axle to Frame: 39.00
ENGINE, DIESEL: {Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM
Governed Speed, 300 Peak HP (Max)

TRANSMISSION, AUTOMATIC: {Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with
PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max,
On/Off Highway

CLUTCH: Omit Item (Clutch & Control)
AXLE, FRONT DRIVING: {Fabco FSD-14A} Single Reduction, 14,600-lb Capacity, with Hub Piloted Wheel Mounting
AXLE, REAR, SINGLE: {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends Gear Ratio: 5.38
CAB: Conventional, Day Cab
TIRE, FRONT: (2) 11R22.5 Load Range H G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
TIRE, REAR: (4) 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE: 23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs
PAINT: Cab schematic 100WK
Location 1: 9219, Winter White (Std)
Chassis schematic N/A

Cab & Chassis	\$103,820.00		
Body & Equipment	\$ 48,550.00		
TOTAL	<u>\$152,370.00</u>	X 5	<u>\$761,850.00</u>



FINANCE 2

ORDER ENTRY # _____

6 ENTERPRISE DRIVE
LONDONDERRY, NH 03053
PHONE: 603-669-2250
FAX: 603-669-0501

FLINK SANDER QUOTATION

QUOTE / ORDER # N8151

REF: C/O FALL RIVER DPW

DATE: 8/15/19

CUSTOMER: **COASTAL IHC TRUCKS LLC**

CONTACT: TED GILMARTIN

ADDRESS: 17 O'KEEFE LANE

WARWICK, RI, 02888

PHONE: 401-784-3060

FAX: 401-784-3070

VIN #:

YEAR: 2020

MAKE: IHC

MODEL: HV

CA: 84"

TRANS: AUTOMATIC

MODEL # LMC5H

SERIAL # _____

FLINK STAINLESS STEEL SANDER 6.4 CU. YD. CAPACITY

10' HOPPER LENGTH / 50" OVERALL HEIGHT / 84" TOP WIDTH

10 GA HOPPER SHELL W/ 45 DEGREE SLOPED SIDES - CONTINUOUSLY WELDED INSIDE SEAM

10 GA FLANGED SIDE SUPPORTS - THREE MINIMUM PER SIDE

2-1/4" PITCH PINTLE CHAIN WITH 3/8" X 1-1/2" CROSS BARS SPACED AT 4-1/2" ON CENTERS

7 GA CONVEYOR SIDE RAILS / BOLT-IN CHAIN SHIELDS / 7 GA. FLOOR / F & R WIPERS

50:1 WORM DRIVE GEAR BOX / SELF LOCKING SCREW JACK FOR REAR ADJUSTMENT

3/8" BAR FLIGHTS - STANDARD EVERY OTHER CHAIN LINK

GREASE EXTENSION TUBES TO THE REAR / REAR SLACK ADJUSTERS

H/D TOP SCREEN & H BEAM INSTALLED / FOUR 5/8" ROD LIFT LOOPS

TIP-UP ADJUSTABLE SPINNER ASSEMBLY / TOP MOUNTED MOTOR

INSTALLED -----

OPTIONS:

☒ HOT SHIFT PTO DRIVEN CENTRAL HYDRAULICS TO RUN PLOW LIFT

PLOW ANGLE & 2FLL VALVE FOR SANDER -----

☒ STAINLESS STEEL FRONT CAB SHIELD ON SANDER -----

☒ STAINLESS STEEL SPILL SHEILD IN REAR -----

☒ STAINLESS STEEL CAT WALKS -----

☒ STAINLESS STEEL LADDER DRIVERS SIDE FRONT -----

☒ STAINLESS STEEL FLOOR PAN -----

☒ 10' POWER ANGLE BAKER PLOW 42" HIGH MOLDBOARD #2PR559U

W/ RUBBER DEFLECTOR & Q.L. BAR -----

☒ LOW PROFILE QUICK LINK PLOW FRAME W/ PLOW LIGHTS INSTALLED
ON HOOD -----

☒ LED 402 STROBES IN CABSHIELD FACE -----

☒ GRILL MOUNTED LED STROBES -----

☒ TWO LED SPOT LIGHTS INSTALLED TO VIEW SPREAD -----

☒ STAINLESS STEEL LED LIGHTBAR W/ STROBES / STT & REVERSE -----

☒ HEAVY DUTY SPINNER GUARD ENCLOSED IN TRUCK FRAME

(NEED CHASSIS TO COME WITH EXTRA OVERHANG) -----

TOTAL: \$ 48,550.00
X 10 UNITS

I HAVE READ AND APPROVED THE ABOVE QUOTATION AND
HEREBY AUTHORIZE YOU TO COMPLETE THE WORK.

CUSTOMER SIGNATURE: _____

DATE: _____

QUOTATION IS VALID FOR 30 DAYS.

QUOTED BY: Nick Covatis

2

Description

Base Chassis, Model HV507 SFA with 163.00 Wheelbase, 88.00 CA, and 39.00 Axle to Frame.

AXLE CONFIGURATION {Navistar} 4x4

Notes

: Pricing may change if axle configuration is changed.

FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm)
Maximum OAL

BUMPER, FRONT Swept Back, Steel, Heavy Duty

WHEELBASE RANGE 148" (375cm) Through and Including 179" (455cm)

AXLE, FRONT DRIVING {Fabco FSD-14A} Single Reduction, 14,600-lb Capacity, with Hub Piloted Wheel Mounting

Notes

: Axle Lead Time is 60 Days

AXLE, FRONT DRIVING, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints

SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers

BRAKE SYSTEM, AIR Dual System for Straight Truck Applications

Includes

: BRAKE LINES Color and Size Coded Nylon

: DRAIN VALVE Twist-Type

: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster

: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel

: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4

: SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)

: SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)

: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6

DRAIN VALVE {Berg} with Pull Chain, for Air Tank

AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)

AIR DRYER {Wabco System Saver 1200} with Heater

BRAKE CHAMBERS, FRONT AXLE {MGM} 20 SqIn

BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake

BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers

BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake

AIR COMPRESSOR {Cummins} 18.7 CFM

AIR TANK LOCATION (2) Mounted 25" Back of Cab, Outside Right Rail, with Ground Clearance

AIR DRYER LOCATION Mounted Inside Left Rail, Behind Transfer Case Mounting

AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports

BRAKE PACKAGE, REAR {Bendix Spicer ES-165-7} Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Gunitite Slack Adjusters

BRAKE PACKAGE, FRONT {Bendix Spicer ES-165-5} Air, Cam Type, Extended Service; Size 16.5" x 5", Includes Gunitite Slack Adjusters

STEERING COLUMN Tilting

STEERING WHEEL 4-Spoke; 18" Dia., Black

STEERING GEAR {Sheppard M110} Power

DRIVELINE SYSTEM {Dana Spicer} SPL140 Main Driveline, SPL140 Driveline to Transfer Case, SPL100 Driveline to Front Axle, for 4x4

Description

AFTERTREATMENT COVER Steel, Black

EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab, for All-Wheel Drive

ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger

TAIL PIPE (1) Turnback Type

EXHAUST HEIGHT 10'

MUFFLER/TAIL PIPE GUARD (1) Aluminum

SWITCH, FOR EXHAUST 2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Includes

: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel
: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
: STARTER SWITCH Electric, Key Operated
: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
: WIRING, CHASSIS Color Coded and Continuously Numbered

HORN, ELECTRIC (2) Disc Style

POWER SOURCE Cigar Type Receptacle without Plug and Cord

ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Sense

BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn

BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud

RADIO AM/FM/WB/Clock/Bluetooth/USB Input/3.5MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music

SPEAKERS (2) 6.5" Dual Cone Mounted in Doors

BACK-UP ALARM Electric, 102 dBA

AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications

RUNNING LIGHT (2) Daytime

CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade

HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on

STARTING MOTOR {Delco Remy 39MT} 12 Volt; Gear Reduced, with Thermal Over-Crank Protection

INDICATOR, LOW COOLANT LEVEL with Audible Alarm

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

BATTERY BOX Steel, with Aluminum Cover, 14" Wide, 2-3 Battery Capacity, Mounted Left Side Under Cab

HORN, AIR Black, Single Trumpet, with Lanyard Pull Cord

TURN SIGNALS, FRONT Dual Face, LED, Amber/Amber, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors

Description

FENDER EXTENSIONS Rubber

LOGOS EXTERIOR Model Badges

LOGOS EXTERIOR, ENGINE Badges

GRILLE Stationary, Chrome

FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV

PAINT SCHEMATIC, PT-1 Single Color, Design 100

Includes

: PAINT SCHEMATIC ID LETTERS "WK"

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

SURCHARGE, REAR AXLE for Meritor Rear Axles

CLUTCH Omit Item (Clutch & Control)

ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection

BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines

Includes

: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door

ENGINE, DIESEL {Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)

FAN DRIVE-{Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed

Includes

: FAN Nylon

RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core with Internal Water to Oil Transmission Cooler and 1167 In Charge Air Cooler

Includes

: DEAERATION SYSTEM with Surge Tank

: HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps

: RADIATOR HOSES Premium, Rubber

AIR CLEANER Single Element

FEDERAL EMISSIONS {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2019

THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel

EMISSION COMPLIANCE Low NOx Idle Engine; Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door

ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; with Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines

TRANSMISSION, AUTOMATIC {Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway

TRANSFER CASE {Fabco TC-38} Two-Speed, 8,500 lb-ft Capacity with Air Control, with PTO Provision, with Reworked Air Ports

TRANSFER CASE LUBE {EmGard 50W} Synthetic; 1 thru 14.99 Pints

SHIFT CONTROL PARAMETERS Allison S-1 Performance Programming in Primary and Allison Fixed Programming in Secondary

TRANSMISSION SHIFT CONTROL for Column Mounted Stalk Shifter

FINANCE

Description

TRANSMISSION OIL Synthetic; 29 thru 42 Pints

ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction

PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission

AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends . Gear Ratio: 5.38

SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs

AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 30 thru 39.99 Pints .

FUEL/WATER SEPARATOR {Racor 400 Series,} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor

LOCATION FUEL/WATER SEPARATOR Mounted Inboard of 5 Gallon DEF Tank, Under Cab

FUEL TANK Top Draw, Non-Polished Aluminum, 24" Dia, 50 US Gal (189L), Mounted Left Side, Under Cab

DEF TANK 5 US Gal (19L) Capacity, Frame Mounted Outside Left Rail, Under Cab

CAB Conventional, Day Cab

AIR CONDITIONER with Integral Heater and Defroster

GAUGE CLUSTER Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display

GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust

SEAT, TWO-MAN PASSENGER {National} Mid Back, Fixed Back, Vinyl, with Under Seat Storage

MIRRORS (2) C-Loop, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width

Notes

: Mirror Dimensions are Rounded to the Nearest 0.5"

CAB INTERIOR TRIM Classic, for Day Cab

Includes

: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger

: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted

: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap

WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature

FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood

CAB REAR SUSPENSION Air Bag Type

INSTRUMENT PANEL Flat Panel

WINDSHIELD WIPER BLADES Snow Type

ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab

WHEELS, FRONT {Accuride 28828} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs

INTERNATIONAL®

Vehicle Specifications
2020 HV507 SFA (HV507)

FINANCE

August 15, 2019

Description

WHEELS, REAR {Accuride 28828} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs

BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions

(4) TIRE, REAR 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive

(2) TIRE, FRONT 11R22.5 Load Range H G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive

Services Section:

WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A .

SERVICES, TOWING {Navistar} Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident

SRV CONTRACT, EXT MAJOR COMP {Navistar Prepackaged Components} To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case

SRV CONTRACT, EXT VEH COVERAGE {Navistar} To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission

SRV CONTRACT, EXT CMMS ENGINE {Cummins} To 60-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1



**City of Fall River
Massachusetts
Office of the Mayor**

RECEIVED

2019 AUG 23 P 4: 54

CITY CLERK
FALL RIVER, MA

JASIEL F. CORREIA II
Mayor

August 19, 2019

Fall River City Council
One Government Center
Fall River, MA 02722

RE: Council Order July 15, 2019
Marijuana Licenses

Dear City Council:

I am disapproving and vetoing the attached order for the following reasons:

A serious question exists as to whether the City Council, or any municipal authority, can legally limit the number of "marijuana licenses" as that appears to be within the exclusive statutory authority of the Cannabis Control Commission. Thus, the ordinance, as written, may expose the City to unnecessary litigation by future permit seekers.

By unilaterally and arbitrarily attempting to limit the number of licenses the ordinance eliminates competition, artificially inflates the value of licenses already issued, removes the legal sale of marijuana products from market forces and eliminates a valuable source of additional revenue to the City.

In addition, a sitting councilor voted inappropriately to limit the number of licenses available in Fall River while serving as Town Administrator of Seekonk a community which, itself, is in the process of granting marijuana permissions. In limiting the number in Fall River he advantages the Town by which he is employed by eliminating competition and disadvantaging this City.

For the above reasons and the councilors failure to recuse himself I must veto this order in the best interests of this City.

Respectfully,

**CITY OF FALL RIVER
IN CITY COUNCIL**

SEP 10 2019

*Laid on the table, in
accordance with Sec. 3-7
of the City Charter, 2 years
(Cs. President abstained)*

Jasiel F. Correia II
Mayor, City of Fall River

City of Fall River, In City Council

(Councilor Leo O. Pelletier)

BE IT ORDAINED by the City Council of the City of Fall River, as follows:

That Chapter 34 of the Code of the City of Fall River, Massachusetts, 2018, which chapter relates to Health be amended as follows:

By inserting a new Article IX, which article relates to Marijuana Facilities as follows:

Section 34-380 Marijuana Licenses

The maximum number of marijuana licenses available at any one time in the City of Fall River will be limited to 20% of off-premise liquor licenses or eleven (11), whichever number is greater.

CITY OF FALL RIVER

IN CITY COUNCIL

JUL 15 2019

*Passed through first
reading, as amended,
5 yeas, 2 nays
(C. J. Camara absent)
C. President abstained*

CITY OF FALL RIVER

IN CITY COUNCIL

AUG 12 2019

*Passed through second reading
and enrollment as amended, 15 yeas,
2 nays, 1 abstention, and passed
to be ordained, as amended, 5 yeas,
2 nays, 1 abstention.*

2



**CITY OF FALL RIVER
MASSACHUSETTS**

Traffic & Parking Division

Jasiel F. Correia II
Mayor

RECEIVED
2019 SEP 12 AM 11:42
LAURA FERREIRA
Parking Clerk
CITY CLERK
FALL RIVER, MA

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387 Handicapped Parking

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street	Side	Location
Beach Street	East	Starting at a point 51' feet south of William Street, for a distance of 20 feet southerly.

Very truly yours,

Laura Ferreira
Parking Clerk



CITY OF FALL RIVER
MASSACHUSETTS

2

Traffic & Parking Division

Jasiel F. Correia II
Mayor

RECEIVED

LAURA FERREIRA
Parking Clerk

2019 SEP 12 A 11:43

CITY CLERK _____
FALL RIVER, MA

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387 Handicapped Parking

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street	Side	Location
Bowen Street	West	Starting at a point 126 feet north of Morse Place, for a distance of 20 feet northerly.

Very truly yours,

Laura Ferreira
Parking Clerk

OK



CITY OF FALL RIVER
MASSACHUSETTS

Traffic & Parking Division

RECEIVED

Jasiel F. Correia II
Mayor

2019 SEP 12 4:44 PM
LAURA FERREIRA
Parking Clerk

CITY CLERK
FALL RIVER, MA

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387

Handicapped Parking

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street	Side	Location
Dultuh Street	South	Starting at a point 157 feet west of Jefferson Street, for a distance of 20 feet westerly.

Very truly yours,

Laura Ferreira
Parking Clerk



CITY OF FALL RIVER
MASSACHUSETTS

Traffic & Parking Division

RECEIVED

Jasiel F. Correia II
Mayor

2019 SELADRA FERREIRA
Parking Clerk

CITY CLERK _____
FALL RIVER, MA

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387 Handicapped Parking

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street	Side	Location
High Street	West	Starting at a point 146 feet north of Franklin Street, for a distance of 20 feet northerly.

Very truly yours,

Laura Ferreira
Parking Clerk



**CITY OF FALL RIVER
MASSACHUSETTS**

Traffic & Parking Division

Jasiel F. Correia II
Mayor

2
RECEIVED

2019 SEP 12 A 11:13
LAURA FERREIRA
Parking Clerk
CITY CLERK
FALL RIVER, MA

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387 **Handicapped Parking**

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street	Side	Location
Homestead Street	East	Starting at a point 20 feet south of Herman Street, for a distance of 20 feet southerly.

Very truly yours,

Laura Ferreira
Parking Clerk



**CITY OF FALL RIVER
MASSACHUSETTS**

Traffic & Parking Division

Jasiel F. Correia II
Mayor

2
RECEIVED
2019 SEP 12
LAURA FERREIRA
Parking Clerk
CITY CLERK
FALL RIVER, MA

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387 **Handicapped Parking**

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street	Side	Location
Johnson Street	East	Starting at a point 128 feet north of Bedford, for a distance of 25 feet northerly.

Very truly yours,

Laura Ferreira
Parking Clerk



CITY OF FALL RIVER
MASSACHUSETTS

2

Traffic & Parking Division

RECEIVED

Jasiel F. Correia II
Mayor

2019 SEP 12 4:43
LAURA FERREIRA
Parking Clerk

CITY CLERK
FALL RIVER, MA

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387

Handicapped Parking

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street	Side	Location
Mason Street	West	Starting at a point 74 feet south of County Street, for a distance of 20 feet southerly.

Very truly yours,

Laura Ferreira
Parking Clerk



**CITY OF FALL RIVER
MASSACHUSETTS**

2

Traffic & Parking Division
RECEIVED

Jasiel F. Correia II
Mayor

2019 SEP 12 A 11:44
LAURA FERREIRA
Parking Clerk
CITY CLERK
FALL RIVER, MA

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387 **Handicapped Parking**

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street	Side	Location
Middle Street	South	Starting at a point 212 feet east of South Beach Street, for a distance of 20 feet easterly.

Very truly yours,

Laura Ferreira
Parking Clerk

OT



CITY OF FALL RIVER
MASSACHUSETTS

2

Traffic & Parking Division

RECEIVED

Jasiel F. Correia II
Mayor

2019 SEP 12 A 11:43

LAURA FERREIRA

CITY CLERK _____
FALL RIVER, MA

Parking Clerk

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70

Section: 387

Handicapped Parking

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street

Side

Location

Mountaup Street

West

Starting at a point 80 feet north of Dwelly Street,
for a distance of 20 feet northerly.


Very truly yours,

Laura Ferreira
Parking Clerk

One Government Center Fall River, MA 02722

TEL: (508) 324-2123 FAX (508) 324-2578 EMAIL Lferreira@fallriverma.org

14



**CITY OF FALL RIVER
MASSACHUSETTS**

Traffic & Parking Division

2

Jasiel F. Correia II
Mayor

RECEIVED

LAURA FERREIRA
2019 SEP 12 A 11:37 AM
Parking Clerk

CITY CLERK _____
FALL RIVER, MA

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387

Handicapped Parking

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street	Side	Location
N. Underwood Street	East	Starting at a point 20 feet south of Emerson Street, for a distance of 20 feet southerly.

Very truly yours,

Laura Ferreira
Parking Clerk



CITY OF FALL RIVER
MASSACHUSETTS

Traffic & Parking Division

2

RECEIVED

Jasiel F. Correia II
Mayor

2019 SEP 12 AM 11:42
LAURA FERREIRA
Parking Clerk
CITY CLERK
FALL RIVER, MA

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387 Handicapped Parking

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street	Side	Location
Pine Street	North	Starting at a point 46 feet west of Plain Street, for a distance of 20 feet westerly.

Very truly yours,

Laura Ferreira
Parking Clerk



CITY OF FALL RIVER
MASSACHUSETTS

Traffic & Parking Division
RECEIVED

2

Jasiel F. Correia II
Mayor

2019 SEP 12 A 11:44

LAURA FERREIRA
Parking Clerk

CITY CLERK
FALL RIVER, MA

September 11, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02722

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request was heard and approved by the Traffic Commission:

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387 Handicapped Parking

By striking out in proper alphabetical order the following.

STRIKE OUT

Name of Street	Side	Location
Snell Street	North	Starting at a point 165 feet east of Terrace Street, for a distance of 20 feet easterly.

Very truly yours,

Laura Ferreira
Parking Clerk

04



**CITY OF FALL RIVER
MASSACHUSETTS**

Traffic & Parking Division

2

Jasiel F. Correia II
Mayor

LAURA FERREIRA
Parking Clerk

September 16, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02720

RECEIVED
2019 SEP 18 A 11:57
CITY CLERK
FALL RIVER, MA

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request met all the guidelines, requirements and was approved by the Traffic Commission Board.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387 **Handicapped Parking**

By inserting in proper alphabetical order the following:

INSERT

Name of Street	Side	Location
Eagle Street	East	Starting at a point 20 feet south of William Street, for a distance of 20 feet southerly

Very truly yours,

Laura Ferreira
Parking Clerk



**CITY OF FALL RIVER
MASSACHUSETTS**

Traffic & Parking Division

2

Jasiel F. Correia II
Mayor

LAURA FERREIRA
Parking Clerk

September 16, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02720

RECEIVED
2019 SEP 18 A 11:57
CITY CLERK
FALL RIVER, MA

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request met all the guidelines, requirements and was approved by the Traffic Commission Board.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387 **Handicapped Parking**

By inserting in proper alphabetical order the following:

INSERT

Name of Street	Side	Location
Forest Street	East	Starting at a point 140 feet south of Cottage Street, for a distance of 20 feet southerly

Very truly yours,

Laura Ferreira
Parking Clerk

2019



**CITY OF FALL RIVER
MASSACHUSETTS**

Traffic & Parking Division

2

Jasiel F. Correia II
Mayor

LAURA FERREIRA
Parking Clerk

September 16, 2019

The Honorable City Council
City of Fall River
One Government Center
Fall River, MA 02720

RECEIVED
2019 SEP 18 A 11:57
CITY CLERK
FALL RIVER, MA

Honorable Council Members:

At a meeting of the Traffic Board Commission held on Wednesday, August 28, 2019 the following request met all the guidelines, requirements and was approved by the Traffic Commission Board.

That Chapter 70 of Revised Ordinances be amended in the following Section:

Article: 70
Section: 387 **Handicapped Parking**

By inserting in proper alphabetical order the following:

INSERT

Name of Street	Side	Location
Seteson Street	East	Starting at a point 120 feet south of Prospect Street, for a distance of 20 feet southerly

Very truly yours,

Laura Ferreira
Parking Clerk

3



City of Fall River Massachusetts

Department of Community Maintenance

CEMETERIES • MUNICIPAL BUILDINGS • ENGINEERING • SANITATION •
PARKS • STREETS & HIGHWAYS • TRAFFIC & PARKING • VEHICLES

Engineering Division

RECEIVED

2019 SEP 12 A 11:20

JASIEL F. CORREIA II
Mayor

CITY CLERK
JOHN A. PERRY JR.
FALL RIVER, MA
Director

J R FREY, P.E.
City Engineer

To: Fall River City Council
From: J R Frey, P.E., City Engineer *JF*
Date: September 12, 2019
Subject: Street Opening Request for Pavement Less Than Five Years Old

The Engineering Division has received a request for a road opening to install utilities at 807 Plymouth Avenue. Plymouth Ave. between Pleasant St. and Slade St. was paved in 2015. The improvements are within the moratorium at 5 years old.

The Engineering Division recommends approval of the request subject to the following conditions for pavement restoration in streets less than five years old:

- 1) The work is intended to be executed using trenchless technology. In the event that trenchless construction is unsuccessful, then standard trench construction will be employed, and the final repair shall be a 9' wide mill and overlay from curb to curb.
- 2) All work shall meet or exceed the "Standards Employed by the Public Utility Operators When Restoring Municipal Streets" (the Standards) as published by the Commonwealth of Massachusetts Division of Telecommunications and Industry and with the requirements of the Fall River City Council;
- 3) All excavated material shall be removed from the site and appropriately disposed of;
- 4) All backfill materials shall be clean sand or sand and gravel mixtures meeting USCS classifications of GW, GP, SW, or SPC, free of silt, clay, and organic silts or soils, with 100% passing 3" sieve;
- 5) Backfill shall be executed in lifts not to exceed 6", and compacted between lifts;
- 6) Pavement restoration shall meet or exceed the existing pavement thickness;
- 7) Type I binder course(s) not to exceed 2" shall be placed and thoroughly compacted to within 1.5" of finished grade;
- 8) The existing pavement edge shall be tapered into the patch area to increase the surface binding area between the existing and new pavement;
- 9) The patch area shall be heated using infrared to a surface temperature sufficient to allow remixing asphalt without oxidation or burning, but in no case shall the surface temperature exceed 350 degrees F;

- 10) A Type I surface course shall be placed with a minimum thickness of 1.5";
- 11) The surface shall be compacted using a steel drum roller, resulting in a smooth, tight, pavement surface which matches the grade of the existing pavement;
- 12) Sand should be evenly distributed over the surface to fill small voids and absorb excess sealant if surface sealant is applied;
- 13) The repaired area shall be allowed to cool to 175 degrees F before opening to traffic.

Prior to opening the street, the applicant shall provide to the City Engineer a copy of the contract for any subcontractor providing work covered by this application. A minimum of 24-hours in advance of excavation, the contractor must call the Engineering Division at 508-324-2512 to request inspection services. Material specifications shall be provided to the City Engineer for all materials brought to the site for use as backfill, base course, and surface course.



Liberty Utilities™

3

August 6, 2019

Mr. JR Frey, PE
City Engineer
Engineering Department
City of Fall River
One Government Center
Fall River, MA 02722

RE: Gas Service Request for #807 Plymouth Avenue (the "Property").

Dear Mr. Frey:

Liberty Utilities (New England Natural Gas Company) Corp.'s (the "Company") through its Gas System Enhancement Program is scheduled to perform main replacement along 2nd Street (between Morgan Street and Plymouth Avenue) this construction season. Part of the efforts included with this main replacement program, is to replace existing steel services with new plastic (polyethylene) services, along with associated meter efforts (i.e. relocating inside meter sets to outside).

There is an existing gas service that feeds an existing structure on Plymouth Avenue (specifically Structure #807), which this service comes off of 2nd Street and travels through abutting properties to its ending point on the backside of the existing structure. Representative of the Company's Construction & Maintenance Dept. conducted their initial site evaluation in anticipation of the replacement efforts and have determined, that replacing this gas service within the same alignment will be infeasible, while maintaining gas service to the occupants of the structure in question.

As a result of this evaluation, the Company is seeking approval to relocate the gas service to this existing structure. The proposed service would come off of the existing gas main located along Plymouth Avenue. The Company acknowledges that Plymouth Avenue falls within the 5-year street moratorium identified on the City of Fall River 5-year road moratorium list provided by the City Engineering Office (dated March 26, 2018).

The Company would minimize disturbance to the paved surface of the roadway, by utilizing trenchless technology for the crossing of Plymouth Avenue.

Should you have any questions, please feel free to call me at (774) 627-2541 or email me at john.amorim@libertyutilities.com.


Sincerely,

A handwritten signature in black ink, appearing to read "John L. Amorim".

John L. Amorim
Engineering Supervisor

cc: File





City of Fall River
Massachusetts
Department of Community Services
PLANNING • HEALTH & HUMAN SERVICES • LIBRARY
INSPECTIONAL SERVICES

RECEIVED

Fall River Public Library
fallriverlibrary.org

2019 SEP 19 P 2:21

JASIEL F. CORREIA II
Mayor

CITY CLERK _____ **LIANE VERVILLE**
FALL RIVER, MA Library Administrator
lverville@sailsinc.org

September 19, 2019


City Council
One Government Center
Fall River, MA 02722

Dear City Councilors':

As per Chapter 66, Article VI, Division 2 §66-477, I am submitting the Library's Annual Report detailing the activities of the library.

Sincerely,

Liane Verville
Library Administrator



FALL RIVER PUBLIC LIBRARY
FALL RIVER, MASSACHUSETTS

ANNUAL REPORT

July 1, 2018 - June 30, 2019

prepared by
Liane Verville
Library Administrator

Approved by the Library Board of Trustees
September 11, 2019



CITY CLERK
FALL RIVER, MA

2019 SEP 13 A 11:28

RECEIVED

7

ANNUAL REPORT OF THE
FALL RIVER PUBLIC LIBRARY
FALL RIVER, MA

REPORT FOR THE YEAR
BEGINNING

JULY 1, 2018 AND ENDING JUNE 30, 2019

LIBRARY BOARD OF TRUSTEES

Mr. Ronald Caplain, Chairperson

Mr. James Gibney, Vice-Chairperson

Ms. Kathryn Clarkin

Ms. Nancy C. Fell

Mr. Robert Kerr

Ms. Fran Rachlin

Ms. Ann Rockett-Sperling

Mrs. Donna Williams

THE YEAR IN REVIEW

JULY 2018

Library Assistant Dylan Arruda started July 2nd in the adult services section. He has been a welcome addition to the library staff. Assistant Library Administrator Kate Kuipa, Section Head of Technology Robert Jordan and I met with Dr. Henry Vaillancourt to discuss the library doing pop-up libraries and basic computer classes at Senior Centers. The first basic computer classes at the North End Senior Center started August 15. Reference Librarian Taylor Silva represented the library at the North End Senior Center, where we began offering biweekly pop-up library services starting August 8th, alternating with the pop-up library at Government Center as well. Children's Supervisor David Mello did an outreach at the 9th Street Daycare.

The library started offering a new resource this month: **HOOPLA** digital titles! Hoopla content is accessed via the Hoopla website, or Hoopla's Android or iOS mobile apps. You can also find titles right in our library catalog! Just register for a free Hoopla account to download free movies, music, comics, and e-books. This service has already proven very popular in the year we have offered it.

The SAILS Library Network introduced a mobile app that allows patrons easy access to their library account to search for books, check on holds and loans, download books, find out what's happening at the library, and much more.

July 17th was the start of our adult basic computer classes which ran in a four week series, being offered one afternoon and one evening each week on the same topic. The classes continue, with the South Branch now part of the rotation for a total of three classes per week. The first series of classes covered the very basics from how to use a mouse and keyboard to internet searching and databases, setting up an email account, and internet safety and security.

Podcasts on meditation led by Library Assistant David Raymondo and podcasts on pop culture by Reference Librarian Taylor Silva and Library Assistant David Moquin are now available on our website. The library has a page on Soundcloud, a podcast host site, where all our podcasts are available. You can visit and listen at <https://soundcloud.com/user-847440800>. We hope to expand these podcasts to include storyhours and interviews of local celebrities.

A second Library Foundation letter was sent for the Second Century Campaign, encouraging donors to participate in the Campaign and inviting donors to attend the catered reception for

7

contributions on September 30th, featuring the vocal stylings of Taylor Cormier throwing it back with songs of Frank Sinatra, Dean Martin, Tony Bennett and more.

On three occasions Animal Control was called because of seagulls. Twice, baby seagulls were trapped in the Administrative Office's fireplace after falling down the chimney, and another baby seagull either fell or blew off the roof or tried to fly off. The first seagull was taken to be checked out by a wildlife rehabilitator, and the second two were placed back on the roof by the Animal Control Officer. We are hoping to get the chimney opening blocked off by a wire mesh so birds cannot fall through.

AUGUST 2018

Reference Librarian Taylor Silva continued doing pop-up libraries at the North End Senior Center and Government Center. Mr. Silva also represented the Library at the Talbot Middle School, the Henry Lord Middle School during their family orientation night, and at Heritage State Park. Technology Supervisor Robert Jordan started basic computer classes at the Senior Centers and weekly classes at the Main Library.

Children's Supervisor David Mello represented the library at the Police-A-Palooza held at Briarland Park. He entertained kids with a book and a puppet story and promoted the library services.

The Main Library hosted a month-long display from the Commonwealth Museum called "Food for Thought," on the role of food in Massachusetts history and culture. We met with Fall River Community Media to discuss a collaboration, making plans to film various events at the library such as upcoming book talks, storytimes, and David Mello giving a guided tour of the Main Library. All of these will be linked to the library's website home page for all to view.

Starting in August, the library began offering time-slots for scanning old photos or VHS tapes to a digital format. We asked interested patrons to contribute their own old photos of Fall River for our digital collection. Mr. Jordan worked one on one with patrons to teach them how to scan.

As of August, we had a series of six podcasts on meditation led by Library Assistant David Raymondo and two podcasts on pop culture by Reference Librarian Taylor Silva and Library Assistant David Moquin available on our website. The library has a page on Soundcloud, a podcast host site, where all our podcasts are available. You can visit and listen at <https://soundcloud.com/user-847440800>. We hope to expand these podcasts to include storyhours and interviews of local celebrities. Jeff Grandmason, David Mello and David Moquin began working on a pop culture display for the library.

The Library's Annual Report Information Survey (ARIS) report was filed with the Massachusetts Board of Library Commissioners. The library had a delayed opening on August 10th so that Library staff could attend an Active Shooter Training Workshop. The library opened at 11 a.m. I met with a store manager from SAVERS to collaborate with them in supplying the library with items for our Breaker Space Program and our Pinterest Program as well.

On behalf of the Friends of the Library the Fall River Rotary Club awarded a \$1,000 grant for the purchase of 3-D pens for the Children's Room. This will enable the library to offer in-house programs and accommodate individual requests to use the 3-D pens for children and adults. The 3-D pens are specially designed for young creators, so they are a great and less expensive way to start experimenting with 3-D printing. The 3-D pens have no hot parts, so they are completely kid safe. These are ideal for building essential STEM skills.

A second set of Library Foundation invitations was sent for the Second Century Campaign Thank You Reception on September 30th.

SEPTEMBER 2018

Children's Supervisor David Mello and Reference Librarian Taylor Silva represented the library at the Atlantis Charter School. Mr. Silva did a pop-up library at the North End Senior Center and continued to do the pop-up library at Government Center as well. Mr. Silva also represented

7

the Library at Heritage State Park. Technology Supervisor Robert Jordan offered basic computer classes at the North End Senior Center and the Main Library.

A number of people started using the library's new service of scanning old photos or VHS tapes to a digital format. We continued to add new episodes to our podcast library. The library has a page on Soundcloud, a podcast host site, where all our podcasts are available. You can visit and listen at <https://soundcloud.com/user-847440800>, or follow the link from our web site.

The Library's Municipal Appropriation Requirement (MAR) report was filed with the Massachusetts Board of Library Commissioners. We made plans to apply for a waiver, due by November 2nd.

On behalf of the Friends of the Library, I applied to the Fall River Cultural Council for a grant to have the Delvena Theatre Company perform their Julia Child show in Spring 2019. We have written two letters of support for artists that are applying for a Cultural Council Grant, one for a "Pottery Demonstration & Hands On Workshop" and one for "Jumpin Juba," a blues/American roots music group to perform an outdoor concert in May 2019. I will also be applying for a Cultural Council Grant on behalf of the Library Foundation to have the "Moldy Suitcases," a 1920's jazz group meets a jug band full of rock musicians, for an outdoor concert in May 2019.

Approximately 100 people attended the Library Foundation's Second Century Campaign Thank You Reception that was held on September 30th, featuring the vocal stylings of Taylor Cornier singing classic tunes by Frank Sinatra, Dean Martin, Tony Bennett and more. The event was enjoyed by all.

I am pleased to announce that our design project was selected by the Design and Research team at Roger Williams University CPC. We were assigned to have three students (Project Manager Emeline Young, Jamie Valway and Jack Bourne) work on our project for the Fall 2018/Spring 2019 academic year. The team's assignment was to design from existing space a family restroom, so that we have a starting point for applying for grants.

The Fall River local cable TV filmed Children's Supervisor David Mello promoting the Zombie Night program that took place on October 18th. Trustees were given the Massachusetts Board of Library Commissioners Trustee Pocket Guides; the Child Protection Agency nominated the Children's Room Staff to receive an award for the children's literacy contribution in the city; and an online site, Winnie, awarded the library several Winnie Family Favorites Awards as well, including Reading is Fundamental Award for Best Public Library and Best Family Destination.

OCTOBER 2018

The Library's Municipal Appropriation Requirement (MAR) waiver was filed with the Massachusetts Board of Library Commissioners. As mentioned last month, our family restroom project was selected by the Design and Research team at Roger Williams University CPC. The assigned team of students met with the city's plumber and Head of Community Maintenance and toured the library to look at existing infrastructure.

After discussions with other public libraries that offer passport services, the library took the first steps toward becoming a Passport Acceptance Facility. We talked with the state passport agency and three librarians attended a passport training held in Providence.

The library initiated automatic renewals for library materials that can be renewed. This service has helped with increasing our circulation as well as benefiting our library patrons from accumulating late fees.

In other news: the library continued to add new podcasts to its website; two Cultural Council grant applications were filed on behalf of the Friends of the Library and the Library Foundation, and the two artists applying for Cultural Council grants asked for letters of support, which the library provided.

NOVEMBER 2018

7

Regarding the status of the Main Library roof, I received an email from the Fall River Community Preservation Committee (CPA) asking if this project should be considered an emergency. This email was forwarded to Chris Gallagher and Tammy Moutinho, both from Department of Community Maintenance, which is the department that applied for funding from this agency. I also forwarded the email to Mary Sahady, city finance officer. The roof continued to leak and each time a new leak or new damage appeared, I sent a work order and photo to Chris Gallagher, Head of Community Maintenance.

Children's Supervisor David Mello did a performance of "The Raven" that was filmed at BCC for local cable.

The library continued to add new podcasts to its website, including a podcast featuring 15 minutes of local history. The library was also regularly featured on radio station WSAR and on local cable.

I am pleased to announce that the Greater Fall River Child Protection Council recognized the Children's Room staff for their outstanding service to families in the community. An awards dinner honoring them was held at the Eagle Event Center on November 7th.

Our new service of offering a photo to be uploaded to our patron's profile in the library system was well received. This added service helps prevent fraud (someone using another patron's card), and it also keeps patrons from claiming someone else checked items out on their card to avoid paying fines. Since their photo would have displayed when they checked the items out, library staff would have noticed if it was another person using the card. The only person seeing the photo will be the staff member checking items out.

I reached out to Dinnan Regional Vocational Technical High School to see if the students could restore two of our museum quality display units that need renovation (wood refinished, locks

replaced, and new liners installed.) I received an email from a librarian in Attleboro complimenting Dylan Arruda in circulation services for the "polite, professional and helpful" service he provided her. A library patron also complimented the library for a recent Facebook post and newsletter article about a Veteran's Day Story: "That's great that you were able to assist with information and his picture. You are a treasure to the Fall River community". A photo of our new Pop Culture display in the Fell Room was distributed. This display also appeared in a front-page article in the *Herald News*.

I informed the Board that the Library received a lawsuit for falling paint chips. The client claimed to sustain "personal injuries" from "the ceiling collapse" on October 18th. She was using a computer when paint chips from the ceiling fell onto the desk and did not indicate or complain of any injury at the time. The whole incident was recorded on the library's security cameras and turned over to the city lawyer. This incident only stressed the need to have the roof replaced sooner rather than later. The ceiling in that room was scraped of loose paint after this incident, but within weeks, because of the continuance of the roof leaking, the paint was peeling again and three of the public computer workstations had to be closed off so that paint chips would not fall on our patrons.

Trustees unanimously approved to renew Library Administrator Liane Verville's contract for another year at the amount agreed upon at their December 14, 2016 meeting. The contract voted upon was for a period of one year starting January 1, 2018 to December 31, 2019 with a pay increase to start July 1, 2019.

DECEMBER 2018

On December 1st the police were called to remove an intoxicated patron who couldn't walk and was being belligerent to others; on December 4th a patron overdosed in the restrooms and police administered Narcan and he was removed by EMTs.

3

The roof continued to leak in the Reference Room. A number of the water damaged areas had the paint scraped off by the city painter to prevent it from falling on library patrons.

I received notification from the Mass Cultural Council that the Library Friends and Library Foundation's grant applications were approved. The Foundation was approved to hold an outdoor jazz concert in May with The Moldy Suitcases, and the Friends were approved for a "Meet Julia Child" performance by the Delvena Theatre Company in April.

The "Kindred Spirits" film crew came to the Fall River Room at the Main Library on December 17th to film Lizzie Borden books, photos, and other items in the library's collection. This is not the first time this film company has filmed in the Main Library.

The library partnered with Burbio, an online calendar, to have our events listed with them, and they generated 2,399 views of our events in the first 30 days of the partnership. Reference Librarian Taylor Silva visited the Atlantis Charter School's Lower School to bring a Pop-Up Library to them, then visited the Upper School for a Pop-Up Library there. The Pop-Up program has been extremely successful, with the Children's Department having a significant amount of library card signups of students from the school. A total of 116 students visited the Pop-Up Library, with 128 items checked out. Taylor also visited the Niagara Senior Center to continue our Pop-Up Library program there. Four books were checked out on this date, and 5 people came to the table. On the same day he visited Mass Hire Youth Connection to touch base with Tina Sherette, one of the community outreach staff members. Their meeting was extremely productive, and Taylor was able to connect with several individuals in Fall River who work with teens, with the ultimate goal of creating more opportunities to spread the word about our teen programs at the library.

Technology Supervisor Robert Jordan has been covering at the South Branch Library during the absence of Library Assistant Debra Baptista due to her illness. Two computer classes were offered this month on how to buy/sell on eBay.

Children's Supervisor David Mello represented the library at the Lafayette-Durfee House on December 15th, telling Christmas stories. He also hosted successful programs at the library, including a Christmas with Pete the Cat event and a 50th anniversary party for The Very Hungry Caterpillar.

As reported in previous months, we continued to add to the podcasts available on our website. The newest addition was a local history podcast about Saint Anne's Cathedral.

Library Chairman Ronald Caplain and I were asked to write letters of support for the Department of Community Maintenance supporting their grant application to the Community Preservation Committee stressing the urgency of funding for the Main Library's roof repair. The roof continued to leak and a number of different contractors came to the library to assess it.

JANUARY 2019

The Library Board of Trustees January meeting was canceled due to a lack of a quorum. Three of the board member's terms were not renewed; one board member had not attended a meeting in over a year and another Board member's term had expired. With only three Board members appointed, meetings were put on hold until new Board members were appointed.

The Herald News featured the main library's roof leak in the paper on January 9, 2019 and stated that the Department of Community Maintenance (DCM) was asking for funding from the Community Preservation Committee (CPC) for the roof replacement. The roof continued to leak and a number of different contractors were here to assess it. Mr. Gibney and myself went before the CPC on January 28th to answer questions they had regarding library funding resources. I'm happy to report that the CPC Board agreed to fund the replacement of the roof plus the repair/painting of the Reference Room ceiling. Much was discussed by them about

their disheartened feelings towards the city not contributing to this project. The next step was for City Council to approve the acceptance of the funds.

I met with Emergency Management Director Richard Aguiar to develop an Emergency Evacuation Plan for the Main Library. No evacuation plan was currently in place, so we made plans to both develop a written Evacuation Plan and schedule a practice evacuation drill. Evacuation floor plans will be placed on every level clearly marking the proper way to exit the building in an emergency. We also determined to work on an evacuation plan for the South Branch as well.

The Legislative Breakfast at the Foxborough Public Library was very successful with a number of State Representatives there. Fall River was one of the libraries that had a chance to showcase unique items available at their library. We had a display of our 3-D pens along with samples that were created with the pens. Some of the other items on display: a Karaoke machine as well as the DVDs to go along with it; microscopes, telescopes, woodburning tool, metal detector, a robotic kit, and a negative/photo/slide conversion unit.

The following Library Board of Trustees terms expired and were not renewed: Richard Wolfson and Robert Kerr. Ms. Nancy C. Fell was renewed with a term expiring January 15, 2022 and Donna Williams was appointed to the Board with a term expiring January 16, 2021. Donna Williams was appointed to the Library Board of Trustees effective January 24, 2019.

FEBRUARY 2019

At the City Council's February 5th meeting they unanimously rejected using \$375,050 in Community Preservation Act emergency funding to replace the Main Library's roof and instead asked city administration to find the money for the repairs in the city's general funds. At the City Council's February 19th meeting Mr. Caplain and Mr. Gibney spoke at the City Council's Citizens input about the need for a new roof at the Main Library. Mrs. Clarkin and Mrs.

Williams also attended the meeting in support of the new roof. At this meeting the City Council referred its funding back to the city to be discussed at City Council's Committee on Finance for further review. They felt that the city should not be using Community Preservation Committee (CPC) funds for the replacement of the roof, but that the city should use city funds. The roof continued to leak both when it rained and when the snow melted. There were a number of roofers that came in to look at the roof and make recommendations to Chris Gallagher, Department of Community Maintenance, but as of the end of the month no progress had been made.

The Library closed early at 6 p.m on February 12th due to snow.

Starting February 25th, the Main Library became a Passport Acceptance Facility. This service quickly became popular in our community.

I reported to the Library Board that I was in the beginning stages of seeking information on re-establishing a bookmobile in Fall River. A number of staff members volunteered to work with Kate and me on gathering information and I planned to present my findings to the Mayor in March.

Members of Fall River Pride spoke with us about presenting a Drag Queen Storyhour here on June 1st during Pride Month.

The library reached out to the Stanley Street Treatment & Resources about their mental health first aid training to see if they would be willing to offer this course at the Library for staff, and they agreed. A number of library staff members signed up to take part in this 8-hour training workshop in June.

7

Trustees unanimously approved a motion made by Mr. Gihoney and seconded by Ms. Clarkin to renew Assistant Library Administrator Kathryn Kulpa's contract for another year with a 3% pay increase.

The library held its first of many 3-D pen workshops, which was very successful. The participants, young and old, created wonderful art pieces. David Mello, Supervisor of Children's Services, planned to offer this program as a monthly workshop.

MARCH 2019

We hosted a representative from the US Census Bureau for a recruiting event for census workers on Thursday, March 28. We will have other recruiting events, and the census workers will use the library for training in July and August.

Members of the Friends of the Library Fran Rachlin, Angie Gastall, Cheryl Costa, Keith Costa and myself attended the Library Legislative Day at the State House on March 5th. We were able to meet with State Representatives Alan Silva and Carol Fiola as well as a representative from Senator Rodrigues' office.

As mentioned at the previous month's Board of Trustees meeting, we had been looking for a way to recognize Mr. David Mello for all that he does. The Massachusetts Library Association has a Parahbrarian Award for Outstanding Library Staff that Kate and I filled out on behalf of the Library Board of Trustees.

The library closed on Saturday, March 2nd due to snow.

The Main Library roof replacement was slated for discussion at City Council's Committee on Finance on April 1st for further review. The City Councilors felt that the city should not be using Community Preservation Committee (CPC) funds for the replacement of the roof, but

instead should use city funds. As the month ended, the roof continued to leak from rain and snow melt, but no progress had been made on repairs.

APRIL 2019

As mentioned last month Mr. David Mello was recommended for the Massachusetts Library Association's Parahbrarian Award for Outstanding Library Staff. I received notice that he was a nominee for the award and that the recipient of the award would be announced at the Massachusetts Library Association Conference on May 21st.

The Massachusetts Board of Library Commissioners notified us that the library would be issued a second and final State Aid to Public Libraries award in the amount of \$76,493.51. This payment gave us a total of \$149,327.80 in FY2019 State Aid to Public Libraries funds.

Regarding the status of the Main Library roof, Mr. Caplain and I attended the City Council's Financial Sub-committee meeting, where Mr. Caplain spoke of the urgency for a new roof. The sub-committee voted to accept Community Preservation Committee (CPC) money for the replacement of the roof. The vote was then scheduled to go before the full city council at their next meeting.

The Board discussed the three vacancies it currently had. Mr. Caplain asked anyone who knew of any possible candidates that would like to serve on the Board to notify Liane. Three recommendations were made: Ann Rockett-Sperling, Robert Kerr, and Angie Gastall. Ms. Rachlin said she thought that Ms. Gastall was on another committee that meets at the same time as the Library Board.

7

Trustees unanimously approved Mrs. Verville and Mr. Mello to attend the Massachusetts Library Association conference on May 21st.

The Library Foundation sent their first 2019 fundraiser letter for the Second Century Campaign, encouraging donors to participate in the Campaign.

MAY 2019

The library added a new database for those that like DIY projects called *Creativebug* which can be accessed with a Fall River library card. It was also noted that a patron overdosed in the restroom on Saturday, May 4th; that the Swansea Public Library went fine free as of May 1st, and that I was in the process of setting up a Paypal account for the Library Foundation to make it possible for people to donate online to the fundraising campaign.

The May update regarding the status of the Main Library roof was that Mr. Chris Gallagher, Head of Community Maintenance, notified me that he was working with an architect to develop the bid package and it should be going out for a Request For Proposal (RFP) within the month.

Trustees unanimously approved a motion made by Ms. Rachlin and seconded by Mrs. Clarkin authorizing the appointment of Mr. Ronald Caplain as Chairperson of the Library Board of Trustees and Mr. James Gibney as Vice-Chairperson of the Library Board of Trustees.

Mr. Caplain and Mr. Kerr volunteered to serve on the Library's Three Year Long Range Plan committee. Trustees were given a SWOT (Strengths, Weaknesses, Opportunities, Threats) Analysis Worksheet for input for the Long Range Plan. The SWOT Analysis will be used to determine how our patrons view the library and where we need to improve.

I acknowledged Children's Supervisor David Mello for coordinating a very successful Comic Con as well as to thank all of those that volunteered their time to help make it such a success. Approximately 350-400 people attended the Comic Con program. Every section of the library was bustling with activities: photo opportunities with a number of characters; balloon sculptures; face painting; comic book giveaway; comic book authors and illustrators in the meeting room. There were a number of patrons that came in costume, which added to the festivities.

Children's Supervisor David Mello represented the library at the Fonseca Elementary School, the 9th Street Day Nursery, Lafayette Duffee House, and at Bristol Community College for a senior program. Reference Supervisor Taylor Silva did pop-up libraries at the Henry Lord Community School, Atlantis Charter High School, and attended the Family Fun Night at the Watson Elementary School. Technology Supervisor Robert Jordan did a pop-up library at Government Center and the Niagara Senior Center and taught computer classes at both the South Branch and Main Library.

JUNE 2019

I am pleased to say that despite all the contentious publicity the Drag Queen Storytime received, it was a huge success, with approximately 400 people in attendance. It was so well attended that we had to do three separate storytimes to accommodate those that wanted to hear the stories read by Naomi Chomsky (drag queen). This event received news coverage from: Channel 10, Fox News, the *Providence Journal*, *The Herald News*, and other media. Red Sox pitcher Curt Schilling tweeted a negative post nationally and it was picked up on radio talk shows. I received over 100 calls asking that I cancel this event. Most of the callers were due to a Christian group from the Massachusetts Family Institute asking people to contact me and the Mayor, and to attend a sit-in in opposition. Pastor Michael Johnson from Fall River also notified the Police Department that he would be here protesting with approximately 50 people (approximately 20

7

showed up) to protest on the front lawn. They sang hymns and read from the bible while holding a sign that says: "Dear God: Let NOT the little children be perverted by Drag Queen Story hours!" In light of all that, I also received calls and emails of support and it was supporters that packed the room for each of the readings.

Programs for FY July 1, 2018 - June 30, 2019

3-D Pen workshops
 Active Shooter Workshop (staff only)
 Adult Computer Classes at Main and South: Computer Basics, EBay, Microsoft Word, how to use a tablet, set up email, how to sell online, cutting the digital cord, intro to Facebook
 Adult Book Club
 Adult Craft Circle
 Adult Trivia Night
 The Amazing Potter's Wheel
 Anime Club
 Author Talk: *First Do Harm* by Donna Lorenz Motta
 Author Talk: *Queen Celine's Vaccine Machine* by Dr. Kevin R. Gendreau
 A visit from the Easter Bunny
 Book Club
 Breaker Space
 Build It with Noodles
 Can You Spot Bigfoot
 Caravan Puppets
 Christmas with Pete the Cat
 Chinese New Year Celebration
 Christmas at the Lafayette Durfee House
 Coding for Kids
 Comic Con
 Commonwealth Museum traveling display: Food for Thought
 Creating with Squares
 Creepy, Crawly, Critters - Animal Show
 Declutter, Get Organized (Collaboration with Swansea Library)
 Drag Queen Storyhour
 Driscoll's Drumming

Drop-in Dungeons and Dragons
 Essential Oils 101
 ESL Meetings/tutoring
 Fairytale Night
 Fairytale Face Painting
 Fairytale Week
 Family Lego Night
 Family Movie Night
 Fancy Nancy Ice Cream Social
 Feasting with Your Instant Pot
 Feasting with Your Air Fryer
 Free Comic Book Day
 Gentle Chair Yoga
 Gerwick Puppets show
 Going to Extremes Adventure Travel
 Gong Bath Meditation
 Guest Reader Day: Bob Schanok
 Happy Anniversary-Very Hungry Caterpillar
 Haunted Board Games
 History of Armenian Genocide
 Jumpin Juba - outdoor concert
 Kids on the Block Puppet Show
 Laughing Yoga
 Library Podcasts: Meditation; Local History; Movie Critique;
 Library tour with South Coast Educational Collaborative
 LEGO craft
 Leprechaun Hunt
 Magic of Scott Jameson
 Magic the Gathering
 Math & Science GED classes
 Make and Take Crafts
 Mardi Gras
 Medicare Information
 Meditation Night
 Meet Julia Child
 Meet the Author - Carla Marnero

I

Meet the Author - Kevin Gendreau
Meet the Easter Bunny
Meet Spiderman
Moldy Suitcases-outdoor concert
Monday movie nights
National Gunndrop Day
Needlecraft
New Age Book Club
Patriot's Day at the Lafayette Durfee House
Phil Alexander (Kids concert)
Pregnancy and Labor Support
Preschool Storyhour-Weekly
Pumpnickel Puppets
Pottery Workshop
Raptors: Birds of Prey
Readers' Tea
Reiki Night
Seanning Party
Senior Center Computer Class
Slime Lab
Snowball Follies
South Branch Computer Classes
Storybook Bingo
Super Smash Brothers Ultimate Free Play
Teddy Bear Picnic
Teen Video Game Day
Teen Game Night
Teen Anime Club
Teen Magic the Gathering
Teen Super Smash Bros. Game Play Day
Travel
Traveling Estuary
Under the Sea Day/Meet Patrick
Unicorn Ice Cream Social
VHS Conversion
Video Game Day and Night

Vinyasa Yoga classes
Wednesday Movie Matinees
Wild Night at the Library
Zen Zone
Zen Zone featuring Restorative Yoga
Zombie Night

Library Outreach

9th Street Daycare
Alfred S. Letourneau Elementary School
Argosy Charter School
Atlantis Charter School
Bristol Community College
Citizens for Citizens
Community Night at Britland Park
Dixman Regional Voc-Tech
Edgar Allan Poe Reading for the 8th Graders at the Holy Name School
Family Literacy Night at the Tansey School
Fonseca School,Edmond P.
Green School, Literacy Night
Heritage State Park
Henry Lord Community School for their Literacy With a Loved One program. Table opportunity to have parents/guardians sign up for library cards with their children.
Holy Name
James Tansey Elementary School
Jewish Home
John J. Doran Elementary School
Lafayette-Durfee House
Mary L. Fonseca Elementary School
Orientation night at Henry Lord Middle School
Sarah Brayton Nursing Home
Second Century Club at Bristol Community College
Storytime for a Family Breakfast held at the Aldrich School
Talbot Middle School
Tansey Elementary School

5

Pop-up Computer classes at North End Senior Center

Pop-up Library

Government Center

Heritage State Park during Free Lunch Program

North End Senior Center

Niagara Senior Center

Talbot Middle School

Atlantis Charter School

Argosy School

Henry Lord Middle School

Spencer Borden Elementary School

Class Visits to the Library:

Antioch School

Frank M. Silvia School

Headstart visits by Citizens for Citizens

Mary L. Fonseca School

Play & Learn Group

Scout Troop 778

Library Friends Programs:

Acrylic Paint your Pet Workshop

Book Talk: *Blue Collars* with author Catherine McLaughlin

Book Talk: *Seven Miles After Sundown* with author East End Eddie Doherty

Book Talk: *For the Love of Portuguese Food* by Milena Rodrigues

Card Making Workshop

Edible Mushroom Program

Going to Extremes Adventure Travel

Feasting with your Instant Pot

Feasting with Your Air Fryer

Make a Marbled Silk Scarf

Meet Julia Child by the Delvena Theatre Company

Paint Your Pet

Passport Facility

Pastel Painting Workshop

Salem Witch Hysteria - the Delvena Theatre Company

Pastel Painting Workshop

Pinterest Club

Library Friends

Purchases:

9 swivel chairs for the computer room and AV room

Ear Buds

Flashdrives

Inter Library Loan Book Replacements

Movie License

Museum Passes

Pinterest Supplies

Reference Printer

Nancy C. Fell

Purchases:

Casey's Fun Faces (face painting)

Items for Christmas Stockings

Portable Microphone

Puzzles

South Branch Movie License

Sponsored The Very Hungry Caterpillar

Sponsored Mardi Gras Celebration

Sponsored Chinese New Year

Sponsored National Groundhog Day

Sponsored Unicorn Ice Cream Social

Sponsored Fancy Nancy Ice Cream Social

Staff Appreciation Luncheon (2 times)

Stuffed animals for prizes

Unicorn Ice Cream Social

Web-Cams

Library Foundation

Purchases:

5

Book Truck
 Pop Culture Book Displayer
 9 Computer Chairs Reference Room
 Elm Street Security Camera
 2-Bookshelves Children's Room

Library Foundation Campaign raised in 2018: \$11,710

% comparisons are with FY18		Statistics	
Circulation			
	FY18	FY19	%
Adult	142,109	189,122	
Children	48,915	60,123	
Totals	191,024	249,245	30.48%
Reference Transactions			
	FY18	FY19	%
	28,200	25,969	-7.9%
Programs			
Children's	555	354	
Adult	286	518	
Total	841	872	3.69%
Program Attendance			
Children's	9,725	8,575	
Adult	2,474	5,029	
Total	12,199	13,604	11.52%
Internet Use			
Reference	8,735	8,121	
Adult	4,552	3,489	
Children's	726	792	
South	7,373	7,032	
Total	21,386	19,434	-9.13%

City of Fall River, In City Council

5

BE IT ORDAINED by the City Council of the City of Fall River, as follows:

That Chapter 70 of the Code of the City of Fall River, Massachusetts, 2018, which chapter relates to traffic be amended as follows:

By striking out in Section 70-387, which section relates to handicapped parking the following:

Name of Street	Side	Location
Birch Street	South	Starting at a point 448 feet west of South Main Street, for a distance of 20 feet westerly
Grant Street	West	Starting at a point 20 feet north of Hope Street, for a distance of 20 feet northerly

CITY OF FALL RIVER
IN CITY COUNCIL

SEP 10 2019

*Passed through first
reading*

City of Fall River, In City Council

6

BE IT ORDAINED by the City Council of the City of Fall River, as follows:

That Chapter 22 of the Code of the City of Fall River, Massachusetts, 2018, which chapter relates to emergency services, be amended as follows:

Section 1.

By striking out Sec. 22-71 in its entirety, and inserting in place thereof, the following new section:

Section 22-71 Permit required for connection to Municipal or Private Alarm System.

No building in which an automatic sprinkler system is required in accordance with Section 22-78 and no building required to be supervised by 527 CMR or MGL 148 shall be connected to the municipal fire alarm system either directly or by other system accepted in accordance with NFPA Standard 72 without a permit for such installation or connection from the head of the Fire Department. Prior to the approval of any such permit, an acceptance and performance test shall be performed by the head of the Fire Department or his designee to ensure performance, reporting and verification requirements in accordance with NFPA Standard 72. The verification process must not take longer than 90 seconds from the time the alarm signal is received at the supervising station until the time that the retransmission of the verified alarm signal is initiated. (NFPA Standard 26.2.3.1 (4) Failure of such test must be remedied and a re-test passed within seven business days or no permit shall be issued. Any permit issued must be annually renewed with payment of the required fee. The fees for such permit and annual renewal shall be as provided in Chapter A110, Fee Schedule, of the City Code.

Section 2.

By striking out Sec. 22-76 in its entirety, and inserting in place thereof, the following new section:

Section 22-76 Installation Standards.

Installation of all fire alarm boxes, supervisory systems or protective systems to be connected to the municipal fire system by any means shall be in conformity with all applicable standards of the National Fire Protection Association and with the Massachusetts Electrical Code.

Section 3.

By striking out Sec. 22-82 in its entirety, and inserting in place thereof, the following new section:

Section 22-82 Maintenance of Fire Alarm Systems.

The owner of a fire alarm system shall be responsible for proper installation and maintenance of such fire alarm system to ensure it's proper functioning and in order to prevent such fire alarm system from activating false alarms, becoming a public nuisance, or endangering public safety. Fire alarm systems supervised by private alarm monitoring companies that fail any annual performance, reporting or verification test set forth in Section 22-71 shall be given seven business days to pass the same. Upon the second failure of the required test the owner shall pay a fine of \$100 per day (MGL Chapter 148, Section 33) until such system is fully compliant or may, at its option, connect to the municipal system at its expense.

CITY OF FALL RIVER
IN CITY COUNCIL

SEP 10 2019

*Passed through first
reading*

ORDERED, that permission be and the same is hereby granted to:

Nghiep Bang, 22 Bayview Street, for the removal of curbing as follows:

	Existing Driveway	Proposed Driveway Access	Existing To Be Replaced	Total Driveway Access
22 Bayview Street	13' 7"	16'	0'	29' 7"

The petitioner has an existing 13 foot 7 inch driveway opening on Bayview Street and would like to add a 16 foot driveway on his Wheeler Street frontage, to improve off-street parking access and provide additional off-street parking spaces.

The proposed work improves access to the property and does not cause a significant adverse effect to on-street parking in the area.

ORDERED, that permission be and the same is hereby granted to:

Millstone Medical Outsourcing Real Estate LLC, 580 Commerce Drive, for the removal of curbing as follows:

	Existing Driveway	Proposed Driveway Access	Existing To Be Replaced	Total Driveway Access
580 Commerce Drive	77'	26'	0'	103'
633 Commerce Drive	53'	42'	27'	68'

The petitioner is proposing to adjust driveway access openings to their property as part of a facility expansion project.

ORDERED, that permission be and the same is hereby granted to:

Couto Management Group/Dunkin Donuts, 169 Main Street, Stoneham, MA, for the removal of curbing as follows:

	Existing Driveway	Proposed Driveway Access	Existing To Be Replaced	Total Driveway Access
400 Quarry Street	60' 11"	20'	0'	80' 11"

The petitioner has existing openings totaling 60 feet 11 inches opening on Quarry Street and would like to add a 20 foot driveway for the purpose of legally accessing the dumpsters serving the property.

The proposed work improves access to the property and does not cause a significant adverse effect to on-street parking in the area.

City of Fall River, *In City Council*

11

ORDERED, that permission be and the same is hereby granted to:

David DeSousa, 1071 Smith Street, No. Dighton, MA, for the removal of curbing as follows:

	Existing Driveway	Proposed Driveway Access	Existing To Be Replaced	Total Driveway Access
405 Shove Street	11'	13' 3"	0'	24' 3"

The petitioner has an existing 11 foot driveway opening and would like to widen the driveway an additional 13 foot 3 inch, to improve off-street parking and provide an additional off-street parking space.

The proposed work improves access to the property and does not cause a significant adverse effect to on-street parking in the area.

City of Fall River, In City Council

15

The City Council hereby recommends that the Director of Facilities Maintenance conduct a lighting survey at the following location:

460 Baker Street

(Councilor Leo O. Pelletier)

Pole # 5



16
RECEIVED

2019 SEP 13 A 11:58

City of Fall River
Notice of Claim

CITY CLERK #19-94
FALL RIVER, MA

1. Claimant's name: Sara C. Levesque
2. Claimant's complete address: 383 Nichols St 02720
3. Telephone number: Home: 7745266174 Work: none
4. Nature of claim: (e.g., auto accident, slip and fall on public way or property damage):
Flat tire
5. Date and time of accident: 9/8/19 12:30pm Amount of damages claimed: \$ 192.56
6. Exact location of the incident: (include as much detail as possible):
Chestnut St, then pulled over on corner of Langley + Elsbree
7. Circumstances of the incident: (attach additional pages if necessary):
I live on corner of Nichols + Chestnut. Chestnut St is full of holes. I have to drive on Chestnut to enter my driveway. I drove out of driveway hit hole, drove down Chestnut onto Langley where I heard noise coming from bottom of car, pulled over at corner of Langley + Elsbree. Saw flat tire. Called for roadside assistance.
8. Have you submitted a claim to any insurance company for damages arising from this incident? If so, name and address of insurance company: ☐ Yes ☒ No

Be sure to attach the original of any bills issued or any written estimates of repair or replacement costs. (Any documents that you provide will become the property of the City of Fall River; therefore, please retain copies of any such documents for your files.) Attach any other information you believe will be helpful in the processing of your claim (for example, names and addresses of any witnesses, written medical records if personal injury was sustained).

I swear that the facts stated above are true to the best of my knowledge:

Date: 9-12-19

Claimant's signature: Sara C. Levesque

WHEN TO FILE: If your claim is based on a defect in a public way, you must file within 30 days of the incident. If your claim is based on the negligence or wrongful act or omission of the City or its employees, you must file within two years of the incident. PLEASE KEEP A COPY OF THIS FORM FOR YOUR RECORDS.

Return this from to : City Clerk, 2nd Fl., One Government Center, Fall River, MA 02722

You should consult with your own attorney in preparing this claim form to understand your legal rights. The Office of the Corporation Counsel is unable to provide legal assistance to private citizens.

For official use only:

Copies forwarded to: ☒ City Clerk ☒ Law ☒ City Council ☒ City Administrator ☒ DCM

Date: 9/13/19

16
LAW OFFICE OF MICHAEL J. REED, JR.

Michael J. Reed, Jr.*
Colleen S. Nicholson
Randall Johnson*
Jeffrey Pethick*
Sean S. Lancey
Jackie Aoude
Kimberly Downing
Richard Bradley
Calvin Carrasco

111 Speen Street, Suite 101
Framingham, Massachusetts 01701-2090

Fax: (877) 223-6308

STAFF COUNSEL
Allstate Insurance Company
Encompass Insurance

All Attorneys are Employees of
Allstate Insurance Company

This Office is not a Partnership or a Corporation

RECEIVED

2019 SEP 16 A 11:46

CITY CLERK 17-68A
FALL RIVER, MA

*Admitted to practice in
Rhode Island

Attorney
508-416-1205

Administrative Assistant
(860) 293-7042

Paralegal
(860) 293-7042

September 13, 2019

Please send all correspondence to:

Law Offices of Mark S. Gilcreast
Attn: Subrogation Department
21 Oak Street, Suite 201
Hartford, CT 06106

Via Federal Express Delivery:

Bristol County Superior Court
Attn: Civil Clerk's Office
9 Court Street
Taunton, MA 02780

Re: Allstate a/s/o Barnhart vs. City of Fall River
Court Number: 1973CV00475
Date of Loss: August 07, 2017
Our File Number: 0469963515.1

Dear Sir or Madam:

Enclosed please find plaintiff's Emergency Request for Continuance. Plaintiff respectfully requests this the Damage Assessment Hearing be moved from September 19, 2019 to October 17, 2019.

Thank you for your advanced cooperation in this matter. If necessary, I can be contacted at (860) 293-7042.



A Berkley Company

19-72A
16

August 22, 2019

Catherine Hevesh
54 Little Mill Rd
Sandown NH 03873

Re: Underwriting Company: Firemen's Insurance Company of Washington, D.C.
Insured: K. R. Rezendes, Inc.
Policy Number: 5160846
Claimant: Catherine Hevesh
Claim Number: 52 PC 000000067161
Date of Loss: July 17, 2019

Catherine Hevesh,

This claim has been under review by Acadia Insurance Company, and we have conducted a thorough investigation of the circumstances surrounding this incident. Our understanding is that on July 17th, 2019 your vehicle was damaged by a manhole. We believe we have sufficient information at this time to make a decision regarding whether our insured is legally liable for the damages sustained to your vehicle.


After careful review of the facts, as provided by our insured, the town, and developed through investigation, it is Acadia's position that its insured was not legally responsible for this occurrence. Our insured had proper signage in place, the manholes were marked, and the construction zone was labeled. We will not be issuing any payment for your damages.

Sincerely,
Paul Wrabel
Claim Representative
Phone: (800) 870-1170 | Fax: (866) 874-5104
Email: paul.wrabel@acadia-ins.com

Acadia Insurance Company | Admiral Indemnity Company | Clermont Insurance Company | Continental Western Insurance Company
Firemen's Insurance Company of Washington, D.C. | Tri-State Insurance Company of Minnesota | Union Insurance Company

One Acadia Commons | P.O. Box 9010 | Westbrook, ME 04098-5010
207.772.4300 or 800.773.4300 | Auto Attendant: 207.772.1170 or 800.870.1170 | Fax: 207.772.6104

WWW.ACADIAINSURANCE.COM



**City of Fall River
Massachusetts**

Planning Division

20

JASIEL F. CORREIA II
Mayor

WILLIAM D. ROTH JR., AICP
City Planner

TO: Alison Bouchard
City Clerk

FROM: Brittany Faria
Planning, Head Administrative Clerk

RE: **Fall River Planning Board Meeting**
July 31, 2019

CITY CLERK
FALL RIVER, MA

2019 SEP 12 A 9:53

RECEIVED

The Fall River Planning Board held a Public Meeting at 5:30 p.m. on Wednesday, July 31, 2019, in the First Floor Hearing Room, One Government Center, Fall River, MA for the purpose of considering the matters set forth in the agenda originally posted with your office on July 25, 2019.

Members present: Cynthia Sevigny, Charles Moniz, and Mario Lucciola

Members absent: Elizabeth Andre

Also present: Planning Director, William D. Roth, Jr., AICP, Brittany Faria, Recording Clerk and Alex Mello, FRGTV.

"Minutes" of this meeting are as follows:

Mrs. Sevigny opened the meeting and read the Open Meeting Law statement.

**1A. Application for Endorsement of Plan Believed Not to Require Approval –
File No. 19-1441**

Owner/Applicant- Alexander F. Cordeiro
Location- 45 Whipple St.
Assessor Lot: I-08-38

Mr. Roth explained this being a subdivision into 2 lots, pursuing Mass General Law 41 81L, with 2 structures existing prior to subdivision control law. Mr. Roth noted that any future alterations would need variances. Therefore, he is recommending endorsement.

Upon motion made by Mr. Moniz and seconded by Mr. Lucciola, it was VOTED 3-0: to direct the Chair to endorse the plan, "Approval Not Required Under the Subdivision Control Law".

**1B. Application for Endorsement of Plan Believed Not to Require Approval –
File No. 19-1442**

Owner- Raymond Knight, Jr.
Nancy Knight
Globe Enterprises Inc.
Applicant- John E. Zajac Esq.
Location- 217 & 239-241 Globe St.
Assessor Lots: H-4-19 & 23

Mr. Roth explained that this is a lot line adjustment, showing Lot 23 to be moving over 17.34sf presumably for the existing retaining wall. Therefore, it meets the requirements of "Approval Not Required Under the Subdivision Control Law" so he is recommending endorsement.

Upon motion made by Mr. Lucciola and seconded by Mr. Moniz, it was unanimously VOTED 3-0: to direct the Chair to endorse the plan, "Approval Not Required Under the Subdivision Control Law".

**1C. Application for Endorsement of Plan Believed Not to Require Approval –
File No. 19-1443**

Owner/Applicant- Divine Properties LLC
Location- 284 & 296 Broadway, 353 Division St.
Assessor Lot: G-4-21

Mr. Roth explained that this plan was subject to approval of a variance granted with conditions by the Zoning Board of Appeals in March of 2019. One of the variance conditions was to provide an easement plan to show crossover easement. This plan is in conformance with that condition, therefore it meets the requirements of "Approval Not Required Under the Subdivision Control Law" so he is recommending endorsement.

Upon motion made by Mr. Moniz and seconded by Mr. Lucciola, it was unanimously VOTED 3-0: to direct the Chair to endorse the plan, "Approval Not Required Under the Subdivision Control Law".

2. July 16, 2019 Minutes

In a motion made by Mr. Lucciola and seconded by Mr. Moniz, the Board VOTED 3-0 to waive the reading of the minutes and to approve the minutes of the July 16, 2019, meeting.

3. Public Input-

No one signed up for public input.

4. ADJOURNMENT

Upon motion duly made by Mr. Moniz and seconded by Mr. Lucciola, it was unanimously VOTED 3-0: to adjourn the meeting at 5:37pm.

21

Zelma A. Braga
640 Langley Street
Fall River, MA 02720

RECEIVED

2019 SEP 11 A 11:50

CITY CLERK _____
FALL RIVER, MA

September 6, 2019

City Council Offices
1 Government Center
Fall River, MA 02722

Re: False Alarm Minimums

Dear Taxpayer Representative:


I am enclosing copies of my correspondence with the Police Department regarding the charges for an officer to reply to residential false alarms. I am also enclosing, for your quick reference, copy of section 22-33 which describes the charges for false alarms.

I believe that most taxpayers are law abiding citizens and have no choice but to abide by the city's rules. False alarms are "accidents" and if a taxpayer is not charged a fee for an officer to respond to an automobile accident, which is much more labor and time intensive, I do not understand why the false alarm payment schedule is not more generous.

I hereby petition the City Council to raise the minimum false alarms to a more reasonable level such as four or six per year before a charge is levied to the taxpayer.

I would most appreciate your reply to my request.

Yours truly,


Zelma A. Braga