

City of Ladue
Board of Fire and Police Commissioners Meeting Agenda
Monday, August 1, 2022, 4 P.M.
City Hall Council Chambers
9345 Clayton Road
(Hybrid via Zoom)

Join Zoom Meeting
<https://us02web.zoom.us/j/86044231553?pwd=qbqD6fP6xDnFRoxQE-k59ZALKnOUO9.1>

Meeting ID: 860 4423 1553
Passcode: 678119

Agenda:

Adoption and Approval of the Agenda
([Meeting minutes](#) from the June 13 meeting)
Public Comment

Fire Department:

Review Monthly Reports
[Request Policy Approval](#)

- 1.18 Uniform Dress Code Policy
 - Changes Highlighted
- 1.41 Asset Replacement Cycle Policy
- 1.40 Assigned Staff Vehicle Use
- 4.06 Wellness/Fitness Initiative
- 5.01 Facility Inspection, Maintenance, Repair Policy

Police Department:

Review NIBRS Reports

Other:

Closed Session not requested for this meeting
The tentative agenda of this meeting will include a vote to close part of this meeting pursuant to RSMo 610.021 (1) and (3), CLOSED MEETING AND RECORDS AUTHORIZED.

In accordance with the requirements of Title II of the Americans with Disabilities Act of 1990 "ADA", the City of Ladue, will not discriminate against qualified individuals on the basis of disability in its services, programs, or activities. If you require an accommodation or modification please contact Stacey Mann, City Clerk, (314) 993-3439, smann@cityofladue-mo.gov as soon as possible but no later than 48 hours before the

BOARD OF FIRE AND POLICE COMMISSIONERS

CITY OF LADUE, MISSOURI

MONDAY, JUNE 13th, 2022

A regular meeting of the Ladue Board of Fire and Police Commissioners was held on Monday, June 13th, 2022, at 4:00 p.m., at Ladue City Hall, 9345 Clayton Road.

Members Present:

Col. William Francis Jr., Chairman

Mr. John Schaperkotter

Mr. John Stupp

Mr. Stephen Jones

Mr. L. Shepley Hermann

Also present: Police Chief Ken Andreski, Jr., Captain Brian Dieckmann, Sergeant Bryan Lucas, Fire Chief Steven Lynn, Assistant Fire Chief Jeff Johnson and Ms. Lori Mullins, Deputy City Clerk.

Chairman Francis called the meeting to order at 4:05 pm.

APPROVAL OF AGENDA

The agenda was approved upon motion by Commissioner Schaperkotter and second by Commissioner Hermann.

APPROVAL OF MINUTES

The minutes of the April 11th, 2022, meeting were approved unanimously upon motion by Commissioner Jones and second by Commissioner Hermann.

PUBLIC COMMENT

During an opportunity for public comment none was offered.

FIRE DEPARTMENT

Recognition of Tom Marischen

Chief Lynn offered special recognition to Fire Fighter/Paramedic Tom Marischen for providing lifesaving measures on May 28th. Off duty, swimming with his family, he observed a lifeguard attempting to save an 8-year-old boy. The boy had been underwater, was unconscious, and did not have a pulse. Mr. Marischen began CPR; upon arrival of the First Responders the boy was breathing. Chief Lynn praised the effort stating that the outcome was due to Mr. Marischen stepping up without hesitation. A formal letter of recognition will be presented at the City Council meeting on Monday. Chairman Francis reported that a resolution approving the commendation would be noted in the meeting minutes.

Monthly Report Review

Chief Lynn added the following:

- The monthly report provides a limited picture of the department activity
- The Department trains between 350-750 hours monthly
- Ideally the department will have 2 additional Fire Fighter/Paramedics trained on Car seat installation
- The department created a map of all the hydrants in the City

- Hydrants are flush tested annually tested, and 20% are flow tested each year
- Fire Marshall Johnson completes inspections and assists those contractors that did not pass with information to ensure future success.

POLICE DEPARTMENT

Review of NIBRS Report

Chief Andreski asked if there were questions regarding the report, seeing none the meeting proceeded.

Update on License Plate Reader

Chief Andreski shared the request for license plate readers and cameras on both fire houses; he introduced Sergeant Lucas. Sergeant Lucas presented information on the benefits of additional cameras installed by Flock Group. Initial cameras were installed in late 2021. The Police Department has found this system to be an effective tool in preventing and solving crimes.

Chief Andreski requested the Commissioners consideration for an additional four cameras to be installed on both Firehouses focusing on East and Westbound Clayton Road. Two replacement cameras on Fire House 1, and two remote archivers will be installed at Firehouse 1 and 2. The archivers will record video from cameras located at both locations. Designated personnel will have remote and local access. The proposal includes training, and complies with all local, state, and federal regulations. Will Electronics came in with the low bid at a proposed cost of \$32,632.39.

Commissioner Stupp moved approval of the proposal, which passed unanimously upon second by Commissioner Jones.

Discussion on Citywide Tattoo/Branding Policy

Chief Andreski reported on the possible update of the personnel policy regarding visible tattoos. Non-offensive tattoos would potentially be allowed with restrictions. The department heads would coordinate standards. This change could potentially help with recruiting.

Discussion ensued; no action was taken.

Discussion on Mandatory Body Armor

Chief Andreski informed the Commission on the upcoming necessity of replacing of Body Armor. In the next two years replacement will necessary. A matching Federal Grant in the amount \$15,000 is available, only if the Department has a policy in place mandating wearing body armor.

Discussion ensued; no action was taken.

Chief Andreski will be attending 10-week F.B.I Leadership Training. In his absence, Captain Dieckmann will fill in as the Acting Chief of Police.

Chairman Francis commended Chief Andreski on a comprehensive and well-organized annual report.

Chief Andreski provided an update on the recent shooting on Highway 170, near the Ladue and Olivette boundary. Chief Andreski provided an update on the Flock system and explained how it has been beneficial in their investigations.

ADJOURNMENT

Upon motion by Commissioner Stupp and second by Commissioner Schaperkotter, following a voice vote the motion carried unanimously.

Meeting adjourned at 4:59 PM.

William Francis, Jr.
Chairman


Stacey Mann
City Clerk



LADUE FIRE DEPARTMENT

Office of the Fire Chief

9213 Clayton Road
St. Louis, MO 63124
314-993-0181

To: Fire and Police Board Members	Date: 8/1/2022
From: Fire Chief Steve Lynn 	Re: Fire Department Activity Summary

Operations

Attached you will find data pertaining to calls responded to in the month of June 2022. Data shows that the Ladue Fire Department responded to 56 EMS calls and 94 Fire related calls for a total of 150. Additionally, you will find a summary report of the Fire Marshal. This report reflects inspections performed in the field as well as plan reviews conducted at the fire house. However, this report does not reflect code review time nor contractor communications.

For the month of June crews completed a total of 638 hours of fire training and numerous hours of EMS training. Fire training consists of incident command review, search and rescue, technical rescue awareness, Active Shooter training, etc.

All Ladue Fire Department Officer and Acting Officers were required to attend the MACTAC training or Active Shooter training. This is a County wide accepted policy that requires thorough understanding and practice. Special thanks to Horton Watkins High School for allowing us to use their facility for this training.

Another metric the Fire Department monitors is overlapping calls. In June there were 25 events that overlapped initiating the use of mutual aid or 17% of calls were overlapping.

Crews are beginning their yearly commercial building company inspections in which crews inspect compliance with the adopted IFC and general fire hazards. Every attempt is made to communicate with the business owner prior to inspection.

Public Relations

Child Safety Seat Installation resumed yielding four installations. Additionally, crews provided education and truck tour for Conway School 1st grade.

Administration

In conjunction with daily operational needs, Administration continues to work on process improvement opportunities. The two main areas of focus are compliance with standards of coverage policy and would a quint apparatus benefit the city at house #2. The administration continues to evaluate alternative options to deliver better service in a fiscally responsible manner.

The ISO review has been set for August 2nd and preparations are almost complete. This complex evaluation of the fire departments operations, water supply, and communications requires significant prep with data collection and analysis. The last piece of the evaluation is the completion of Community Risk Assessment and Standard of Coverage document. This document evaluates high, medium, and low risk properties and determines the response necessary.

Although limited in everything we do, I hope you find this summary useful in hopes of providing this each month. Please let me know if you have any questions or concerns.

Ladue Fire Department

St. Louis, MO

This report was generated on 7/8/2022 7:18:37 AM



Occupancies for Action Codes for Date Range

Occupancy Action(s): All Occupancy Actions | Start Date: 06/01/2022 | End Date: 06/30/2022

ID	NAME	ADDRESS	ACTION DATE	PERSONNEL NAME	DESCRIPTION
Ceiling - A - Ceiling Cover Inspection - Approved					
39FOR09811-2-3	The Saint Louis Bank	9811 South Forty DR	06/13/2022	Johnson, Jeffrey	Ceiling cover for tenant finish approved.
CO - P - Certificate of Occupancy - Issued					
39CLA09727	BOCA Studio	9727 Clayton RD	06/08/2022	Johnson, Jeffrey	Occupancy inspection approved.
39LAD08857	Golftec	8857 Ladue RD #C	06/10/2022	Johnson, Jeffrey	Occupancy inspection passed.
39LIN1588-1	Sol Sunless Tan	1588 N Lindbergh BLVD #1	06/01/2022	Johnson, Jeffrey	Occupancy inspection passed.
39CLA09904-124	Wholehearted Healing LLC	9904 Clayton RD #124	06/01/2022	Johnson, Jeffrey	Occupancy inspection passed.
CO - T - Certificate of Occupancy - Temporary					
21M640012	Trent Dr 45	45 Trent DR	06/01/2022	Johnson, Jeffrey	Temp occupancy approved.
F&F - A - Framing & Fire Inspection - Approved					
39LAD08820-201	Clayton Wellness	8820 Ladue RD #201	06/09/2022	Johnson, Jeffrey	F&F for tenant finish approved.
19M540247	Dogwood Ln 14	14 Dogwood LN	06/30/2022	Johnson, Jeffrey	F&F for kitchen approved.
39FAI00058	Fair Oaks Dr 58	58 Fair Oaks DR	06/13/2022	Johnson, Jeffrey	F&F for front porch approved.
39CLA09640	Hearth & Soul	9640 Clayton RD	06/09/2022	Johnson, Jeffrey	F&F for exterior walls approved.
20L540361	Indian HI 3	3 Indian Hill DR	06/10/2022	Johnson, Jeffrey	F&F for kitchen renovation approved.
39FOR09811-2-1	Mallard Land Holdings	9811 South Forty DR	06/24/2022	Johnson, Jeffrey	F&F for wall modification.
19K410351	Pine Acre Rd 8919	8919 Pine Acre RD	06/24/2022	Johnson, Jeffrey	F&F for front porch approved.
20M210050	Somerset Downs Dr 28	28 Somerset Downs DR	06/08/2022	Johnson, Jeffrey	F&F for basement portion of renovation approved.
39LAD08857-A/B	St Luke's Urgent Care	8857 Ladue RD #A/B	06/07/2022	Johnson, Jeffrey	F&F for tenant expansion approved.
20M620064	Twin Springs Ln 6	6 Twin Springs LN	06/13/2022	Johnson, Jeffrey	F&F for sauna area of basement finish approved.
F&F - F - Framing & Fire Inspection - Failed					
21L510011-2	Old Warson Rd 9764	9764 Old Warson RD	06/29/2022	Johnson, Jeffrey	F&F for accessory structure addition failed due to firestopping.
21L630010	Park Ln 9530	9530 Park LN	06/29/2022	Johnson, Jeffrey	F&F for interior renovation failed due to firestopping.

Report pulls Occupancy Actions entered on the "Action" tab inside the Occupancy Detail screen.



emergencyreporting.com

Doc Id: 807

Page # 1 of 6

18K120367	Treebrook Ln 2	2 Treebrook LN	06/13/2022	Johnson, Jeffrey	F&F for interior renovation failed due to firestopping.
18K120367	Treebrook Ln 2	2 Treebrook LN	06/13/2022	Johnson, Jeffrey	F&F for addition failed due to firestopping.
19K140432	Valley View Pl 7	7 Valley View PL	06/13/2022	Johnson, Jeffrey	F&F for hall bathroom failed.
Final- A - Final Building Inspection - Approved					
39CLA09727	BOCA Studio	9727 Clayton RD	06/07/2022	Johnson, Jeffrey	Final for tenant finish approved.
39LAD08820-201	Clayton Wellness	8820 Ladue RD #201	06/29/2022	Johnson, Jeffrey	Final for tenant finish approved.
18M210015	Clerbrook Ln 9	9 Clerbrook LN	06/29/2022	Johnson, Jeffrey	Final for interior remodel approved.
18L230069	Glen Eagles Dr 37	37 Glen Eagles DR	06/28/2022	Johnson, Jeffrey	Final for kitchen and bathroom approved.
39LAD08857	Golftec	8857 Ladue RD #C	06/06/2022	Johnson, Jeffrey	Final for RTU approved. Verified that the unit shut down and the annunciator sounded.
39LAD08857	Golftec	8857 Ladue RD #C	06/07/2022	Johnson, Jeffrey	Final for tenant finish approved.
18L520337	Granada Way 13	13 Granada WAY	06/01/2022	Johnson, Jeffrey	Final for kitchen and interior remodel approved.
21M340051	High Hampton Rd 722	722 High Hampton RD	06/13/2022	Johnson, Jeffrey	Final for generator approved.
19L420096	Kent Rd 782	782 Kent RD	06/30/2022	Johnson, Jeffrey	Final for front porch approved.
19L540194	Price Rd S 721	721 S Price RD	06/27/2022	Johnson, Jeffrey	Final for interior renovation approved.
18L310017	Price Rd S. 462	462 S Price RD	06/02/2022	Johnson, Jeffrey	Final for bathroom remodel approved.
19M230070	Ridgelynn Dr 1136	1136 Ridgelynn DR	06/03/2022	Johnson, Jeffrey	Final for tent approved.
20M220042	Somerset Downs Dr 3	3 Somerset Downs DR	06/09/2022	Johnson, Jeffrey	Final for tents approved.
39LIN01640	St Louis County Library	1640 S Lindbergh BLVD	06/10/2022	Johnson, Jeffrey	Final for tent approved.
18K120653	Treebrook Ln 5	5 Treebrook LN	06/07/2022	Johnson, Jeffrey	Final for bathroom renovation approved.
21M640012	Trent Dr 45	45 Trent DR	06/28/2022	Johnson, Jeffrey	Final for generator approved.
18M220058	Warson Rd S. 501	501 Warson RD S	06/08/2022	Johnson, Jeffrey	Final for bathroom approved.
39FOR09811-2-2	Well Inspired Travels	9811 South Forty DR	06/13/2022	Johnson, Jeffrey	Final for sprinkler modification approved.
39FOR09811-2-2	Well Inspired Travels	9811 South Forty DR	06/13/2022	Johnson, Jeffrey	Final for tenant finish approved.
19K440084	Wenneker Dr 431	431 Wenneker DR	06/07/2022	Johnson, Jeffrey	Final for egress window approved.
Final- F - Final Building Inspection - Failed					
20L540031	Ladue Crest Ln 2	2 Ladue Crest LN	06/13/2022	Johnson, Jeffrey	Final for basement finish failed.
20L120125	Litzsinger Rd 9731	9731 Litzsinger RD	06/07/2022	Johnson, Jeffrey	Final for new residence failed.
20L120125	Litzsinger Rd 9731	9731 Litzsinger RD	06/07/2022	Johnson, Jeffrey	Final for new residence failed.
19L530139	St Andrews Dr 19	19 St Andrews DR	06/01/2022	Johnson, Jeffrey	Final for covered porch failed due to no county electrical approval.
39LIN01640	St Louis County Library	1640 S Lindbergh BLVD	06/09/2022	Johnson, Jeffrey	Final for tent failed.
Firework - Fireworks Approval Issued					
39CLA09266	Bogey Club	9266 Clayton RD	06/30/2022	Johnson, Jeffrey	Fireworks approval issued for 7/4/2022 event pending that operator license suffices for St. Louis County.
39LOG01140	Log Cabin Club	1140 Log Cabin LN	06/07/2022	Johnson, Jeffrey	Fireworks approval issued for a 7/4 event.
39OWA09841	Old Warson Country Club	9841 Old Warson RD	06/09/2022	Johnson, Jeffrey	Fireworks approval issued for a 7/4/2022 event.

Report pulls Occupancy Actions entered on the "Action" tab inside the Occupancy Detail screen.



39BAR00400	St. Louis Country Club	400 Barnes RD	06/27/2022	Johnson, Jeffrey	Fireworks approval issued for a 7/4/2022 event.
Gen - Generator Approval Issued					
19L620362	Glencairn Ln 2	2 Glencairn LN	06/24/2022	Johnson, Jeffrey	Plan review for generator approved. Field verify 10' from any operable door/window and 5' from combustibles to all sides including overhead.
21L231073	Old Warson Rd 9758	9758 Old Warson RD	06/22/2022	Johnson, Jeffrey	Generator approval issued.
19K510879	Wenneker Dr 727	727 Wenneker DR	06/01/2022	Johnson, Jeffrey	Plan review for generator is approved. Field verify that generator is 5' from combustibles to all sides including overhead and 10' from any operable door/window. Revised plans indicate that the generator is 10' from the house which is okay but NOT what our requirement is.
Hood Ins - Hood Inspection (6 month)					
39CLA09237	Village Lutheran Church	9237 Clayton RD	06/13/2022	Johnson, Jeffrey	Semi annual inspection by: Cintas Fire Protection
Hydrant - Annual Private Fire Hydrant Inspection					
39OWA09841	Old Warson Country Club	9841 Old Warson RD	06/13/2022	Johnson, Jeffrey	Annual inspection by: Century Fire Sprinklers INC
Light - Bare Bulb Light Test					
20M240136-2	Warson Rd S. 2105	2105 Warson RD S	06/02/2022	Johnson, Jeffrey	Light test for grease duct failed due to holes located in the welds.
Meeting - Construction Project Meeting					
39LAY00900	Community School	900 N Lay RD	06/06/2022	Johnson, Jeffrey	Construction meeting.
20M620075	Deer Creek HI 1	1 Deer Creek Hill HL	06/10/2022	Johnson, Jeffrey	Met with Streib electric to discuss SD/CO locations on a unique floorplan.
Plan - A - Plan Review - Approved					
20M620031-2	Barclay Woods Dr 1	1 Barclay Woods DR	06/21/2022	Johnson, Jeffrey	Plan review for pool house approved.
19L140046	Barnes Rd 900	900 Barnes RD	06/07/2022	Johnson, Jeffrey	Plan review for generator approved. Field verify 10' from any operable door/windows and 5' from combustibles to all sides including overhead.
39CLA09842	Baskin-Robbins	9842 Clayton RD	06/15/2022	Johnson, Jeffrey	Plan review for exterior facade approved.
20M530282	Brynnwood Dr 1311	1311 Brynnwood DR	06/07/2022	Johnson, Jeffrey	Plan review for portico approved.
19M421173	Cell Tower	10193 Conway RD	06/09/2022	Johnson, Jeffrey	Plan review for new 80' cell tower approved.
19M530413	Clerbrook Ln 12	12 Clerbrook LN	06/02/2022	Johnson, Jeffrey	Plan review for addition approved.
18M210554	Clermont Ln 22	22 Clermont LN	06/10/2022	Johnson, Jeffrey	Plan review for BBQ, pizza oven and fireplace approved.
18M210246	Clermont Ln 46	46 Clermont LN	06/07/2022	Johnson, Jeffrey	Plan review for bathroom remodels approved.
20L210150	Daniel Rd 19	19 Daniel RD	06/30/2022	Johnson, Jeffrey	Plan review for interior remodel approved. Field verify SD in basement in proper location.
18M220047	Dogwood Ln 6	6 Dogwood LN	06/14/2022	Johnson, Jeffrey	Plan review for interior remodel approved.
19K420592	Dromara Rd 25	25 Dromara RD	06/28/2022	Johnson, Jeffrey	Plan review for mechanical approved.

Report pulls Occupancy Actions entered on the "Action" tab inside the Occupancy Detail screen.

19L330016	Fair Oaks Dr 101	101 Fair Oaks DR	06/27/2022	Johnson, Jeffrey	Plan review for screened in porch windows approved.
20L640407	Fair Oaks Dr 40	40 Fair Oaks DR	06/30/2022	Johnson, Jeffrey	Plan review for mechanical approved.
19M441072	Ferrand Woods Ln 2	2 Ferrand Woods LN	06/28/2022	Johnson, Jeffrey	Plan review for new residence approved.
39LAD08813	IV Nutrition	8813 Ladue RD	06/27/2022	Johnson, Jeffrey	Plan review for tenant finish approved.
39CON09701-Rear	Ladue School District Maintenance	9701- Conway RD #REAR	06/01/2022	Johnson, Jeffrey	Plan review for walk-in cooler approved. Previous comments addressed.
39FOR09811-2-1	Mallard Land Holdings	9811 South Forty DR	06/23/2022	Johnson, Jeffrey	Plan review for interior renovation approved.
39FOR09811-2-1	Mallard Land Holdings	9811 South Forty DR	06/30/2022	Johnson, Jeffrey	Plan review for tenant finish approved.
18M140312-2	Maryhill Dr 12	12 Maryhill DR	06/28/2022	Johnson, Jeffrey	Plan review for carriage house renovation approved.
21L140153	Northbridge Rd 9819	9819 Northbridge RD	06/06/2022	Johnson, Jeffrey	Plan review for egress window approved.
19M610241	Picardy Ln 20	20 Picardy LN	06/14/2022	Johnson, Jeffrey	Plan review for kitchen remodel approved.
19K410351	Pine Acre Rd 8919	8919 Pine Acre RD	06/08/2022	Johnson, Jeffrey	Plan review for a front porch approved.
18M230200	Salem Estates Dr 22	22 Salem Estates DR	06/08/2022	Johnson, Jeffrey	Plan review for fireplace and bar failed. The only attachment that I see in the electronic portal submittal is regarding the floors.
18M230200	Salem Estates Dr 22	22 Salem Estates DR	06/28/2022	Johnson, Jeffrey	Plan review for fireplace and bar approved.
18L530028	Sunny Meade Ln 3	3 Sunny Meade LN	06/29/2022	Johnson, Jeffrey	Plan review for kitchen renovation approved.
21M640021	Trent Dr 49	49 Trent DR	06/15/2022	Johnson, Jeffrey	Plan review for addition/renovation approved.
18M320114	Upper Ladue Rd 27	27 Upper Ladue RD	06/02/2022	Johnson, Jeffrey	Plan review for additions approved.
21M630103	Upper Warson Rd 20	20 Upper Warson RD	06/14/2022	Johnson, Jeffrey	Plan review for bathroom renovation approved.
20M520113	Warridge Dr 8	8 Warridge DR	06/29/2022	Johnson, Jeffrey	Plan review for mechanical approved.
20M240091	Warson Rd S. 2120	2120 Warson RD S	06/27/2022	Johnson, Jeffrey	Plan review for kitchen/bathroom renovation approved.
19M540050	Warson Rd S. 803	803 Warson RD S	06/06/2022	Johnson, Jeffrey	Plan review for interior remodel approved.

Report pulls Occupancy Actions entered on the "Action" tab inside the Occupancy Detail screen.



emergencyreporting.com

Doc Id: 807

Page # 4 of 6

Plan - F - Plan Review - Failed

19L430017	Barnes Rd 701	701 Barnes RD	06/03/2022	Johnson, Jeffrey	Plan review for new residence failed. Show 2021 building codes, How is IRC 302.13 protection of floors being met in unfinished portions of basement, show CO detector in master bedroom, show SD in exercise room (required by our amendments), show SD in bedrooms #1 and #2 and not in sitting rooms that can be closed off, show SD in 1st floor bedroom, what is the egress window sill height in lower level, provide details on fireplace mantel and clearance to firebox opening. Provide square footage for all floors including finished basement. Separately, I need to review if the IFC 2021 Appendix B required fire-flow is met. There is a fire hydrant on the 701 Barnes Road property in the woods that is currently inaccessible. If this can be made accessible by vehicle it may provide sufficient water and be close enough to the new residence that a new fire hydrant is NOT needed.
19L130157	Barnes Rd 935	935 Barnes RD	06/24/2022	Johnson, Jeffrey	Plan review for generator failed. Verify 10' from any operable door/window and 5' from combustibles to all sides including overhead.
18M210455	Clerbrook Ln 2	2 Clerbrook LN	06/27/2022	Johnson, Jeffrey	Plan review for basement remodel failed. Show SD/CO.
20L210150	Daniel Rd 19	19 Daniel RD	06/21/2022	Johnson, Jeffrey	Plan review for interior remodel failed.
20L210150	Daniel Rd 19	19 Daniel RD	06/28/2022	Johnson, Jeffrey	Plan review for interior remodel failed.
20M620075	Deer Creek HI 1	1 Deer Creek Hill HL	06/14/2022	Johnson, Jeffrey	Plan review for interior remodel failed.
20L640443	Fair Oaks Dr 74	74 Fair Oaks DR	06/02/2022	Johnson, Jeffrey	Plan review for generator failed. Plan doesn't show that generator is 10' from any operable door/windows and 5' from combustibles to all sides including overhead.
19M441072	Ferrand Woods Ln 2	2 Ferrand Woods LN	06/21/2022	Johnson, Jeffrey	Plan review for new residence failed. No CO shown in basement.
18M620085	Glenview Rd 4	4 Glenview RD	06/21/2022	Johnson, Jeffrey	Plan review for new residence failed.
39LAD08813	IV Nutrition	8813 Ladue RD	06/13/2022	Johnson, Jeffrey	Plan review for tenant finish failed. Show 2021 building codes which will also affect the occupant load factor for B-use group. New factor in 2021 codes is 150 gross.
39FOR09811-2-1	Mallard Land Holdings	9811 South Forty DR	06/21/2022	Johnson, Jeffrey	Plan review for tenant finish failed.
18K110478-3	McKnight Rd S 300	300 S McKnight RD	06/24/2022	Johnson, Jeffrey	Plan review for detached garage amendment failed. It appears that generator will be under a bulkhead? If so, we require that all generators be 5-feet from combustibles to all sides including overhead. Verify with comment.
19M610340	Picardy Ln 25	25 Picardy LN	06/21/2022	Johnson, Jeffrey	Plan review for pool porch failed.

Report pulls Occupancy Actions entered on the "Action" tab inside the Occupancy Detail screen.



emergencyreporting.com

Doc Id: 807

Page # 5 of 6

39BAR00400	St. Louis Country Club	400 Barnes RD	06/08/2022	Johnson, Jeffrey	Failed. Update the "additional info" page to read that Tiki Torches will be 20-feet from the tent. IFC 3107.4 requires all open or exposed flames to be 20-feet from the tent.
21M640021	Trent Dr 49	49 Trent DR	06/02/2022	Johnson, Jeffrey	Plan review for addition/renovation failed. SDs are shown but it does not clarify if the SDs outside of the bedrooms (and one on each level) are combination SD/CO. Is garage drywall on shared walls and ceilings 5/8 x and are doors separating garage from living space 20-minute fire-rated?
18M320114	Upper Ladue Rd 27	27 Upper Ladue RD	06/01/2022	Johnson, Jeffrey	Plan review for addition failed. Still need to show SD/CO locations. The 5/8x drywall has all been addressed.
18M320114-2	Upper Ladue Rd 27	27 Upper Ladue RD	06/28/2022	Johnson, Jeffrey	Fireplace shown but no details. Page S4 shows section @ elevator however there is no elevator shown on the plans. Provide square footage of the structure on application or on plans.
18M320114	Upper Ladue Rd 27	27 Upper Ladue RD	06/28/2022	Johnson, Jeffrey	Plan review for an amendment to add a workout room failed. Show SD in workout room.
Plan Rev - Plan Review - Alarm/Suppression					
20L120327	Litzsinger Rd 9714	9714 Litzsinger RD	06/01/2022	Johnson, Jeffrey	Plan review for NFPA 13D system approved.
39FOR09811-2-1	Mallard Land Holdings	9811 South Forty DR	06/27/2022	Johnson, Jeffrey	Plan review for sprinkler modification approved.
Sp Rough - Sprinkler Rough Inspection					
39FOR09811-2-3	The Saint Louis Bank	9811 South Forty DR	06/13/2022	Johnson, Jeffrey	Sprinkler rough inspection approved.
Spkr Ins - Sprinkler Inspection Completed (annual)					
39OWA09841	Old Warson Country Club	9841 Old Warson RD	06/13/2022	Johnson, Jeffrey	Annual inspection by: Century Fire Sprinklers INC
Tent - Tent Approval Issued					
20M220042	Somerset Downs Dr 3	3 Somerset Downs DR	06/02/2022	Johnson, Jeffrey	Plan review for tent approved. We will have exit signs and fire extinguishers in both tents. There is 15' separation between both tents. My understanding is the food tent is only for serving dinner in with buffet stations and they will not be cooking under it. The hope is they are able to keep the side walls open, but have them for rain just in case.
39LIN01640	St Louis County Library	1640 S Lindbergh BLVD	06/01/2022	Johnson, Jeffrey	Plan review for tent on 6/10/2022 event approved.
39BAR00400	St. Louis Country Club	400 Barnes RD	06/09/2022	Johnson, Jeffrey	Plan approved for tent.
Warn - Written Warning notice Issued					
19M530545	Maryview Ln 9	9 Maryview LN	06/09/2022	Johnson, Jeffrey	1st notice sent regarding hydrant violation on 6/9/2022.

Report pulls Occupancy Actions entered on the "Action" tab inside the Occupancy Detail screen.

Ladue Fire Department

St. Louis, MO

This report was generated on 7/8/2022 7:43:20 AM



Incident Statistics

Zone(s): All Zones | Start Date: 06/01/2022 | End Date: 06/30/2022

INCIDENT COUNT			
INCIDENT TYPE		# INCIDENTS	
EMS		56	
FIRE		94	
TOTAL		150	
TOTAL TRANSPORTS (N2 and N3)			
APPARATUS	# of APPARATUS TRANSPORTS	# of PATIENT TRANSPORTS	TOTAL # of PATIENT CONTACTS
TOTAL			
PRE-INCIDENT VALUE		LOSSES	
\$0.00		\$0.00	
CO CHECKS			
736 - CO detector activation due to malfunction		2	
TOTAL		2	
MUTUAL AID			
Aid Type		Total	
Aid Given		53	
Aid Received		16	
OVERLAPPING CALLS			
# OVERLAPPING		% OVERLAPPING	
25		16.67	
LIGHTS AND SIREN - AVERAGE RESPONSE TIME (Dispatch to Arrival)			
Station	EMS	FIRE	
Both Station's	0:06:47	0:02:13	
Engine Company One	0:06:01	0:07:33	
Engine Company Two	0:04:47	0:06:39	
AVERAGE FOR ALL CALLS		0:06:13	
LIGHTS AND SIREN - AVERAGE TURNOUT TIME (Dispatch to Enroute)			
Station	EMS	FIRE	
Both Station's	0:01:18	0:00:42	
Engine Company One	0:01:18	0:01:36	
Engine Company Two	0:01:11	0:02:00	
AVERAGE FOR ALL CALLS		0:01:21	
AGENCY		AVERAGE TIME ON SCENE (MM:SS)	
Ladue Fire Department		37:40	

Only Reviewed Incidents included. EMS for Incident counts includes only 300 to 399 Incident Types. All other incident types are counted as FIRE. CO Checks only includes Incident Types: 424, 736 and 734. # Apparatus Transports = # of incidents where apparatus transported. # Patient Transports = All patients transported by EMS. # Patient Contacts = # of PCR contacted by apparatus. This report now returns both NEMSIS 2 & 3 data as appropriate. For overlapping calls that span over multiple days, total per month will not equal Total count for year.

Ladue Fire Department

St. Louis, MO

This report was generated on 7/8/2022 7:15:10 AM



Incident Type Count per Station for Date Range

Start Date: 06/01/2022 | End Date: 06/30/2022

INCIDENT TYPE	# INCIDENTS
Station: 1 - ENGINE COMPANY ONE	
111 - Building fire	2
113 - Cooking fire, confined to container	1
118 - Trash or rubbish fire, contained	1
141 - Forest, woods or wildland fire	1
321 - EMS call, excluding vehicle accident with injury	30
322 - Motor vehicle accident with injuries	4
412 - Gas leak (natural gas or LPG)	2
551 - Assist police or other governmental agency	2
554 - Assist invalid	10
571 - Cover assignment, standby, moveup	5
611 - Dispatched & cancelled en route	20
622 - No incident found on arrival at dispatch address	1
733 - Smoke detector activation due to malfunction	2
735 - Alarm system sounded due to malfunction	4
736 - CO detector activation due to malfunction	2
743 - Smoke detector activation, no fire - unintentional	1
745 - Alarm system activation, no fire - unintentional	3
# Incidents for 1 - Engine Company One:	91

Station: 12 - BOTH STATION'S	
111 - Building fire	1
162 - Outside equipment fire	1
321 - EMS call, excluding vehicle accident with injury	13
322 - Motor vehicle accident with injuries	3
611 - Dispatched & cancelled en route	1
# Incidents for 12 - Both Station's:	19

Station: 2 - ENGINE COMPANY TWO	
111 - Building fire	1
251 - Excessive heat, scorch burns with no ignition	1
321 - EMS call, excluding vehicle accident with injury	4
322 - Motor vehicle accident with injuries	2
412 - Gas leak (natural gas or LPG)	2
442 - Overheated motor	1
444 - Power line down	1
445 - Arcing, shorted electrical equipment	1

Only REVIEWED incidents included.



emergencyreporting.com
Doc Id: 857
Page # 1 of 2

INCIDENT TYPE	# INCIDENTS
511 - Lock-out	1
551 - Assist police or other governmental agency	2
571 - Cover assignment, standby, moveup	4
611 - Dispatched & cancelled en route	8
651 - Smoke scare, odor of smoke	1
735 - Alarm system sounded due to malfunction	7
743 - Smoke detector activation, no fire - unintentional	2
744 - Detector activation, no fire - unintentional	1
745 - Alarm system activation, no fire - unintentional	1
# Incidents for 2 - Engine Company Two:	40

Only REVIEWED incidents included.



Ladue Fire Department

St. Louis, MO

This report was generated on 7/8/2022 7:15:36 AM



Count of Overlapping Incidents for Date Range

Start Date: 06/01/2022 | End Date: 06/30/2022

# OVERLAPPING	% OVERLAPPING	TOTAL
25	16.67	150

OVERLAPPING INCIDENT DETAILS					
ALARM	CLEAR/CANCEL	INCIDENT #	INCIDENT TYPE	STATION	ZONE
6/3/2022					
6/3/2022 9:16:30 PM	6/3/2022 9:52:13 PM	2022-3900727	321	Engine Company One	Engine Co. 1 First Due
6/3/2022 9:37:27 PM	6/3/2022 9:54:38 PM	2022-3900728	251	Engine Company Two	Engine Co. 2 First Due
6/6/2022					
6/6/2022 8:52:36 AM	6/6/2022 9:21:32 AM	2022-3900737	321	Engine Company One	Out of Town
6/6/2022 8:55:04 AM	6/6/2022 9:05:06 AM	2022-3900738	554	Engine Company One	Engine Co. 1 First Due
6/12/2022					
6/12/2022 11:09:28 AM	6/12/2022 11:27:38 AM	2022-3900766	321	Both Station's	Engine Co. 2 First Due
6/12/2022 11:19:43 AM	6/12/2022 11:31:53 AM	2022-3900767	733	Engine Company One	Engine Co. 2 First Due
6/13/2022					
6/13/2022 1:39:07 PM	6/13/2022 3:27:16 PM	2022-3900775	111	Engine Company One	Out of Town
6/13/2022 1:48:34 PM	6/13/2022 1:51:20 PM	2022-3900774	571	Engine Company One	Out of Town
6/13/2022 2:19:05 PM	6/13/2022 2:44:27 PM	2022-3900776	321	Engine Company Two	Engine Co. 2 First Due
6/13/2022 3:09:37 PM	6/13/2022 3:18:34 PM	2022-3900777	744	Engine Company Two	Engine Co. 2 First Due
6/15/2022					
6/15/2022 8:43:42 AM	6/15/2022 11:15:50 AM	2022-3900786	162	Both Station's	Engine Co. 2 First Due
6/15/2022 8:52:22 AM	6/15/2022 9:16:55 AM	2022-3900787	743	Engine Company Two	Engine Co. 2 First Due
6/15/2022 9:08:50 AM	6/15/2022 10:38:47 AM	2022-3900788	571	Engine Company Two	Engine Co. 2 First Due
6/18/2022					
6/18/2022 11:33:21 AM	6/18/2022 12:09:09 PM	2022-3900805	444	Engine Company Two	Engine Co. 2 First Due
6/18/2022 12:08:50 PM	6/18/2022 12:26:04 PM	2022-3900806	321	Engine Company One	Engine Co. 1 First Due
6/19/2022					
6/19/2022 7:25:07 AM	6/19/2022 8:24:21 AM	2022-3900813	571	Engine Company One	Out of Town
6/19/2022 7:56:50 AM	6/19/2022 8:06:20 AM	2022-3900814	622	Engine Company One	Out of Town

Percentage of incidents overlapping from total incidents in month, year. Compared incident time range as either Alarm to Cancel or Alarm to Clear for incidents that have either Cancel or Clear time recorded. Reviewed calls only. Group by date. Displays date, incident number, incident type (numeric only), zone, and station.



emergencyreporting.com
Doc Id: 1120
Page # 1 of 2

OVERLAPPING INCIDENT DETAILS

ALARM	CLEAR/CANCEL	INCIDENT #	INCIDENT TYPE	STATION	ZONE
6/21/2022					
6/21/2022 9:04:25 AM	6/21/2022 2:17:05 PM	2022-3900823	111	Engine Company One	Engine Co. 2 First Due
6/21/2022 9:17:12 AM	6/21/2022 1:02:41 PM	2022-3900824	571	Engine Company One	Engine Co. 1 First Due
6/21/2022 11:36:04 AM	6/21/2022 12:01:35 PM	2022-3900825	321	Engine Company One	Engine Co. 2 First Due
6/21/2022 1:42:11 PM	6/21/2022 1:56:12 PM	2022-3900826	321	Engine Company One	Out of Town
6/21/2022 2:10:27 PM	6/21/2022 2:18:20 PM	2022-3900827	611	Engine Company One	Out of Town
6/23/2022					
6/23/2022 8:44:02 AM	6/23/2022 9:32:51 AM	2022-3900834	111	Engine Company Two	Out of Town
6/23/2022 9:00:00 AM	6/23/2022 9:54:00 AM	2022-3900836	571	Engine Company Two	Engine Co. 2 First Due
6/23/2022 9:04:34 AM	6/23/2022 9:43:21 AM	2022-3900835	571	Engine Company One	Engine Co. 1 First Due

Percentage of incidents overlapping from total incidents in month,year. Compared incident time range as either Alarm to Cancel or Alarm to Clear for incidents that have either Cancel or Clear time recorded. Reviewed calls only. Group by date. Displays date, incident number, incident type (numeric only), zone, and station.



Ladue Fire Department

St. Louis, MO

This report was generated on 7/8/2022 5:15:57 AM



Mutual or Automatic Aid Given by FDID for Incident Type for Date Range

Incident Type(s): All Incident Types | Start Date: 06/01/2022 | End Date: 06/30/2022

INCIDENT NUMBER	INCIDENT DATE	LOCATION	AID TYPE	INCIDENT TYPE
FDID: 09508 - Frontenac -09508				
2022-3900719	06/02/2022	10435 Clayton RD	Automatic aid given	735 - Alarm system sounded due to malfunction
2022-3900720	06/02/2022	2650-269 HIGHWAY 40 WB	Automatic aid given	611 - Dispatched & cancelled en route
2022-3900754	06/09/2022	2700-271 Highway 40 Wb	Automatic aid given	322 - Motor vehicle accident with injuries
2022-3900771	06/12/2022	272 N Lindbergh Blvd Nb	Mutual aid given	321 - EMS call, excluding vehicle accident with injury
2022-3900792	06/17/2022	10401 Clayton RD	Automatic aid given	735 - Alarm system sounded due to malfunction
2022-3900834	06/23/2022	10911 CLAYTON RD	Automatic aid given	111 - Building fire
2022-3900859	06/29/2022	1701 S Lindbergh BLVD	Automatic aid given	611 - Dispatched & cancelled en route
2022-3900860	06/29/2022	Highway 40 Wb	Automatic aid given	611 - Dispatched & cancelled en route
2022-3900863	06/30/2022	1701 S Lindbergh BLVD	Automatic aid given	745 - Alarm system activation, no fire - unintentional
Count of Calls for FDID 09508 - Frontenac -09508 : 9				
FDID: 09510 - Creve Coeur -09510				
2022-3900724	06/03/2022	333 Peekskill DR	Automatic aid given	611 - Dispatched & cancelled en route
2022-3900735	06/05/2022	615 Ballas Rd S New	Mutual aid given	745 - Alarm system activation, no fire - unintentional
2022-3900855	06/28/2022	1025 N Lindbergh Blvd Sb	Automatic aid given	611 - Dispatched & cancelled en route
2022-3900861	06/29/2022	625 Ballas Rd S New	Automatic aid given	735 - Alarm system sounded due to malfunction
Count of Calls for FDID 09510 - Creve Coeur -09510 : 4				
FDID: 09511 - Maplewood -09511				
2022-3900814	06/19/2022	2500-252 BELLEVUE AVE	Mutual aid given	622 - No incident found on arrival at dispatch address
Count of Calls for FDID 09511 - Maplewood -09511 : 1				

FDID: 09522 - Richmond Heights -09522

2022-3900711	06/01/2022	1155 St Louis Galleria ST	Automatic aid given	611 - Dispatched & cancelled en route
2022-3900733	06/04/2022	1471 St Louis Galleria ST	Automatic aid given	611 - Dispatched & cancelled en route
2022-3900741	06/06/2022	8825 Eager RD	Automatic aid given	113 - Cooking fire, confined to container
2022-3900753	06/09/2022	1155 St Louis Galleria ST	Automatic aid given	611 - Dispatched & cancelled en route
2022-3900764	06/12/2022	22 The Boulevard Saint Louis ST	Automatic aid given	733 - Smoke detector activation due to malfunction
2022-3900774	06/13/2022	7447 Dale AVE	Mutual aid given	571 - Cover assignment, standby, moveup
2022-3900784	06/14/2022	1456 St Louis Galleria ST	Automatic aid given	735 - Alarm system sounded due to malfunction
2022-3900809	06/18/2022	7447 Dale AVE	Mutual aid given	571 - Cover assignment, standby, moveup
2022-3900812	06/18/2022	1105 St Louis Galleria ST	Automatic aid given	745 - Alarm system activation, no fire - unintentional
2022-3900813	06/19/2022	7447 Dale AVE	Mutual aid given	571 - Cover assignment, standby, moveup
2022-3900827	06/21/2022	1155 St Louis Galleria ST	Automatic aid given	611 - Dispatched & cancelled en route
2022-3900830	06/22/2022	1341 Mccutcheon RD	Mutual aid given	735 - Alarm system sounded due to malfunction
2022-3900844	06/25/2022	7447 Dale AVE	Mutual aid given	611 - Dispatched & cancelled en route
2022-3900849	06/26/2022	1456 St Louis Galleria ST	Mutual aid given	611 - Dispatched & cancelled en route

Count of Calls for FDID 09522 - Richmond Heights -09522 : 14

FDID: 09523 - Shrewsbury -09523

2022-3900775	06/13/2022	7301 Murdoch AVE	Mutual aid given	111 - Building fire
--------------	------------	------------------	------------------	---------------------

Count of Calls for FDID 09523 - Shrewsbury -09523 : 1

FDID: 09524 - Berkeley -09524

2022-3900729	06/04/2022	8401 Airport RD	Mutual aid given	571 - Cover assignment, standby, moveup
--------------	------------	-----------------	------------------	---

Count of Calls for FDID 09524 - Berkeley -09524 : 1

FDID: 09525 - Clayton -09525				
2022-3900716	06/01/2022	I 170 Sb	Mutual aid given	611 - Dispatched & cancelled en route
2022-3900734	06/04/2022	421 Carswold DR	Mutual aid given	611 - Dispatched & cancelled en route
2022-3900737	06/06/2022	230 S Brentwood BLVD	Mutual aid given	321 - EMS call, excluding vehicle accident with injury
2022-3900740	06/06/2022	Wydown BLVD	Automatic aid given	118 - Trash or rubbish fire, contained
2022-3900746	06/08/2022	230 S Brentwood BLVD	Automatic aid given	611 - Dispatched & cancelled en route
2022-3900747	06/08/2022	230 S Brentwood BLVD	Automatic aid given	611 - Dispatched & cancelled en route
2022-3900757	06/10/2022	800 Hanley RD	Mutual aid given	321 - EMS call, excluding vehicle accident with injury
2022-3900783	06/14/2022	402 S Brentwood BLVD	Mutual aid given	321 - EMS call, excluding vehicle accident with injury
2022-3900828	06/21/2022	142-146 I 170 SB	Automatic aid given	322 - Motor vehicle accident with injuries
2022-3900866	06/30/2022	100 S Central AVE	Mutual aid given	321 - EMS call, excluding vehicle accident with injury
Count of Calls for FDID 09525 - Clayton -09525 : 10				
FDID: 09527 - Maryland Heights -09527				
2022-3900810	06/18/2022	2600 Schuetz RD	Mutual aid given	571 - Cover assignment, standby, moveup
Count of Calls for FDID 09527 - Maryland Heights -09527 : 1				
FDID: 09529 - Brentwood -09529				
2022-3900769	06/12/2022	1546 E Swan CIR	Mutual aid given	321 - EMS call, excluding vehicle accident with injury
2022-3900826	06/21/2022	S Hanley RD	Mutual aid given	321 - EMS call, excluding vehicle accident with injury
2022-3900843	06/24/2022	1231 Strassner DR	Mutual aid given	321 - EMS call, excluding vehicle accident with injury
Count of Calls for FDID 09529 - Brentwood -09529 : 3				
FDID: 09533 - University City -09533				
2022-3900732	06/04/2022	8600 Delmar BLVD	Mutual aid given	611 - Dispatched & cancelled en route
2022-3900739	06/06/2022	7701 Olive BLVD	Mutual aid given	611 - Dispatched & cancelled en route
2022-3900755	06/09/2022	1 Mcknight PL	Mutual aid given	554 - Assist invalid
2022-3900853	06/27/2022	8390 Delmar BLVD	Mutual aid given	321 - EMS call, excluding vehicle accident with injury
Count of Calls for FDID 09533 - University City -09533 : 4				
FDID: 09535 - Olivette -09535				
2022-3900794	06/17/2022	43 Queensbrook PL	Mutual aid given	321 - EMS call, excluding vehicle accident with injury
2022-3900820	06/20/2022	805 Braxton CT	Automatic aid given	111 - Building fire
2022-3900856	06/28/2022	727 Wayfield DR	Mutual aid given	611 - Dispatched & cancelled en route

FDID: 09538 - Ferguson -09538				
2022-3900793	06/17/2022	200 S Florissant RD	Mutual aid given	611 - Dispatched & cancelled en route
Count of Calls for FDID 09538 - Ferguson -09538 : 1				

Ladue Fire Department


St. Louis, MO

This report was generated on 7/8/2022 7:17:26 AM



Count of Aid Given and Received for Incidents for Date Range

Start Date: 06/01/2022 | End Date: 06/30/2022



AID TYPE	TOTAL	% of TOTAL
Mutual aid received	9	6.0%
Automatic aid received	7	4.7%
Mutual aid given	29	19.3%
Automatic aid given	24	16.0%
None	81	54.0%

Only REVIEWED incidents included



emergencyreporting.com
Doc Id: 549
Page # 1 of 1



LADUE FIRE DEPARTMENT

Office of the Fire Chief

9213 Clayton Road
St. Louis, MO 63124
314-993-0181

Fire and Police Board Members,

On June 21st, the City of Ladue Fire Department responded to Maryhill subdivision for a structure fire. Upon arrival, this was declared a working fire and a second alarm was struck. As with any given summer day, temperatures range between 85 and 95 degrees. However, this day was extremely warm with temperatures reaching low 90's during the morning hours with high humidity. Hydration became an important role during this event. About an hour into the event, it was determined that all fluids had been depleted from all the pieces of equipment and additional resources were requested through Central County Dispatch. Approximately 30 minutes later, First Responder Canteen arrived on scene with significant supplies to hydrate and nourish on scene personnel.

First Responder Canteen is a 501(c)3 volunteer organization that was developed in 2018 and primarily has served North County. This resource is now available for the entire county and truly made a difference on scene of the Maryhill fire.

I would like to publicly acknowledge their support and thank them for a job well done. This organization runs strictly on donations and is manned 100% by volunteers. Please help me in thanking them for what they do and the support they provide for St. Louis and St. Charles County First Responders.

Respectfully,

Steven E. Lynn, MPA, EFO
City of Ladue Fire Chief

Danny Cunningham
President

danny@stlfrfc.com | 636-352-9207
661 St. Ferdinand St. Florissant, MO 63031

Facebook: @stlfirstrespondercanteen
Instagram: @STL_Canteen

FIRST RESPONDER CANTEEN

In June of 2018 the FVFPD started a canteen program to support their fire department. The program started small, but not long after the program kicked off they were given the freedom to respond to any fire/incident that a Florissant truck was involved with. The mission of the canteen was to provide water, Gatorade, and snacks as well as cooling towels for crews and some victim support. Even partnering with a Florissant group to provide some immediate assistance of victim needs (clothing, toiletries, etc...). During 2018 the canteen responded to 19 incidents. Fast forward to 2021, and as of the end of December we responded to 88 incidents in 2021.

So far in 2022 as of the end of May we have responded to 50 incidents. Here is a break down by district currently in 2022:

15 – FVFPD	3 - Berkeley	7 – Black Jack	7 – Ferguson
2 – Hazelwood	4 – Metro North	2 – Metro West	5 – North County
2 – Northeast	1 – Pattonville	2 – Spanish Lake	

At the conclusion of 2019, after talking with Chief Hoevelmann, the canteen made plans to establish itself as a nonprofit in order to take some of the burden off of Florissant, and give an outlet for the canteen to organically grow and expand the program. Everyone knows what 2020 brought, and those plans were put on hold. As 2020 came to an end we have moved forward with those original plans. We were proud to announce that is when St. Louis First Responder Canteen became an official nonprofit organization.

What does that mean for your department? We are available to provide support to your response area when needed. We self dispatch when we are aware of an incident, and feel it makes sense for us to respond. This works in some cases, but not all. If you are on the scene of an incident, and can use our service we can be reached through Central County dispatch who will contact us via 4002.

As mentioned, we are an stand alone 501(c)3 nonprofit organization staffed 100% by volunteers 24/7/365. We are funded by fire departments/districts, department/district shops, outreach and flower funds, and corporate and individual supporters. Funds received will continue to support the program, and allow us to grow and cover more areas more consistently.

Finally, please search and find our Facebook page: STL First Responder Canteen. Any posts we do about our involvement on a scene we intend to tag your department if you are there. If your department does a post about the incident we ask that you do the same in return to help us grow our exposure.

Best regards,

Danny Cunningham, President

St. Louis First Responder Canteen
661 St. Ferdinand Street, Florissant, MO 63031
info@stlfrfc.com
636-352-9207



LADUE FIRE DEPARTMENT

Office of the Fire Chief

9213 Clayton Road
St. Louis, MO 63124
314-993-0181

To: Fire and Police Board Members	Date: 8/1/2022
From: Fire Chief Steve Lynn, MPA, EFO	Re: Policy Approval Request

Please find attached five separate policies that I am presenting for your approval.

1. The first policy, 1.18 Uniform Dress Code Policy, has been modified to add duty shorts to the approved apparel. The addition is highlighted in yellow. This change came from the annual review of policy and review of current practices in neighboring departments. It was found that duty shorts are widely accepted in the fire service.
2. The second policy, 1.41 Asset Replacement Cycle Policy, has been developed to reflect current practice of maintaining adequate and safe equipment. This replacement cycle also aids in the development of long-term capital planning.
3. The third policy, 1.40 Assigned Staff Vehicle Use, has been developed to reflect current practice and more clearly defines when, where, and how the staff vehicle can be utilized.
4. The fourth policy, 4.06 Wellness/Fitness Initiative, is a good faith policy to show continual support of promoting healthy work environment and fitness goals.
5. The fifth policy, 5.01 Facility Inspection, Maintenance, and Repair Policy, has been developed to meet the National Fire Protection Agency (NFPA) standard 1500 for facility maintenance and repair. Although the Ladue Fire Department has not officially adopted NFPA 1500, we strive to comply as the primary goal of NFPA 1500 is firefighter safety.

1.18 Uniform Dress Code Policy

Chapter 1 – Fire <i>Department Administrative Policies</i>	Policy: #1.18	Subject: <i>Uniform Dress Code</i>
Issued: 4/1/2017	Author: S. Lynn	Modified: 7/10/2022
Annual Review: 1/3/2022	Annual Review: 1/15/2019	Modified:
Annual Review: 2/13/2020	Annual Review: 2/10/2021	Modified:

Purpose:

To establish for all Fire Department personnel a uniformed dress code to adhere to while on-duty, and when conducting all other official department or City sponsored functions.

Scope:

The intent of this guideline is to outline the appropriate uniform and grooming requirements for all personnel. All department supervisory personnel are responsible for the enforcement of these guidelines. Questions regarding the application of any guideline to a particular situation should be directed to the Fire Chief or the Assistant Fire Chief for interpretation.

General:

The following approved uniforms items will be assigned to all personnel. It is the responsibility of all personnel to maintain ALL uniform items in a ready state and available for use. Uniform apparel and accessories will only be worn while performing department or City sponsored activities.

Uniform Classification

Class “A” Formal Dress Uniform

The Class “A” uniform represents the highest level of dress uniform. The Class “A” Uniform shall be worn at all City or Department functions as determined by the Company Officer or higher-ranking Officer.

- Dress long-sleeve shirt, as assigned, White for officer or Blue for Firefighter/Paramedics
- Rank assigned insignia, name plate, badge, and award/merit ribbons
- Dress pant, navy blue
- Dress belt, smooth 1 ¾”, black with appropriate buckle, gold for Officers, silver for firefighter/paramedic.
- Dress shoes with black socks
- Black dress tie

- Leon 5-star navy cap
- Dress coat with name plate, badge, and rank assigned insignia
- Dress coat to be double breasted for officers with gold buttons/ single breasted coat with silver buttons for Firefighter/Paramedics
- Rank assigned ribboning on both cuffs for officers
- Years of service cross on left sleeve; 1 cross for every 5 years of total fire service experience
- Military Pin/Bar if applicable

Class "A" uniforms are to be worn at all formal Fire Department functions, funerals, or such times at the direction of the Fire Chief.

Class "B" Dress Uniform

The Class "B" uniform should be used for presentations where a formal uniform is warranted but not to the extent of Class "A".

Class "B" uniforms include items listed below. The use of long sleeves or short sleeves will be decided on by the Officer in Charge for Class "B" uniforms.

- Dress shirt, short or long sleeve
- Black tie, optional with long sleeve shirt
- Rank assigned insignia, name plate, badge, and award/merit ribbons
- Dress pant, navy blue
- Dress belt, smooth 1 ¾", black with appropriate buckle.
- Black dress shoes with black socks
- Military Pin/Bar if applicable

Class "C" Station Duty Uniform / Daily Work Uniform

The Class "C" uniform is considered the regular duty work uniform. All personnel shall remain in a minimum of a Class "C" uniform during all duty hours unless otherwise indicated in this guideline.

- Department issued T-shirt (short or long sleeve) or "Polo-style" shirt
- Department issued black pants
- Department approved footwear, black
- Duty belt, 1 ¾", black with appropriate buckle
- Department issued job-shirt
- Department issued hat or knit cap

Protective clothing SHALL be worn during situations where potential of contamination or injury is present. Examples include all scenes where structure firefighting clothing is required, treatment of trauma patients, vehicle accidents, extrications and hazardous materials scenes.

Class “C” Uniform – Duty Shorts

Due to geographical location of our service area and prevailing climate patterns, heat exposure and associated heat-related illnesses are a concern for personnel conducting fire/EMS activities. In an effort to reduce the likelihood of excessive heat exposure and heat-related illness/injury the Ladue Fire Department has adopted a policy to dictate the use of approved uniform shorts.

Guidance for the wearing of uniform shorts is as listed below:

- Uniform shorts (hereinafter referred to as “shorts”) shall be department issued (purveyor and style TBD) and solid black in color. Class D shorts, otherwise known as “gym shorts”, shall not be acceptable as it pertains to this policy.
- Uniform shorts may be worn while on duty from April 1st to October 31st. At the discretion of the Fire Chief, the stated time frame may be extended due to unseasonably warm weather.
- An approved department issued uniform belt (black in color) shall be worn at all times with shorts.
- Approved department issued footwear which is solid black in color and equipped with a safety toe must be worn at all times. All other footwear is prohibited while in public view or conducting department business.
- Socks will be solid black in color and free of any visible logos or designs.
- A department issued uniform t-shirt or polo must be worn at all times and remain tucked in accordance with the Class C uniform policy.
- The wearing of uniform shorts is otherwise left to individual member preference and shall not be mandatory.
- This policy shall in no way supersede any policy regarding the appropriate use of firefighting and EMS PPE.
- Certain events or circumstances may dictate that uniform shorts are not appropriate. The company officer and/or administration may dictate that traditional uniform pants be worn under such circumstances. Guidance for consideration of such is as follows:
 - The type and/or formality of the event
 - The length and environment of the event (e.g., outdoors vs. indoors)
 - The prevailing and forecasted weather conditions during the event
 - Level of activity expected from LFD personnel (e.g., social presence vs. the probability of performing fire/EMS activities)

Class “D” Uniform – Physical Fitness -Training Exercises

The Class “D” uniform is designed for use during physical fitness activities and special training programs. It will remain the option of the Company Officer as to the dress required for any training exercise. The Class “D” uniform can be worn between the hours of 1800 and 0800 hours during rest periods when out of the public view.

- T-shirt Department issued t-shirt
- gym shorts Department issued gym shorts
- Athletic socks
- Athletic shoes

In the event of an emergency call, a member wearing the Class "D" uniform is required to don structural firefighting gear prior to leaving engine house.

Hair Guidelines

The style of grooming shall present a neat appearance and will not interfere with the proper wearing of regulation headgear nor impede the donning / utilization of any equipment and/or accomplishing any function that a firefighter may be required to perform.

Male Personnel

- Hair shall be worn to the general shape of the head and may be worn to the top of but not to extend beyond the top of the collar.
- Sideburns shall be neatly trimmed and not interfere with personal protective equipment.
- Mustaches shall be neatly trimmed not to exceed greater than one inch above the jaw line as well as shall not extend over the top lip.
- At no time, will the seal of an SCBA mask be impeded by facial hair.

Female Personnel

- Hair ornaments such as ribbons shall not be worn. Pins, combs, or barrettes may be worn as long as they are of black or dark blue in color and do not interfere with personal protective equipment.
- Hair shall be worn to a maximum length that does not extend below the shoulder under any condition.
- All fingernails shall be trimmed not to exceed the end of the finger.

Department Emblem/Patch

The Ladue Fire Department logo and/or patch shall be displayed on the following items

Dress Coat/Dress Shirt SS/LS

- Patch on left shoulder

Polo Style Shirt/ Job Shirt

- Emblem on left chest

T-Shirt

- Emblem on left chest
- Department lettering on back

Hat/ Knit Cap

- Emblem on the front and centered

Personal Appearance

All personnel shall maintain a clean, neat, and professional appearance. At no time while on duty shall any tattoos be displayed

1. Tattoos, Branding, Scarring or Other forms of Body Art

Personnel are prohibited from having tattoos or any other form of body art such as branding and /or scarring that is visible while at work or on duty. This should be accomplished by selecting business attire or uniform items that obscure the tattoo/body art from view at all times.

Exemptions: Tattooed wedding rings and incidental displays of tattoos during workouts while on duty. Fire department personnel may request exemptions from this policy with the approval of the Fire Chief. (Reasonable Accommodations)

No person shall wear jewelry that presents a safety risk. Earrings may be worn, but limited to one per ear. No large loops, gauges, pendants or large dangling jewelry shall be worn. Other visible body piercing jewelry is not permitted to be displayed while on duty.

The Fire Chief or his designee shall have the discretion to determine whether or not a person's appearance complies with these guidelines.

Asset Replacement Cycle Policy (Draft)

Chapter 1 – Fire Department Administrative Policies	Policy: #1.41	Subject: Asset Replacement Cycle Policy
Issued: 8/2/2022	Author: S. Lynn	Modified:
Annual Review:	Annual Review:	Modified:
Annual Review:	Annual Review:	Modified:

Purpose: The purpose of this policy is to give guidelines on replacing aging equipment. During an emergency, it is critical that all equipment and apparatus work in the manner in which they were designed. Having aging equipment and apparatus places firefighters and patients at risk. It is the intent of the Fire Chief's Office to provide a framework for replacement of equipment. This framework is developed using standards and best practices provided by the International Association of Fire Chief, International Association of Fire Fighters, and the National Fire Protection Association.

Additionally, this policy will assist in providing a framework for the Capital Improvement Plan or long-term Capital Outlay. Having a structure that will assist in the replacement of equipment and apparatus will provide fiscal responsibility to planning and securing future funds.

Scope: This policy shall be used by Chief Officers to assist in short- and long-term planning of purchases and budgets preparation.

Policy: Below is the established replacement schedule of listed equipment. This policy shall be followed unless budgetary restraints prevent the replacement. All service life years listed below are based on best practice and recommendations of above-mentioned governing bodies.

Equipment	Service Life	Remarks
Rescue Pumper	20 Years	15 years as frontline, 5 years reserve
Ambulance	8 Years	8 years as frontline, 8 years reserve
Command Vehicles	7 Years	Vehicles are traded in or sold outright
Fire Hose	15 Years	Replace if damaged
Hose Appliances	15 Years	Replace if damaged
Bunker Gear	10 Years	5 years as frontline, 5 years reserve
Helmets	10 Years	
Extrication Tools	20 Years	
Four Gas Detector	5 Years	
Ladders	20 Years	
Handheld Radios	10 years	
Thermal Image Cameras	14 years	7 years frontline, 7 years reserve
SCBA	10 Years	
Tactical Vest (Armor)	Manufactures Recommendation	
Chainsaws	6 Years	

40 Assigned Staff Vehicle Use (Draft)

Chapter 1 – Fire Department Administrative Policies	Policy: #1.40	Subject: Assigned Staff Vehicle Use
Issued: 8/2/2022	Author: S. Lynn	Modified:
Annual Review:	Annual Review:	Modified:
Annual Review:	Annual Review:	Modified:

Purpose: Because of the nature of their employment with the fire department, chief officers are assigned a fire department vehicle equipped with warning lights and siren and radio equipment. The fire chief shall determine which vehicle is assigned to each chief officer.

Scope: This Policy applies to all Chief Officers and Staff members assigned or temporarily using a staff vehicle.

Policy: The assigned vehicle is used to transport the chief officer and his related equipment to activities of the fire district such as, but not limited to, meetings, training, community events and emergency incidents. These activities may occur not only within the fire department, but in neighboring communities, the St. Louis metropolitan area and neighboring states. Training, education, conferences, and planning events may occur anywhere in the United States and use of the assigned staff vehicle for attendance at these events is permitted with the approval of the Fire Chief or Mayor.

Because of the work schedule of a chief officer and the need to respond to such activities at any time, a chief officer is permitted to use his assigned staff vehicle for reasonable personal use as such use will permit his timely response. The guiding factor of whether such use is reasonable is not the distance from the fire department but rather whether the chief officer will be able to respond promptly to an official activity with the assigned staff vehicle when requested. If the chief officer is not able to respond, then the use may not be reasonable.

When operating an assigned staff vehicle, the chief officer will adhere to all applicable laws, remain unimpaired and not under the influence of drugs or alcohol as required by fire department rules and regulations, and observe the operational guidelines of the fire district for vehicle operation.

A chief officer may respond to any emergency incident regardless of whether he is assigned to respond by the dispatch center. When responding to an unassigned incident, the chief officer will notify the dispatching center.

Assigned vehicles are supplied with fuel keys, proper registration, and insurance. Regular maintenance and repairs are covered by the fire department.

Wellness Program Documents (**Draft**)

Chapter 4 – Fire <i>Department Medical and Physical Policies</i>	Policy: #4.06	Subject: Wellness Program – <i>Fitness Initiative</i>
Issued: 8/2/2022	Author: S. Lynn	Modified:
Annual Review:	Annual Review:	Modified:
Annual Review:	Annual Review:	Modified:

FITNESS/WELLNESS PROGRAM

FITNESS PROGRAM

Goals

The City of Ladue Fire Department operates a Wellness and Fitness Program to enhance the physical and mental health of our workforce, thus minimizing occupational injuries, disability retirements, and workers' compensation costs, while complying with occupational health and safety regulatory requirements. This program's focus will be educational and rehabilitative, not punitive. This program applies to all Fire personnel.

Wellness and Fitness Program Support

The working conditions of the City of Ladue Fire Department personnel can place them in emergency situations requiring the utmost in mental concentration and physical strength. In life-threatening circumstances, firefighters may need all of their skills, both mental and physical, to deal with the situations successfully. Fire personnel must be able to move heavy equipment and hoses, as well as climb ladders, while wearing bulky and weighty gear. They must recognize dangers at emergency scenes, such as toxic vapors and smoke, and immediately employ proper safety procedures and systems to maximize personal protection. Fire personnel must be able to evaluate situations and, as necessary, move individuals of considerable weight to safer locations and to ambulances. The City of Ladue Fire Department continually is reviewing these requirements and considering new and improved means for enhancing the health and safety of its most valuable assets - the employees!

Objectives:

1. Provide easily accessible fitness program opportunities.
2. Conduct an annual fitness evaluation to determine a baseline level of fitness for each employee and to evaluate progress from year to year.
3. Provide a qualified wellness professional and/or qualified peer-fitness trainer who can design fitness programs for employees and monitor their progress.

Fitness Opportunities:

Provision of multiple fitness opportunities for Fire personnel demonstrates, in a tangible manner, the City of Ladue Fire Department's commitment to ensuring a well-balanced Wellness and Fitness Program and maximizes opportunities for the Department to have a more motivated, safer, and capable workforce. Fitness opportunities provided to Fire personnel are detailed below.

Equipment in place in the Fitness Center provides hardware necessary for the development and implementation of individualized fitness programs to achieve high levels of: (1) aerobic and anaerobic fitness, and (2) muscular strength, endurance, and flexibility. Equipment purchases and placement has been carefully reviewed to allow an orderly flow of activity and facilitate appropriate circuit training procedures. The facility is available for use by all Fire personnel.

An employee shall be allowed use of the equipment when off-duty to maintain physical readiness to respond to a call.

Chapter 5 – Fire Department Facility Safety

5.01 Facility Inspection, Maintenance, Repair Policy (Draft)

Chapter 5 – Fire Department Facility Safety	Policy: #5.01	Subject: Facility Inspection, Maintenance, Repair Policy
Issued: 8/2/2022	Author: S. Lynn	Modified:
Annual Review:	Annual Review:	Modified:
Annual Review:	Annual Review:	Modified:

Purpose: The purpose of this policy is to establish guidelines on how we maintain, inspect, and repair the City of Ladue Fire Department facilities. This policy will also cover how we maintain facility safety.

Policy:

1. Facility inspections will be done annually and are to be performed by the Ladue Building Inspector or a qualified contractor in conjunction with the City of Ladue Fire Marshal.
2. The facility inspections will be documented in our electronic documentation software utilizing a standard form created by the Fire Marshal. These inspection records will be kept for the life of the facility.
3. Facility repair requests shall be reported as soon as possible.
4. Facility repair requests will be documented in our electronic documentation software by the on-duty officer at the facility requiring the repair.
5. After documenting the needed repair, the on-duty officer will contact the appropriate vendor for the needed repair and schedule a time for the repair. The vendor will be chosen from the vendor list, which will be posted on the bulletin board at each facility. This list will also be located at the end of this policy.
6. Minor building maintenance will be performed by the on-duty crew members as needed.
7. Minor building maintenance would include changing light bulbs, cleaning the facilities, changing furnace filters, or other minor maintenance that does not require a professional to perform.
8. Facility Safety – our goal is to follow the guidelines set forth by NFPA 1500 for facility safety as close as possible.
9. The implementation of the facility safety guidelines will be overseen by the Authority having Jurisdiction over the facilities.
10. The day-to-day facility safety will be the responsibility of the officer in charge at the facility.
11. Disinfecting, cleaning and storage at our facilities will be in accordance with NFPA 1581 when possible.
12. Any injuries or deaths in our facilities will be handled and documented as with any other on duty injury or death.
13. Our goal is to follow the NFPA guidelines set forth as closely as possible to create a safe work environment for everyone in our facilities.

As of January 1, 2021, we will use the following companies for any facility maintenance during the 2021 calendar year.

- Electrical – Schaefer Electric 4667 Green Park Rd. St. Louis, MO 63123 Phone number: 314-892-7800. Emergency Numbers: 314-220-2260 [Ed Dryden], 314-581-7350[Charlie Schaeffer], 314-220-0561[Tim Chettle]
- HVAC – C&R Mechanical 12825 Pennridge Dr. Bridgeton, MO Phone number: 314-597-1369 [Sue Chervek]. Emergency number: 314-739-5915
- Plumbing – At this time, the City has opted not to engage in a plumbing contract. Any plumbing work would need to be done at departmental discretion.
- Vehicle Maintenance – Sentinel Phone number 636-321-7070 or message Luke Wiskamp [he approved texting him for more urgent repair requests] 618-792-8813
- Macqueen [formerly Rescue Repair] 314-541-2171
- General items like washer fluid, antifreeze, wipers, etc. use Factory Motor Parts 877-795-8622.
- 3917 use Weber Ford [Randy Horner] Phone number: 618-593-7708

Ladue Police Department - MO0954400 - NIBRS Agency Crime Overview - Jun 2022

2021 Population Estimate		8,624		Offenses (*)		Arrests (**)	
Offense Overview		Group A Offenses		Reported	Cleared	Adult	Juvenile
		Crimes Against Persons					
Offense Total	11	Murder and Nonnegligent Manslaughter		0	0	0	0
Number Cleared	3	Negligent Manslaughter		0	0	0	0
Percent Cleared	27.27 %	Kidnapping/Abduction		0	0	0	0
Group A Crimes per 100,000 population	127.6	Rape		0	0	0	0
		Sodomy		0	0	0	0
		Sexual Assault With An Object		0	0	0	0
		Fondling		0	0	0	0
		Incest		0	0	0	0
		Statutory Rape		0	0	0	0
Total Arrests	8	Aggravated Assault		0	0	0	0
Adult Arrests	8	Simple Assault		1	1	1	0
Juvenile Arrests	0	Intimidation		0	0	0	0
Unknown Age	0	Human Trafficking, Commercial Sex Acts		0	0	0	0
		Human Trafficking, Involuntary Servitude		0	0	0	0
Arrests per 100,000 population	92.8	Crimes Against Property					
		Arson		0	0	0	0
		Bribery		0	0	0	0
Average number offenses/incident	1.38	Burglary/Breaking & Entering		0	0	0	0
		Counterfeiting/Forgery		0	0	0	0
		Destruction/Damage/Vandalism of Property		2	0	0	0
		Embezzlement		0	0	0	0
Bad Checks	0	Extortion/Blackmail		0	0	0	0
Curfew/Loitering/Vagrancy Violations	0	False Pretenses/Swindle/Confidence Game		0	0	0	0
Disorderly Conduct	0	Credit Card/Automated Teller Machine Fraud		0	0	0	0
Driving Under the Influence	0	Impersonation		0	0	0	0
Drunkenness	0	Welfare Fraud		0	0	0	0
Family Offenses (Nonviolent)	0	Wire Fraud		0	0	0	0
Liquor Law Violations	0	Identity Theft		0	0	0	0
Peeping Tom	0	Hacking/Computer Invasion		0	0	0	0
Trespass of Real Property	0	Robbery		0	0	0	0
All Other Offenses	6	Pocket-picking		0	0	0	0
		Purse-snatching		0	0	0	0
		Shoplifting		3	0	0	0
Total Group B	6	Theft From Building		0	0	0	0
		Theft From Coin Operated Machine or Device		0	0	0	0
		Theft From Motor Vehicle		1	0	0	0
		Theft of Motor Vehicle Parts/Accessories		0	0	0	0
		All Other Larceny		0	0	0	0
		Motor Vehicle Theft		2	0	0	0
		Stolen Property Offenses		0	0	0	0
		Crimes Against Society					
		Drug/Narcotic Violations		1	1	1	0
		Drug Equipment Violations		1	1	0	0
		Betting/Wagering		0	0	0	0
		Operating/Promoting/Assisting Gambling		0	0	0	0
		Gambling Equipment Violations		0	0	0	0
		Sports Tampering		0	0	0	0
		Pornography/Obscene Material		0	0	0	0
		Prostitution		0	0	0	0
		Assisting or Promoting Prostitution		0	0	0	0
		Purchasing Prostitution		0	0	0	0
		Weapon Law Violations		0	0	0	0
		Animal Cruelty		0	0	0	0
		Total Group A Offenses		11	3	2	0

(*) Offenses are counted using the FBI Units of Count for Crime

(**) The 'Arrests' column shows arrests made for incidents during the selected period, regardless of arrest date. Arrest counts for the same period may change over time.

This report is valid as of July 08, 2022 and is subject to change

Ladue Police Department - MO0954400 - NIBRS Agency Crime Overview - YTD as of Jul 08, 2022

2021 Population Estimate			8,624	Offenses (*)		Arrests (**)	
Offense Overview				Reported	Cleared	Adult	Juvenile
			Group A Offenses				
			Crimes Against Persons				
Offense Total	86		Murder and Nonnegligent Manslaughter	0	0	0	0
Number Cleared	30		Negligent Manslaughter	0	0	0	0
Percent Cleared	34.88 %		Kidnapping/Abduction	0	0	0	0
Group A Crimes per 100,000 population	997.2		Rape	0	0	0	0
			Sodomy	0	0	0	0
			Sexual Assault With An Object	0	0	0	0
			Fondling	0	0	0	0
			Incest	0	0	0	0
			Statutory Rape	0	0	0	0
			Aggravated Assault	2	0	0	0
Arrest Overview	50	48	Simple Assault	1	1	1	0
			Intimidation	0	0	0	0
			Human Trafficking, Commercial Sex Acts	0	0	0	0
	2		Human Trafficking, Involuntary Servitude	0	0	0	0
Unknown Age	0			0	0	0	0
Arrests per 100,000 population	579.8		Crimes Against Property				
Average number offenses/incident	1.30		Arson	0	0	0	0
			Bribery	0	0	0	0
			Burglary/Breaking & Entering	9	1	1	0
Group B Arrests			Counterfeiting/Forgery	4	1	1	0
Offense	Adult	Juvenile	Destruction/Damage/Vandalism of Property	11	1	0	0
			Embezzlement	0	0	0	0
Bad Checks	0	0	Extortion/Blackmail	0	0	0	0
Curfew/Loitering/Vagrancy Violations	0	0	False Pretenses/Swindle/Confidence Game	0	0	0	0
Disorderly Conduct	0	0	Credit Card/Automated Teller Machine Fraud	1	1	0	0
Driving Under the Influence	6	0	Impersonation	0	0	0	0
Drunkenness	0	0	Welfare Fraud	0	0	0	0
Family Offenses (Nonviolent)	0	0	Wire Fraud	1	0	0	0
Liquor Law Violations	0	0	Identity Theft	1	1	0	0
Peeping Tom	0	0	Hacking/Computer Invasion	0	0	0	0
Trespass of Real Property	2	0	Robbery	0	0	0	0
All Other Offenses	20	1	Pocket-picking	0	0	0	0
Total Group B	28	1	Purse-snatching	2	1	0	0
			Shoplifting	22	7	0	0
			Theft From Building	3	1	0	0
			Theft From Coin Operated Machine or Device	0	0	0	0
			Theft From Motor Vehicle	5	0	0	0
			Theft of Motor Vehicle Parts/Accessories	4	0	0	0
			All Other Larceny	0	0	8	0
			Motor Vehicle Theft	5	1	1	0
			Stolen Property Offenses	1	1	0	0
			Crimes Against Society				
			Drug/Narcotic Violations	7	6	6	1
			Drug Equipment Violations	7	7	2	0
			Betting/Wagering	0	0	0	0
			Operating/Promoting/Assisting Gambling	0	0	0	0
			Gambling Equipment Violations	0	0	0	0
			Sports Tampering	0	0	0	0
			Pornography/Obscene Material	0	0	0	0
			Prostitution	0	0	0	0
			Assisting or Promoting Prostitution	0	0	0	0
			Purchasing Prostitution	0	0	0	0
			Weapon Law Violations	0	0	0	0
			Animal Cruelty	0	0	0	0
			Total Group A Offenses	86	30	20	1

(*) Offenses are counted using the FBI Units of Count for Crime

(**) The 'Arrests' column shows arrests made for incidents during the selected period, regardless of arrest date. Arrest counts for the same period may change over time.

This report is valid as of July 08, 2022 and is subject to change

Missouri - MO - NIBRS Agency Crime Overview - YTD as of Jul 08, 2022

2021 Population Estimate		6,168,187		Offenses (*)		Arrests (**)	
Offense Overview		Group A Offenses		Reported	Cleared	Adult	Juvenile
		Crimes Against Persons					
Offense Total	124,811	Murder and Nonnegligent Manslaughter		156	68	57	5
Number Cleared	39,255	Negligent Manslaughter		12	6	6	0
Percent Cleared	31.45 %	Kidnapping/Abduction		284	131	83	3
Group A Crimes per 100,000 population	2,023.5	Rape		546	85	39	5
		Sodomy		432	81	35	7
		Sexual Assault With An Object		52	9	2	2
		Fondling		479	77	29	6
		Incest		13	5	0	0
		Statutory Rape		101	14	8	2
Total Arrests	52,036	Aggravated Assault		7,750	2,866	2,225	237
Adult Arrests	48,616	Simple Assault		18,601	8,152	4,616	701
Juvenile Arrests	3,420	Intimidation		2,807	844	407	51
Unknown Age	0	Human Trafficking, Commercial Sex Acts		12	2	0	0
Arrests per 100,000 population	843.6	Human Trafficking, Involuntary Servitude		1	0	0	0
		Crimes Against Property					
		Arson		302	42	35	3
		Bribery		5	1	0	0
		Burglary/Breaking & Entering		5,707	888	771	66
		Counterfeiting/Forgery		1,700	358	318	1
		Destruction/Damage/Vandalism of Property		13,529	2,007	944	135
		Embezzlement		238	92	79	4
Bad Checks	28	Extortion/Blackmail		78	2	2	0
Curfew/Loitering/Vagrancy Violations	27	False Pretenses/Swindle/Confidence Game		1,712	321	302	8
Disorderly Conduct	1,404	Credit Card/Automated Teller Machine Fraud		1,814	146	63	1
Driving Under the Influence	6,201	Impersonation		303	152	128	1
Drunkenness	27	Welfare Fraud		8	0	0	0
Family Offenses (Nonviolent)	339	Wire Fraud		333	6	3	0
Liquor Law Violations	597	Identity Theft		1,019	41	16	1
Peeping Tom	0	Hacking/Computer Invasion		48	0	0	0
Trespass of Real Property	2,798	Robbery		1,047	216	181	47
All Other Offenses	11,866	Pocket-picking		309	19	145	17
		Purse-snatching		118	8	9	0
		Shoplifting		6,604	2,712	1,954	95
		Theft From Building		3,684	418	211	12
		Theft From Coin Operated Machine or Device		65	7	3	0
		Theft From Motor Vehicle		7,920	229	112	51
		Theft of Motor Vehicle Parts/Accessories		5,269	95	51	0
		All Other Larceny		10,032	913	1,419	129
		Motor Vehicle Theft		8,576	780	506	71
		Stolen Property Offenses		1,097	693	611	62
		Crimes Against Society					
		Drug/Narcotic Violations		11,535	9,079	7,767	357
		Drug Equipment Violations		7,099	5,851	1,375	61
		Betting/Wagering		7	7	5	0
		Operating/Promoting/Assisting Gambling		1	1	0	0
		Gambling Equipment Violations		23	7	1	0
		Sports Tampering		0	0	0	2
		Pornography/Obscene Material		284	48	15	23
		Prostitution		36	26	11	0
		Assisting or Promoting Prostitution		3	2	6	5
		Purchasing Prostitution		7	3	1	0
		Weapon Law Violations		2,897	1,694	737	57
		Animal Cruelty		156	51	41	1
		Total Group A Offenses		124,811	39,255	25,329	2,229
Group B Arrests							
Offense	Adult	Juvenile					
Bad Checks	28	0	Extortion/Blackmail		78	2	0
Curfew/Loitering/Vagrancy Violations	27	80	False Pretenses/Swindle/Confidence Game		1,712	321	8
Disorderly Conduct	1,404	327	Credit Card/Automated Teller Machine Fraud		1,814	146	1
Driving Under the Influence	6,201	56	Impersonation		303	152	1
Drunkenness	27	1	Welfare Fraud		8	0	0
Family Offenses (Nonviolent)	339	8	Wire Fraud		333	6	0
Liquor Law Violations	597	151	Identity Theft		1,019	41	1
Peeping Tom	0	1	Hacking/Computer Invasion		48	0	0
Trespass of Real Property	2,798	101	Robbery		1,047	216	47
All Other Offenses	11,866	466	Pocket-picking		309	19	145
			Purse-snatching		118	8	9
			Shoplifting		6,604	2,712	1,954
			Theft From Building		3,684	418	211
			Theft From Coin Operated Machine or Device		65	7	3
			Theft From Motor Vehicle		7,920	229	112
			Theft of Motor Vehicle Parts/Accessories		5,269	95	51
			All Other Larceny		10,032	913	1,419
			Motor Vehicle Theft		8,576	780	506
			Stolen Property Offenses		1,097	693	611
			Crimes Against Society				
			Drug/Narcotic Violations		11,535	9,079	7,767
			Drug Equipment Violations		7,099	5,851	1,375
			Betting/Wagering		7	7	5
			Operating/Promoting/Assisting Gambling		1	1	0
			Gambling Equipment Violations		23	7	1
			Sports Tampering		0	0	0
			Pornography/Obscene Material		284	48	15
			Prostitution		36	26	11
			Assisting or Promoting Prostitution		3	2	6
			Purchasing Prostitution		7	3	1
			Weapon Law Violations		2,897	1,694	737
			Animal Cruelty		156	51	41
			Total Group A Offenses		124,811	39,255	25,329

(*) Offenses are counted using the FBI Units of Count for Crime

(**) The 'Arrests' column shows arrests made for incidents during the selected period, regardless of arrest date. Arrest counts for the same period may change over time.

This report is valid as of July 08, 2022 and is subject to change