



Cemetery Rules and Regulations

January 2022

1. All lots sold with perpetual care.
2. Grave space must be paid in full before or at the time of the burial.
3. Each grave space is sold with two (2) burial rights.
4. Each additional burial right will be subject to a fee pursuant to the most current rate.
5. The maximum number of internment's each grave space will accommodate are one (1) earth burial and/ or four cremation burials (subject to additional burial fees). Cremation containers when placed upon an existing burial vault must not exceed eight inches in height.
6. A winter service charge will be applied to all internment's requiring snow and/or ice removal and jackhammering as determined by the Sexton or his designee.
7. All mowing, grading, seeding, etc. will be done by the Town of Marlborough to maintain a well-kept appearance throughout the cemetery. Graves will not be mounded.
8. Flowers are permitted only in the front of the monument. Flower beds are not to extend beyond one foot from the monument. Flower rails, bushes, trees, urns, or benches are prohibited. Ceramic, glass, candles, lights, shepherd hoods, balloons, pinwheels, figurines or any artificial decorations are prohibited.
9. All decorations must be removed before the spring and fall cleanup.
10. Enclosures of ANY type are prohibited. Any tree, hedge, bush or other items which have become a nuisance to the maintenance of the cemetery, shall upon notice to the owner be removed. Upon failure to do so, the Sexton or town designers will have the power to remove and discard.
11. The Sexton or Town designee or any other person under their direction, may at any time enter the grounds to conduct operations of the Cemetery.

12. The Cemetery shall reserve the right to put in all foundations for markers and monuments. Foundations for monuments or markers or the placing of monuments or markers on the lot will not be allowed until full payment is made for the entire lot.

13. Lot owners must complete a Monument Installation Agreement. The Cemetery shall have the right to refuse permission for the installation of same.

14. One upright marker is allowed per double grave. Purchasers of single graves may not have an upright marker.

15. Cremation lots are allowed two flush markers not to exceed 8"x12" in size. All flush markers must be a minimum of 4 inches in thickness. Foundations for flush markers must be the same size as the marker.

16. Foundations for monuments shall be the same size as the monument base. The maximum width for a double plot is five feet.

17. All earth burials must be placed in a concrete vault.