



Illinois Environmental Protection Agency

Page 1 of 1

Bureau of Water • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

Division of Water Pollution Control ANNUAL FACILITY INSPECTION REPORT

for NPDES Permit for Storm Water Discharges from Separate Storm Sewer Systems (MS4)

This fillable form may be completed online, a copy saved locally, printed and signed before it is submitted to the Compliance Assurance Section at the above address. Complete each section of this report.

Report Period: From March, 2015 To March, 2016

Permit No. ILR40

MS4 OPERATOR INFORMATION: (As it appears on the current permit)

Name: Village of Maywood

Mailing Address: 40 Madison Street

County: Cook

City: Maywood State: IL Zip: 60153 Telephone: (708) 344-1200

Contact Person: John West
(Person responsible for Annual Report)

Email Address:

Name(s) of governmental entity(ies) in which MS4 is located: (As it appears on the current permit)

Village of Maywood

THE FOLLOWING ITEMS MUST BE ADDRESSED.

A. Changes to best management practices (check appropriate BMP change(s) and attach information regarding change(s) to BMP and measurable goals.)

- | | | | |
|--|--------------------------|---|--------------------------|
| 1. Public Education and Outreach | <input type="checkbox"/> | 4. Construction Site Runoff Control | <input type="checkbox"/> |
| 2. Public Participation/Involvement | <input type="checkbox"/> | 5. Post-Construction Runoff Control | <input type="checkbox"/> |
| 3. Illicit Discharge Detection & Elimination | <input type="checkbox"/> | 6. Pollution Prevention/Good Housekeeping | <input type="checkbox"/> |

B. Attach the status of compliance with permit conditions, an assessment of the appropriateness of your identified best management practices and progress towards achieving the statutory goal of reducing the discharge of pollutants to the MEP, and your identified measurable goals for each of the minimum control measures.

C. Attach results of information collected and analyzed, including monitoring data, if any during the reporting period.

D. Attach a summary of the storm water activities you plan to undertake during the next reporting cycle (including an implementation schedule.)

E. Attach notice that you are relying on another government entity to satisfy some of your permit obligations (if applicable).

F. Attach a list of construction projects that your entity has paid for during the reporting period.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))


Owner Signature:
John West
Printed Name:

5-17-16
Date:
Director of Public Works
Title:

EMAIL COMPLETED FORM TO: epa.ms4annualinsp@illinois.gov

or Mail to: ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
WATER POLLUTION CONTROL
COMPLIANCE ASSURANCE SECTION #19
1021 NORTH GRAND AVENUE EAST
POST OFFICE BOX 19276
SPRINGFIELD, ILLINOIS 62794-9276

IL 532 2585
WPC 691 Rev 6/10
This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). Failure to disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42) and may also prevent this form from being processed and could result in your application being denied. This form has been approved by the Forms Management Center.

SECTION A. CHANGES TO BEST MANAGEMENT PRACTICES

X Indicates BMPs performed as proposed

√ Indicates changes to BMPs

Year 2		Year 2	
	A. Public Education and Outreach		D. Construction Site Runoff Control
X	A.1 Distributed Paper Material	X	D.1 Regulatory Control Program
	A.2 Speaking Engagement	X	D.2 Erosion and Sediment Control BMPs
	A.3 Public Service Announcement	X	D.3 Other Waste Control Program
	A.4 Community Event	X	D.4 Site Plan Review Procedures
	A.5 Classroom Education Material	X	D.5 Public Information Handling Procedures
X	A.6 Other Public Education	X	D.6 Site Inspection/Enforcement Procedures
			D.7 Other Construction Site Runoff Controls
	B. Public Participation/Involvement		
	B.1 Public Panel		E. Post-Construction Runoff Control
	B.2 Educational Volunteer	X	E.1 Community Control Strategy
√	B.3 Stakeholder Meeting	X	E.2 Regulatory Control Program
	B.4 Public Hearing	X	E.3 Long Term O&M Procedures
X	B.5 Volunteer Monitoring		E.4 Pre-Const Review of BMP Designs
	B.6 Program Coordination	X	E.5 Site Inspections During Construction
X	B.7 Other Public Involvement	X	E.6 Post-Construction Inspections
			E.7 Other Post-Const Runoff Controls
	C. Illicit Discharge Detection and Elimination		
X	C.1 Storm Sewer Map Preparation		F. Pollution Prevention/Good Housekeeping
X	C.2 Regulatory Control Program	X	F.1 Employee Training Program
	C.3 Detection/Elimination Prioritization Plan	X	F.2 Inspection and Maintenance Program
	C.4 Illicit Discharge Tracing Procedures	X	F.3 Municipal Operations Storm Water Control
	C.5 Illicit Source Removal Procedures		F.4 Municipal Operations Waste Disposal
	C.6 Program Evaluation and Assessment		F.5 Flood Management/Assess Guidelines
X	C.7 Visual Dry Weather Screening	X	F.6 Other Municipal Operations Controls
	C.8 Pollutant Field Testing		
X	C.9 Public Notification		
X	C.10 Other Illicit Discharge Controls		

SECTION B.

STATUS OF COMPLIANCE WITH PERMIT CONDITIONS

The status of BMPs and measureable goals from year 2 are described below in the following categories (A-F):

A: PUBLIC EDUCATION AND OUTREACH

A.1: Distributed Paper Material

The Goal for this program is to increase the awareness to impacts of stormwater discharges on water bodies and the actions the public can take to reduce discharge of pollutants, as well as discharge overall.

Goal for Year 2: Include information regarding storm water awareness.

Status: 3 Articles about storm water issues, recycling, water usage, pollution prevention, etc. were included in the Village's newsletter, entitled "The Maywood Village Newsletter." The "Maywood Annual Water Report" was mailed together with the Consumer Confidence Report, in June of 2015. This included pertinent information about storm water and sewers. The newsletter is mailed to all 24,090 residents and is also available at Village Hall for pickup. Green infrastructure strategies are being researched and will be included in future publications. The intent is to reach out to all residents of all ages.

A.6: Other Public Education

The Goal for this program is to increase the awareness of impacts of stormwater discharges on water bodies and the actions the public can take to reduce discharge of pollutants as well as discharge overall. Additionally, Green infrastructure awareness is to be provided.

Goal for Year 2: Design webpage and post initial information.

Status: The Village listed information about street sweeping and garbage collection on its website. The Village was unable to include a section entitled "Stormwater Information", but plans to do so as soon as funds are available to update the website. This section will contain background information regarding the NPDES Phase II Stormwater Program (MS4s) as well as a link to the EPA MS4 website: www.epa.gov/npdes/npdes-stormwater-program. This link will also include background information regarding Green Infrastructure strategies. It is planned to expand the "Stormwater Information" section in the upcoming period by including the Notice of Intent Permit and Annual Reports.

The website is maintained by the Village Manager's office. The intent is to reach out to all residents of all ages.

B: PUBLIC PARTICIPATION/INVOLVEMENT

B.3: Stakeholder Meeting

The Goal for this program is to facilitate resident participation and involvement, thereby increasing resident empowerment and responsibility. Through this partnership, the residents can be utilized as a resource in the Storm Water Program.

Goal for Year 2: No milestone goal established.

Status: On average, approximately 50 residents attended the following stakeholder meetings to discuss various issues including storm water, flooding, and sewer installation: Maywood Alternate Policing Strategy (MAPS), Village Board Meetings and LLOC Meetings. MAPS meetings are held once per week and rotate amongst the sections of town. The Village Board Meetings and LLOC Meetings are held twice monthly, respectively. Residents are encouraged to voice their opinions at the meetings, and a common topic of discussion are the local roadway and drainage projects in town.

Additionally, Advisory Working Group (AWG) meetings and townhall meetings for the planning of the I-290 Reconstruction Improvements have been well attended by residents and stakeholders. Included within the

proposed project is a significant drainage component, of which IDOT and the MWRD are partnering together in funding the improvements for a new large diameter storm sewer and outfall.

B.5: Volunteer Monitoring

The Goal for this program is to facilitate resident participation and involvement, thereby increasing resident empowerment and responsibility. Through this partnership, the residents can be utilized as a resource in the Storm Water Program.

Goal for Year 2: Research various commitments and feasibility of a volunteer based annual clean up program.

Status: For the third consecutive reporting period, the Mormon Church provided a voluntary clean up of parkways and roadways at a rate of once per week from June to September. Approximately 10 each 45 gallon bags of debris were removed and disposed of each week. The Rock of Ages Baptist Church performed 2 clean ups, with the assistance of the Village for clean up supplies. The clean up included parkways and roadways. Approximately 10 each 45 gallon bags of debris were removed each clean up.

Additional cleanup work was performed through the Sheriff's Work Alternate Program (SWAP), a program directed by Cook County. The Village of Maywood has a partnership with Cook County and utilizes this program on a monthly basis for 2 days a month, within Village boundaries, for 10 months out of the year. The work is astutely scheduled to follow along with Garbage Pick Up day, and the trash is immediately disposed of onto garbage trucks in process on their normal routes. Relevant work to improve the storm sewer system includes parkway cleaning of trash and debris as well as curb cleaning of similar nature. An attempt to quantify the amount of debris removal will be made in the next reporting period with a reported quantity.

An ongoing program hosted by the Village of Maywood since 2006 is "Clean Streets, Safe Streets". Approximately 500 local students are involved to fulfill community service requirements. The students collect trash and debris along curb and gutters and parkways in town.

B.7 Other Public Involvement

The Goal for this program is to facilitate resident participation and involvement, thereby increasing resident empowerment and responsibility. Through this partnership, the residents can be utilized as a resource in the Storm Water Program.

Goal for Year 2: Research various products associated with stencil program, conduct outreach to determine volunteer pool.

Status: All lids installed on the Projects listed in section F of this report (approximately 25 in total) contained the labeling "Drains to Waterways". The stencils are still pending purchase by Public Works, as soon as funds are available. With the labels in place, the public can more easily partner with the Village in monitoring any suspicious discharges into storm sewers.

C: ILLICIT DISCHARGE DETECTION AND ELIMINATION

C.1: Storm Sewer Map Preparation

The Goal for this program is to develop a map of storm sewers and their outfalls.

Goal for Year 2: Review existing atlas and confirm accuracy.

Status: The Storm Sewer map is continually updated each Construction season by Hancock Engineering. Any additional outfalls or revisions to existing outfalls are added to the map. The map has been revised this past winter. All discharges into the Des Plaines River within the Village Limits are shown on the map.

C.2: Illicit Discharge and Dumping Ordinances

The Goal for this program is to reduce and eliminate all illicit discharges and illegal dumping into the storm sewer system.

Goal for Year 2: Conduct in-depth review of existing Village illegal dumping ordinances.

Status: The Illicit Discharge and Illegal Dumping Ordinance with penalties remains in place, per Village Code 51.70.06. The Village is reviewing the newly implemented Cook County Watershed Management Ordinance (WMO) which contains language and authority regarding this matter as well. The draft WMO had contained language regarding enforceable requirements for the prompt reporting to the MS4 of all releases, spills and other unpermitted discharges to the separate storm sewer system, with the final version containing the same language.

C.7: Visual Dry Weather Screening

The Goal for this program is to determine the amount of illegal discharges which are occurring within the Village.

Goal for Year 2: Inspect and document all storm sewer outfalls.

Status: The outfalls were inspected periodically by Public Works staff. No illicit discharges or unordinary substances was discovered, nor fish kills or color changes, etc. A form has been created for use in the upcoming reporting period to record the inspections of all outfalls on an annual basis.

Based on the current Village inventory, currently there are approximately 25 industrial facilities and 75 commercial facilities. No violations were reported or inspected at these locations. Approximately 15 facilities were inspected amongst 5 Village inspectors, on an annual basis.

From a previous reporting period, an apparent violation located at 9th Avenue and St. Charles Road was brought to the Village's attention by the IEPA. The Village promptly responded with an outlined remediation plan which was submitted to the IEPA. The remediation plan was put in place and adhered to by the Village. All of the stone that was previously on the site has been removed to date, and no issues currently exist. At this time, the seed has grown and the grass is thriving.

C.9: Public Notification

The Goal for this program is to make the public aware of the penalties for illegal discharge and discourage illegal discharge.

Goal for Year 2: Update the website and newsletter with a schedule of monetary fines and penalties for illegal discharge.

Status: The newsletter contained an article in the Spring of 2015 that contained this topic.

C.10: Other Discharge Controls

The Goal for this program is to ultimately reduce and eliminate all illicit discharges and illegal dumping into the storm sewer system.

Goal for Year 2: Create list of existing programs and review opportunities for expansion.

Status: The Village of Maywood has maintained its membership in the West Cook County Solid Waste Agency (WCCSWA). The WCCSWA offers many beneficial recycling programs to its members through funding by county grant monies, with no direct costs to the residents. The entire program including other member communities has yielded 230,000 lbs. of electronic waste in the past six months. Additionally, another opportunity to properly dispose of electronics is held at local area community college, Triton College twice yearly. Annual events hosted by the WCCSWA this year were Paint

Recycling and Medication Waste Disposal. The Medication Waste Disposal yielded a quantity of 8-55 Gallon drums of waste! The Paint Recycling event was hosted in Oak Park, and data will be provided for next reporting period. In the past, an annual Household Hazardous Waste event was held, which received over 3,000 vehicles who deposited waste. Unfortunately, due to funding cutbacks, the County has no longer been able to provide funding for this program. We look forward to the reinstatement of this program. In the meantime, a long term Hazardous Waste collection program is available in Naperville for the surrounding areas.

The Village of Maywood continued to host its own electronics recycling program. The program debuted this past reporting period and was entitled "Electronics Recycling for Vintage Recyclers". Approximately 40 loads were collected and responsibly disposed of over the course of this reporting period.

D: CONSTRUCTION SITE RUNOFF CONTROL

D.1: Regulatory Control Program

The Goal for this program is to submit erosion and sediment control plans for all developments greater than or equal to one acre in size to the IEPA.

Goal for Year 2: Identify all development plans that require a NOI for Construction Activities as part of the site plan review process, and perform review.

Status: Development plans that require a NOI for Construction Activities under NPDES permit No. ILR10 are identified by the Village Engineer as part of the site plan review process. The erosion and sediment control plans are reviewed by the Building Department and/or Hancock Engineering during the site plan review process. For IDOT projects, a Stormwater Pollution Prevention Plan is also required for developments of this size and the Contractor is also required to sign the Contractor's Certification Statement (IDOT BDE 2342), of which he will then assume the responsibility and release the Village from liability. During this reporting period, approximately 5 development plans were reviewed, all of which were below 1 acre in size, thereby exempt from the requirements listed above. The economic slowdown has limited the amount of development and also decreased the size. Also, Village Code 150.001 includes most of the erosion and sediment control requirements.

Also, within the erosion and sediment control plans, the type of inlet filters required on construction projects has been revised to reflect the recent update to the Illinois Urban Manual. The use of hay bales is considered obsolete, and the new method of reusable sediment trap filters is more effective and efficient. Hancock Engineering attended a detailed presentation on this matter by the Kane-Dupage Soil and Water Conservation District. The presentation provided further information regarding Green Infrastructure storm water management techniques. The use of the new inlet filters is considered to be a Green method. We look forward to including additional Green methods in the upcoming reporting periods.

D.2: Erosion and Sediment Control BMPs

The Goal for this program is to investigate and inspect the erosion and sediment control measures in public projects as part of developments greater than 1.0 acre.

Goal for Year 2: Perform and document inspections for erosion and sediment control measures as stated in "Measureable Goals", as listed in the NOI 5 year permit.

Status: This reporting period, approximately 10 single family home projects were inspected by the building department or Hancock Engineering with respect to erosion and sediment control measures. All projects were found to be in compliance. For Public Projects, typically Hancock Engineering provides construction site inspection. There are approximately 9 inspectors in total between the Village and Hancock Engineering who perform erosion control inspections. Hancock Engineering attended an NPDES Compliance seminar led by CPESC speakers, in order to learn further about erosion and sediment control measures. This information obtained will be shared with the Village.

D.3: Other Waste Control Program

The Goal for this program is to ensure excavated materials are inspected, classified, and then delivered to the appropriate dumping facility based on the determined classification of waste.

Goal for Year 2: Review updates to IEPA rules regarding Clean Construction and Demolition Debris (CCDD).

Status: Effective August 2010, the IEPA has placed more stringent requirements regarding the excavation of soils from construction sites. In order for the Contractor to utilize Clean Construction and Demolition Debris (CCDD) landfills, the excavated material must be certified and tested by a Licensed Professional Engineer, as stated in EPA Form LPC 663. Furthermore, the IEPA is required to be notified by the landfill whenever material is delivered and discovered to not be acceptable CCDD fill and thereby rejected from the landfill. This process, including the established penalties in place, help ensure that the materials will then be delivered to an appropriate facility. The mentioned requirement has now been required by the Village Engineer to be provided as a General Note on all Construction Plans. Amendments to the initial CCDD requirements have been noted and adhered to as well.

D.5: Public Information Handling Procedures

The Goal for this program is to track the number of complaints received and processed related to soil erosion and sediment control.

Goal for Year 2: Organize a filing system to track the erosion and sediment control complaints.

Status: The Village currently keeps record of all of the public works directed complaints. The department is attempting to assemble a filing system to better categorize the complaints. Once this system is implemented, the specific complaints to erosion and sediment control can be reviewed and the input provided can be of value. A form has been created in order to keep record of the complaints. The quantity of complaints can then be tallied as well.

D.6: Site Inspection/Enforcement Procedures

The Goal for this program is to ensure 100% of all private construction sites are inspected for 100% of the required erosion and sediment control BMPs.

Goal for Year 2: Inspect all site work in the grading phase, building phase, and for a Final Inspection.

Status: Typically the Building Department is responsible for inspecting private projects in the Grading Phase, Building Phase, and for a Final Inspection. The inspections are performed upon notification of completion of the phase, by the Contractor. No violations or enforcement actions have been reported. Approximately 5 Sites were inspected. A Certificate of Occupancy will not be granted unless the inspection is approved. Approximately 5 sites were approved without incident.

E: POST-CONSTRUCTION RUNOFF CONTROL

E.1: Community Control Strategy

Status: Due to the magnitude of problems from recent flooding, the Village has recently implemented a Flood Control Assistance Program. \$50,000 has been budgeted for the program for the year and is offered at a 50% cost share up to a maximum of \$1,750.00. The intent of the program is to encourage residents to install flood control devices on their privately maintained sanitary sewer services. The flood control devices will keep the combined sewage from entering the basements of residences during storm events. The result will be a decrease in the amount of basement backups by reducing the amount of contaminated sewage entering residences, streets, and storm sewers, and Sanitary Sewer Overflow (SSO) issues will be mitigated. Examples include installing overhead sewers or backflow preventers. This BMP can also be considered a pollution control retrofit.

E.2: Regulatory Control Program

The Goal for this program is to enforce the Cook County Watershed Management Ordinance (WMO) and adopt any amendments.

Goal for Year 2: Evaluate feasibility of proposed rain barrel program.

Status: The WMO became effective May 1, 2015 and the Village has adhered to its requirements. The WMO contains restrictions on the quality of water to be permitted to be discharged from developed sites. The Village of Maywood will utilize the requirements of the WMO within the Village to vastly improve the quality of storm water discharges amongst new development. The Village encourages its residents to participate in the MWRD rain barrel program, where residents may benefit from the reduced-cost purchase price offered by the District.

E.3: Long Term O&M Procedures

The Goal for this program is to include Green measures in future developments.

Goal for Year 2: Research various Green construction methods and review feasibility.

Status: The Village is in the process of learning about Green construction methods and how they can be applied to the urban characteristics of the Village, with the intent of introducing requirements for such.

The Village is looking into the feasibility of certain Green BMP strategies and how to appropriately apply them to future Village projects. Upon developing a strategy (or various strategies), the Village can then move forward and implement them. This will be elaborated and discussed in further detail in the next reporting period. Various pilot programs in the neighboring communities can provide "lessons learned" which are valuable in order to save costs and eliminate issues in potential future projects.

Due to budgetary restraints, zero trees were planted by the Village this reporting period. The Village looks forward to planting trees in upcoming reporting periods, as funds become available.

E.6: Post Construction Inspection

The Goal for this program is to inspect construction sites periodically after final acceptance, to ensure that all BMPs contained in the plans are maintained in place. This will also entail inspection of Green construction methods in future developments.

Goal for Year 2: Inspect 50% of all sites on an annual basis, ensure that stormwater BMPs are working appropriately.

Status: The Village attempts to inspect 100% of sites on an annual basis. This will be implemented in upcoming reporting periods, upon removal of budgetary restrictions. The Village would like to inspect the various aspects of storm water improvements and Green construction wherever within the Village jurisdiction, which were called for in the original construction plans. Currently, the Village has been performing Post Construction Inspection wherever complaints have been presented or an observed issue was noted. As a preventative measure, the Village should inspect sites which are not initially deemed to be a problem. For example, an inspection of a catch basin restrictor can provide information if the restrictor is in working order and providing the drainage as designed.

F.1: Employee Training Program

The Goal of this program is to identify current practices that contribute to stormwater pollution and implement programs and procedures for Public Works activities that reduce and eliminate the discharge of pollutants into storm sewer systems.

Goal for Year 2: Continue training program as well as incorporate Green/Sustainability education.

Status: Village employees have attended seminars and field training sessions. The Village's insurance carrier conducts annual seminars with video training for Trenching & Shoring, Vactor Cleaning, Street Sweeping, and Cleaner Pumpers. A certificate of completion is issued and is kept on file. The Director of Public Works is scheduled to attend a seminar entitled "High Tech Operator – Course 1," which covers many aspects of municipal water system operation and maintenance. A certificate is kept on file. 3 Public Works employees also attended a class regarding the proper procedures of plumbing and the effects of such on the Village sewer system.

F.2: Inspection and Maintenance Program

The Goal of this program is to directly reduce the amount of debris from entering storm sewer structures and entering the storm sewers.

Goal for Year 2: Continue street sweeping program and sewer cleaning / structure cleaning program.

Status: The Village acknowledges that the street sweeping and structure cleaning program improves the quality of the storm sewer discharge into the creek and river. This program utilizes the labor force of Public Works to maintain streets and drainage structures within the public right-of-way. Streets are swept daily with the exception of Wednesday, when maintenance is performed on the sweeper. For organizational purposes, the Village is divided into 8 zones. 4 zones are swept each week including alleys. This results in each curb line being swept every other week. The sweeping season is from April 1st to December 1st. Additional sweeping is performed between December 1st and April 1st when weather allows and per special request. Approximately 6 tons per day are removed for a total of nearly 1,000 Ton per year. Approximately 1,800 miles of curb line sweeping occurs over the course of a year. The sweeping is increased during the fall season, and strategically scheduled to follow behind the leaf machine so as to minimize the amount of spilled leaves. Additionally, targeted commercial areas that are known to have a greater amount of debris and litter are swept at a higher frequency. The leaf machine captures 100 tons of leaves annually during the fall season. 25 drainage structures were cleaned with the vactor truck last reporting period. The Village owns sewer televising cameras which are of the crawler and push type, as well as a jetter. Currently, the cameras are in the process of being repaired but will be ready for use by next reporting period.

Approximately 5% of the Village's sewers were cleaned by private contractor this year. The Village is aiming to clean 8% of the sewers on an annual basis. The Village utilized sewer pellets which create a chemical reaction to desolidify mineral deposits within combined sewers and provide additional cleaning.

A large scale combined sewer lining project by the MWRD on First Avenue from Roosevelt Road to Chicago Avenue has been placed on hold. The project was coordinated and reviewed in the previous reporting period. The construction schedule for the project is unknown at this time.

F.3: Municipal Operations Storm Water Control

The Goal of this program is to directly reduce the amount of contaminants entering the storm sewer system, as a result of municipal operations.

Goal for Year 2: Review existing program and develop strategy to implement additional relevant measures.

The Village of Maywood provides a storage facility for its salt. The salt is kept beneath a "dome." The application of the salt to streets has been kept at a minimum and diluted with sand. Approximately 2,000 Ton of Salt was applied to the streets this past year. When possible, the salt is of the Geo-Melt mixture. The Geo-Melt contains various additives including Beet Juice. The Geo-Melt is considered an environmentally friendly product and reduces the amount of salt required to keep the roads safe. Geo-Melt is also less corrosive than other salt products, thereby reducing the amount of damage to streets and vehicles.

The Village of Maywood also has a strict schedule of frequent maintenance on its fleet of Village vehicles, in order to reduce the amount of unnecessary discharge of automotive fluids. This program will be continued. Triple Basins in garage areas are continuously inspected and cleaned on a regular basis. The maintenance yard is inspected on an as-needed basis, and maintenance is performed accordingly.

Approximately 200 gallons of pesticides and herbicides were applied throughout the Village by staff. The targeted locations are typically vacant lots and overgrown areas. The specified mix ratio of 1:10 is strictly followed. True Green is also contracted to perform additional work of this nature.

Assessment of Appropriateness of Identified BMPs (and Progress Towards a Reduction in Pollutants Discharged)

The BMPs listed below provided pertinent results with regard to their effectiveness in meeting their measurable goals and reducing pollutant discharge, within this reporting period. All other BMPs which are omitted either did not provide an affirmative result this period (either positive or negative), or need more time to be observed in order to fairly judge their effectiveness. An in depth analysis of all BMPs is scheduled for the end of the 5 year period.

A.1 Distributed Paper Material Resident input regarding the newsletters is taken into account, when received. It is difficult to attribute a decrease in pollutants directly to the newsletters, so the most appropriate way to determine the effectiveness of a newsletter article is from Resident input at Village Hall.

B.5 Volunteer Monitoring An unintended, positive result of trash removal was Public Education. In addition to the reduction of pollutants, many residents were able to become more knowledgeable about the Storm Water System and were able to pass this information along to their neighbors. This finding can be incorporated in the future as an Outreach Strategy.

B.7 Other Public Involvement Public Works employees and Village officials reported that an increase in resident discussion occurred regarding the stencils and lids. This supports the fact that stormwater awareness is on the rise, which leads to the ultimate goal of increasing resident involvement. The strategy is to incorporate as many residents as possible.

C.7 Dry Weather Screening The goal of the Illicit Discharge Detection and Elimination category is to reduce and eliminate all illegal discharges. There have been nearly zero illicit discharges reported or prosecuted in the Village. This may or may not be attributed to the effectiveness of the storm water program. In order to support this fact that the program is successful and to increase confidence that no illegal discharges actually occurred, further inspection should be performed. It is anticipated that most of the additional inspection will be performed by residents who have gained a greater awareness of the storm sewer system. They in turn will communicate directly and indirectly with Village staff. Village staff should also increase the amount of inspections, when possible. This relationship between the program and the amount of illegal discharges will be evaluated in depth at the end of the 5 year period.

C.10 Other Discharge Controls The goal of this BMP category is a reduction of contaminants. It is unknown whether the reduction would take place primarily at a landfill, within Village boundaries, or a location within transit. The primary source-point needs to be investigated further in order to effectively gauge the program. The electronics recycling is assumed to reduce the amount of mercury. At this time, the Village does not have funding to perform mercury detection tests as a program gauge, but try to obtain data from other testing entities.

D.1 Regulatory Control Program The goal of this BMP category is to reach 100% compliance for NOI submittal of development projects that are 1.0 acre or greater. Unfortunately, with the recent economic downturn there are not many developments being planned for. Also, due to the urban nature of the Village, most developments are on property that is less than 1.0 acre in size.

However, when this BMP is indeed applicable, we believe it will be quite effective by placing the responsibility on the Contractor (Contractor's Certification Statement), and should decrease the amount of erosion control/pollutant discharge deficiencies. The amount of penalties given to Contractors, if any, will be tabulated and evaluated at the end of the 5 year period, with the assumption of a decrease.

D.5 Public Information Handling Procedures

This BMP will require several years of data collection in order to establish a benchmark. At that time, this BMP will be useful in order to evaluate the Construction Site Runoff Control category. The input from residents can be reviewed to determine if positive and beneficial changes can be made to the program. Also, the amount of complaints received will be analyzed. Ideally, a correlation between the increase/decrease of the amount of complaints and the effectiveness of the program, will be able to be observed.

E.1: Community Control Strategy

This BMP will be analyzed in future reporting periods with respect to the volume of contamination which is mitigated, as well as the quantity of pollutants removed from the storm sewer system.

E.3: Long Term O&M Procedures

An apparent challenge for this BMP is being able to apply the Green Infrastructure strategies to an already developed urban area. The majority of foreseeable Green improvements would come by way of “retro-fit”, as opposed to the ease of installation in a new development. Some of the retro-fit options we have been identified at this point are permeable pavers, tree-box biofilters, stand alone biofilters, rain gardens, rain barrels, and bioswales. At this point, the costs need to be fully evaluated, as well as an implementation schedule and associated requirements. The aesthetic concerns of a retro-fit are also to be reviewed. Another challenge is that when using a new technology, unfortunately there is a risk involved. Therefore, other pilot programs and case studies in the area need to be reviewed, while drawing as much pertinent data from them as possible.

E.6: Post Construction Inspection

This BMP will include strict inspection of Green construction methods in upcoming reporting cycles. Currently, Hancock Engineering is sharing basic information with the Village regarding Green methods. Over time, the Village inspectors should become more knowledgeable and experienced in this type of inspection. Another desired outcome of Post Construction Inspection is that word will spread amongst property owners to keep their storm systems working as designed, due to the fact that the Village will be performing future inspections and keeping tabs on the condition of the proposed improvements over time.

SECTION C. INFORMATION AND DATA COLLECTION

The Village relies on rain gauge information taken from the nearest rain gauge of the MWRD. The MWRD Rain Gauge No. 5 is located in nearby Cicero, IL. The rain gauge data is provided on the MWRD website at <http://www.mwrdd.org/irj/portal/anonymous/overview> and can be reviewed by clicking on the link entitled "Rain Data History."

Water quality testing is performed by the MWRD along the Des Plaines River on an annual basis. The MWRD generates a Water Quality Report, which is made available to the public on its website. The link to the website is: <http://www.mwrdd.org/irj/portal/anonymous/WQM>

The report contains a wide range of testing as well as a detailed analysis. The relevant data from the immediate vicinity of the Village of Maywood includes a quantity of approximately 12 samples which were taken at a location both upstream and downstream from the Village of Maywood's outfalls on the Des Plaines River.

SECTION D. NEXT REPORTING CYCLE - SUMMARY OF ACTIVITIES TO BE UNDERTAKEN

The Village of Maywood intends to pursue the milestones outlined for Year 3 in the 2014 Notice of Intent (NOI) Permit Renewal, with the exception of those discussed in "Assessment of Appropriateness of Identified BMPs (and Progress Towards a Reduction in Pollutants Discharged)", which are to be revised as such.

SECTION E. NOTICE OF RELIANCE UPON OTHER GOVERNMENTAL ENTITIES

The Village of Maywood utilized the MWRD's Cook County Watershed Management Ordinance (WMO) to satisfy several of the permit obligations during this time period. The District's Board of Commissioners adopted the Watershed Management Ordinance (WMO) on October 3, 2013, and became effective on May 1, 2014

The WMO addresses many of the MS4 Permitting BMP requirements. Any BMPs which are relied upon from the WMO will be discussed in future reporting.

SECTION F.
CONSTRUCTION PROJECTS PERFORMED DURING THE REPORTING PERIOD

Project Name	Type	Project Size (acres)	Construction Start Date	Construction End Date
Washington Boulevard CDBG Improvements (9 th Ave. to 6 th Ave.)	Resurfacing and Patching	1.8	Fall 2015	Fall 2015