
4/19/2023 MS4 Workshop Meeting Agenda

- PRP PROJECT UPDATES
- STORMWATER ORDINANCE UPDATE

4/19/2023 MS4 Workshop Meeting Agenda

PRP PROJECT UPDATES


FARMVIEW EXTENDED DETENTION BASIN RETROFIT-1



FARMVIEW EXTENDED DETENTION BASIN RETROFIT-2



SYCAMORE PARK BIORETENTION SWALE AND RIPARIAN BUFFER RESTORATION



FIELDVIEW & TEWKSBURY EXTENDED DETENTION BASIN RETROFITS-1





FIELDVIEW & TEWKSBURY EXTENDED DETENTION BASIN RETROFITS-2

- 1. Survey & Preliminary Design complete at both basins.
- 2. Both basins need major maintenance to remove accumulated sediment and vegetation. Public Works Dept. has begun with vegetation clearing and is in process of assessing in-house capacity to remove sediment and relieve holding water. Muddy bottom conditions make the work a challenge with existing Public Works equipment.
- 3. Expect to complete detailed design and construction drawings in 2023 pending resolution of maintenance work plan and proposed construction schedule.

FIELDVIEW & TEWKSBURY EXTENDED DETENTION BASIN RETROFITS-3

- 4. Will need to make decision on whether work in either basin will be done in-house need to give Public Works time to assess in-house capacity based on outcome of needed maintenance work.
- 5. Ideally, we would:
 - a) complete one project between now and end of 1st quarter of 2024.
 - b) complete Sycamore Park in 2024 (likely contracted)
 - c) complete last project in 2024 or, maximally, we have until end of Summer 2025 to finish PRP projects.

PATHOGEN TESTING UFP Stockertown **PATHOGEN TEST** SAMPLING LOCATION Bushkill Creek SAMPLING SCHEDULED Prown Daub Auto FOR TH. 4/20/2023 E Lawn Rd Prime Conduit Scott A. Huggler, OD Nazareth Floral Designs at Donahoe Farms

4/19/2023 MS4 Workshop Meeting Agenda

- PRP PROJECT UPDATES
- STORMWATER ORDINANCE UPDATE

STORMWATER ORDINANCE UPDATE

- 1. Summary outline of recommended ordinance updates presented in KCE letter to BOS dated 4/14/2023.
- 2. At 4/19/2023 Regular Meeting of BOS, will be requesting authorization to proceed on one of two options presented in KCE letter to BOS dated 4/14/2023.