

**CITY COMMISSION MEETING
Winfield, Kansas**

DATE: Monday, October 01, 2018
TIME: 5:30 p.m.
PLACE: City Commission – Community Council Room – First Floor – City Building

AGENDA

CALL TO ORDERMayor Gregory N. Thompson

ROLL CALL.....City Clerk, Brenda Peters

MINUTES OF PRECEDING MEETING.....Monday, September 17, 2018

DEPARTMENT PRESENTATIONS & PROMOTIONS

-Electric Department – Kyle Bliss

BUSINESS FROM THE FLOOR

-Citizens to be heard

NEW BUSINESS

Ordinances & Resolutions

Bill No. 1892 – An Ordinance – Amending Article 9 of the Zoning Regulations of the City of Winfield, Kansas, by amending language within this article and by the addition of certain allowable commercial uses.

Bill No. 1893 – A Resolution – Determining the existence of certain nuisances in the City of Winfield, Kansas, and authorizing further action pursuant to the City Code of said City. (802 E. 16th Ave)

Bill No. 1894 - A Resolution - Accepting and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas. (Scott A. and Delisa L. Showalter)

Bill No. 1895 - A Resolution - Accepting and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas. (A. William Jr. and Elin A. Bloedel)

Bill No. 1896 - A Resolution - Accepting and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas. (Daniel J. and Jenny Bader)

Bill No. 1897 - A Resolution - Accepting and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in in the East Half of Section 10, Township 33 South, Range 4 East of the 6th P.M., Cowley County, Kansas. (Michael E. Reynolds)

Bill No. 1898 - A Resolution - Accepting and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in the East Half of Section 10, Township 33 South, Range 4 East of the 6th P.M., Cowley County, Kansas. (Doris Reynolds Living Trust)

OTHER BUSINESS

- Consider Ambulance quotes
- Executive Session to discuss non-elected personnel

ADJOURNMENT

- Next Commission work session 4:00 Thursday, October 11, 2018.
- Next regular meeting 5:30 p.m. Monday, October 15, 2018.

CITY COMMISSION MEETING MINUTES
Winfield, Kansas
September 17, 2018

The Board of City Commissioners met in regular session, Monday, September 17, 2018 at 5:30 p.m. in the City Commission-Community Council Meeting Room, City Hall; Mayor Gregory N. Thompson presiding. Commissioners Ronald E. Hutto and Phillip R. Jarvis were also present. Also in attendance were Jeremy Willmoth, City Manager; Brenda Peters, City Clerk and William E. Muret, City Attorney. Other staff members present were Patrick Steward, Director of Public Improvements; Gus Collins, Director of Utilities; Gary Mangus, Assistant to the City Manager; Robbie DeLong, Acting Police Chief; and Jerred Schmidt, Director of Information Systems.

City Clerk Peters called roll.

Commissioner Jarvis moved that the minutes of the September 5, 2018 and September 13, 2018 meetings be approved. Commissioner Hutto seconded the motion. With all Commissioners voting aye, motion carried.

STAFF PRESENTATIONS AND PROMOTIONS

-Oath of Office

-Police Officers

City Clerk Peters gave the Oath of Office to the following Police Officers

Aniya McGowan
Drew Popplewell
Andrew Palm
Stephen Linarez

Acting Police Chief DeLong pinned badges on uniforms of the new officers

-Police Department Promotions

Acting Police Chief Delong introduced Daniel Porter, who has been promoted to Master Patrolman; Katasha Coupe, who has been promoted to Sergeant; and Eric Jarvis, who has been promoted to Lieutenant.

Director of Utilities Collins introduced Danielle Fullhart, who has been promoted to Administrative Assistant; recognized Wastewater Treatment Plant employee Jeff Graham for receiving a 25 year service award at the 2018 KDHE Environmental Conference; and recognized Water Treatment Plant Superintendent Dan Defore for receiving the George Warren Fuller award during the 2018 KDHE Environmental Conference.

PROCLAMATION

Mayor Thompson presented a proclamation proclaiming September 24-29, 2018 as Fall Beautification week to Refuse Superintendent Mugler.

BUSINESS FROM THE FLOOR

NEW BUSINESS

Bill No. 1883 – An Ordinance – Authorizing and Providing for the issuance of General Obligation Bonds, Series 2018-A, of the City of Winfield, Kansas; providing for the levy and collection of an annual tax for the purpose of paying the principal of and interest on said bonds as they become due; authorizing certain other documents and actions in connection therewith; and making certain covenants with respect thereto. City Clerk Peters introduced David Arteberry, representing George K. Baum & Company, to explain Bill No. 1883, Bill No. 1884 and Bill No. 1885 which pertain to the bond and note sale that the City held earlier in the day for financing of certain projects. Arteberry explained that a public notice of the sale was published on August 30, 2018 for bids to be submitted on September 17, 2018 by 10:00 a.m. for the temp notes and by 11:00 am for the bonds. Arteberry further explains that General Obligation Notes (Series 2018-1) were sold to Commerce Bank for an amount of \$2.185 million at a rate of 2.288824% for a term of one year; and General Obligation Bonds were sold to The Baker Group for \$4,750 million at a rate of 3.418636% for a term of twenty years. Arteberry then explains that Bill No. 1883 approves the issuance of General Obligation Bonds Series 2018-A; Bill No. 1884 approves the sale and delivery of the same bonds; Bill No. 1885 authorizes the issuance, sale, and delivery of Temporary Notes Series 2018-A. Upon motion by Commissioner Hutto, seconded by Commissioner Jarvis all Commissioners voting aye, Bill No. 1883 was adopted and numbered Ordinance No. 4097.

Bill No. 1884 – A Resolution – Prescribing the form and details of and authorizing and directing the sale and delivery of General Obligation Bonds, Series 2018-A, of the City of Winfield, Kansas, previously authorized by Ordinance No. 4097 of the Issuer; making certain covenants and agreements to provide for the payment and security thereof; and authorizing certain other documents and actions connected therewith. Upon motion by Commissioner Jarvis, seconded by Commissioner Hutto all Commissioners voting aye, Bill No. 1884 was adopted and numbered Resolution No. 6818.

Bill No. 1885 – A Resolution – Authorizing and directing the issuance, sale, and delivery of General Obligation Temporary Notes, Series 2018-1, of the City of Winfield, Kansas; providing for the levy and collection of an annual tax, if necessary, for the purpose of paying the principal of and interest on said notes as they becomes due; making certain covenants and agreements to provide for the payment and security thereof; and authorizing certain other documents and actions connected therewith. Upon motion by Commissioner Hutto, seconded by Commissioner Jarvis all Commissioners voting aye, Bill No. 1885 was adopted and numbered Resolution No. 6918.

Bill No. 1886 – A Resolution – Determining the existence of certain nuisances in the City of Winfield, Kansas, and authorizing further action pursuant to the City Code of said City. Director of Public Improvements Steward explains that this resolution determines the existence of a nuisance at 520 E 10th Avenue. Steward explains that the City has hired a contractor to mow the property which revealed substantial clutter and trash. This action would allow the City to clean up the property if the owner fails to do so. Upon motion by Commissioner Hutto, seconded by Commissioner Jarvis all Commissioners voting aye, Bill No. 1886 was adopted and numbered Resolution No. 7018.

Bill No. 1887 – A Resolution – Authorizing an Outdoor Community Event and Temporary Entertainment District Application. City Manager Willmoth explains that this is an application for authorization of an outdoor event by the Winfield Arts and Humanities for the annual Art In the Park event. Upon motion by Commissioner Jarvis, seconded by Commissioner Hutto all Commissioners voting aye, Bill No. 1887 was adopted and numbered Resolution No. 7118.

Bill No. 1888 – A Resolution – Accepting and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas. Director of Utilities Collins explains that Bill No. 1888, Bill No. 1889, Bill No. 1890 and Bill No. 1891 all pertain to the same project. Collins explains that this project entails maintenance and replacement of electric poles per the advice of Osmose, which is a company that the City hired to evaluate the electric transmission system. All four of these easements allow for the completion of this portion of the project. This resolution is for 418 Bliss Street. Upon motion by Commissioner Hutto, seconded by Commissioner Jarvis all Commissioners voting aye, Bill No. 1888 was adopted and numbered Resolution No. 7218.

Bill No. 1889 – A Resolution – Accepting and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas. This resolution is for 420 Bliss Street. Upon motion by Commissioner Jarvis, seconded by Commissioner Hutto all Commissioners voting aye, Bill No. 1889 was adopted and numbered Resolution No. 7318.

Bill No. 1890 – A Resolution – Accepting and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas. This resolution is for 424 Bliss Street. Upon motion by Commissioner Hutto, seconded by Commissioner Jarvis all Commissioners voting aye, Bill No. 1890 was adopted and numbered Resolution No. 7418.

Bill No. 1891 – A Resolution – Accepting and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas. This resolution is for 426 Bliss Street. Upon motion by Commissioner Jarvis, seconded by Commissioner Hutto all Commissioners voting aye, Bill No. 1891 was adopted and numbered Resolution No. 7518.

OTHER BUSINESS

-Consider voting delegates for the League of Municipalities Annual Conference October 6-8, 2018 - Commissioner Hutto made a motion to appoint Jeremy Willmoth as voting delegate for the League of Municipalities Annual Conference October 6-8, 2018. Motion was seconded by Commissioner Jarvis. With all Commissioners voting aye, motion carried.

-Consider a Drinking Establishment license application from Bryan M. Bell d/b/a Dusty Boot Saloon, 815 Main Street - City Clerk Peters presented a Drinking Establishment license application for Bryan M. Bell d/b/a Dusty Boot Saloon, 815 Main Street for Commission consideration. City Clerk Peters explained that the Fire Inspection would not be performed until after the building remodel was finished, and a blueprint of the building were received by the City. Commissioner Hutto made a motion to accept the Drinking Establishment License application for Dusty Boot Saloon, upon the receipt of and reviewing of the building footprint as well as a satisfactory inspection by the Fire Marshal. Motion was seconded by Commissioner Jarvis. With all Commissioners voting aye, motion carried.

-Executive Session to discuss non-elected personnel - Commissioner Jarvis made a motion that the Commission move into executive session to discuss an individual employee's performance pursuant to the non-elected personnel exception, K.S.A. 75-4319 (b)(1), and that the open meeting will reconvene in the Community Council Room at 6:20 p.m. Motion was seconded by Commissioner Hutto. With all Commissioners voting aye, motion carried.

Regular Session resumed at 6:20 p.m.

Commissioner Hutto made a motion that the Commission move into another executive session to discuss an individual employee's performance pursuant to the non-elected personnel exception, K.S.A. 75-4319 (b)(1), and that the open meeting will reconvene in the Community Council Room at 6:30 p.m. Motion was seconded by Commissioner Jarvis. With all Commissioners voting aye, motion carried.

Regular Session resumed at 6:30 p.m.

ADJOURNMENT

Upon motion by Commissioner Hutto, seconded by Commissioner Jarvis, all Commissioners voting aye, the meeting adjourned at 6:31 p.m.

Signed and sealed this 26th day of September 2018. Signed and approved this 1st day of October 2018.

Brenda Peters, City Clerk

Gregory N. Thompson, Mayor



Request for Commission Action

Date: 9/24/18

Requestor: Patrick Steward, Director of Public Improvements

Action Requested:

Consider a text amendment to the zoning regulations as it pertains to drinking establishments and microbreweries in the Central Business District.

Analysis:

Case PC2018-04: This case considers making changes to the current zoning regulations as they pertain to drinking establishments and microbreweries. The planning commission held a public hearing and recommended that the following amendments be approved:

Adding Microbrewery and Microdistillery to the allowable use table in Chapter 9. Their recommendation is to add it as a permitted use within the General Business District and as a Conditional Use within the Central Business District.

Amending the table to change "Drinking Establishments" from a permitted use to a conditional use within the Central Business District but to remove the requirement of footnote (6) for this zoning classification.

Amending footnote (6) to change the distance from "300 ft" to "200 ft" to match the current state statute and to remove residential districts as one of the areas that required distance provisions.

Fiscal Impact:

None

Attachments: Ordinance

(Published in *The Cowley Courier Traveler*, Friday, October 5, 2018)

BILL NO. 1892

ORDINANCE NO. 4098

AN ORDINANCE

AMENDING Article 9 of the Zoning Regulations of the City of Winfield, Kansas, by amending language within this article and by the addition of certain allowable commercial uses.

WHEREAS, the Winfield City Planning Commission conducted a public hearing on September 10, 2018, at the time and location as set forth in a public notice published in the *Cowley Courier Traveler* to consider an amendments to Article 9 of the Zoning Regulations as it pertains to Drinking Establishments and Micro-breweries, and,

WHEREAS, after due and proper consideration, the Planning Commission passed a motion recommending approval of said amendments; and,

WHEREAS, the Governing Body of the City of Winfield, Kansas, considers said amendments to be necessary and appropriate;

NOW, THEREFORE, BE IT ORDAINED BY THE GOVERNING BODY OF THE CITY OF WINFIELD, KANSAS, THAT:

Section 1. Article 9, Table 9-1 of the Zoning Regulations of the City of Winfield is revised by the following amendments :

A use in the table noted as item number fifty-three for: "Microbrewery, Microdistillery" shall be added. Said use shall be denoted as a permitted use in C-3, General Commercial Districts and as a conditional use within the C-4, Central Business District.

Use forty-eight of Table 9-1 for "Taverns, Bars, and drinking establishments" shall be amended by changed the use within the C-4, Central Business District to "C" Conditional and by removing footnote (6) from this district.

Footnote (6) of Table 9-1 shall be amended to read:

Provided that no such business which receives 30% or more of its annual gross revenue from the sale of alcoholic liquor shall be located within 200 feet of a church, public or parochial school, college, library or hospital.

Section 2. All provisions of said Article 9, Table 9-1 of the Zoning Regulations of the City of Winfield, Kansas shall remain in full force and effect except as they are in conflict or inconsistent herewith.

Section 3. This Ordinance shall be in full force and effect from and after its passage and publication in the official city newspaper.

ADOPTED this 1st day of October, 2018.

(SEAL)

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk

Approved as to form: _____
William E. Muret, City Attorney

Approved for Commission action: _____
Jeremy Willmoth, City Manager/ps



Request for Commission Action

Date: September 27, 2018

Requestor: John Adams, Code Enforcement Inspector

Action Requested: Seeking approval of 1 nuisance resolution ordering the removal and abatement of a trash nuisance at 802 E. 16th Ave.

Analysis: Several areas on the property contain small piles of discarded trash and rubbish, a large limb pile in the backyard off Howland St. and a stack of wooden pallets in the driveway viewable from the public way. Overgrowth of sapling trees and brush prohibit the view of the house and backyard from the public way and it is unknown as to what other trash will need to be removed from the property until the resolution has been approved and the area thoroughly inspected. Letters sent to the owner regarding upkeep of the yard and addressing the trash have been ignored to date. The lawn is now being mowed by contractor.

Fiscal Impact: Unknown fiscal impact as of now. Will hire Moore Cut to complete the clean up as the company has been maintaining the yard this summer. Per neighbors, the owner has or is in the process of moving to another city and stated that she would pay whatever bills were presented to her from the city. Past specials affixed to property taxes have been paid by the owner.

Attachments: Nuisance Resolution – 802 E. 16th Ave.

A RESOLUTION

DETERMINING the existence of certain nuisances in the City of Winfield, Kansas, and authorizing further action pursuant to the City Code of said City.

WHEREAS, under the provisions of Section 54-3 and 70-2 of the Winfield City Code, Winfield, Kansas, adopted pursuant to K.S.A. 12-1617e, the Governing Body has the power to remove or abate from any lot or parcel of ground within the City any nuisance thereon, upon a finding and determination thereof by said Governing Body; and,

WHEREAS, the City's inspector, on or about the 9th day of September, 2018 and on prior and subsequent times, inspected the premises described below and observed the following conditions as set forth below;

NOW, THEREFORE, BE IT RESOLVED BY THE GOVERNING BODY OF THE CITY OF WINFIELD, KANSAS, THAT:

Section 1. The conditions hereinafter described are hereby found to be nuisances, and determined to be a menace and dangerous to the health of the inhabitants of the city or of any neighborhood, family or resident of the city, to wit:

(1) Owner: GOEKE, SABINE
802 E 16TH
WINFIELD, KS. 67156

Occupant: VACANT

Property Address: 802 E 16TH

Legal Description: Beginning at a point 190 feet West of the Southeast corner of Block 275, Loomis Second Addition to the City of Winfield, Cowley County, Kansas; thence North on a line parallel with the West line of said Block to Right of Way of Denver, Memphis and Atlantic Railway; thence Northwesterly along the North line of said Block to the Northwest corner thereof; thence South on the West line of said Block to the Southwest corner thereof; thence East to place of beginning and being a tract of land from off the West side of said Block 275, 144.3 feet wide, EXCEPT therefrom a tract described as follows: A tract or parcel of land 14 feet wide beginning at the East end of the alley running through Block 255, Loomis Second Addition to the City of Winfield, containing 1820 square feet as per warranty deed given by Isaac J. Glass and wife to the City of Winfield, dated February 9, 1944, and recorded in Book 111, Page 172 in the office of the Register of Deeds, Cowley County, Kansas, except the tract conveyed to the City of Winfield, which deed is

recorded in Book 146 of Deeds, Page 309, described as follows: Beginning at a point on the South right of way line of Denver Memphis and Atlantic Railway 14 feet East of the East Line of Block 255 in Loomis Second Addition to the City of Winfield; thence South 20 feet to a point; thence East parallel to the South line of Block 275 to an intersection with the South right of way line; thence Northwesterly along South right of way line; thence Northwesterly along South right of way line to point of beginning, being a tract in the Northwest corner of Block 275, Loomis Second Addition to the City of Winfield, Cowley County, Kansas.

Nature of Nuisance: A nuisance consisting of miscellaneous trash, and junk throughout property, stack of wooden pallets in driveway.

Disposition of Items: Property items determined by the City to be of value will be impounded and stored at the City impound lot. Such items may be retrieved after appropriate impound fees and other incurred expenses have been paid by the owners.

Section 2. The Clerk of the City of Winfield, Kansas is hereby authorized to issue notice for the removal and abatement of said nuisances and take any remedial action as authorized under Section 54-2 of the Winfield City Code, Winfield, Kansas.

Section 3. This resolution shall be in full force and effect from and after its passage and approval.

ADOPTED this 1st day of October, 2018.

(SEAL)

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk

Approved as to form: _____
William E. Muret, City Attorney

Approved for Commission action: _____
Jeremy Willmoth, City Manager/jha

A RESOLUTION

ACCEPTING and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas.

WHEREAS, it was necessary to acquire a certain permanent easement to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances in Cowley County, Kansas; and,

WHEREAS, said easement has been successfully negotiated.

BE IT RESOLVED BY THE GOVERNING BODY OF THE CITY OF WINFIELD, KANSAS, THAT:

Section 1. The Mayor and Clerk of the City of Winfield, Kansas, are hereby authorized and directed to accept a certain permanent easement in Cowley County, Kansas, granted by Scott Showalter and Delisa Showalter, owners in Cowley County, Kansas, Gregory N. Thompson, Mayor, necessary to provide right-of-way for the purpose of installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across the real estate described as follows:

Five feet either side of the utility lines as constructed across a tract of land described as beginning at a point 1600 and 4/13 feet East and 11 ½ feet North of the Southwest corner of the Southeast Quarter of Section 21, Township 32 South, Range 4 East of the 6th P.M. Cowley County, Kansas; thence running North 118 feet for point of beginning; thence North 31 feet; thence East 90 feet; thence South 31 feet; thence West 90 feet to place of beginning.

Section 2. The Clerk of the City of Winfield, Kansas shall record said easement with the Register of Deeds of Cowley County, Kansas.

Section 3. This resolution shall be in full force and effect from and after its adoption.

ADOPTED this 1st day of October, 2018.

(SEAL)

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk

Approved as to form: _____
William E. Muret, City Attorney

Approved for Commission action: _____
Jeremy Willmoth, City Manager /ps

PERMANENT EASEMENT

We, Scott A. Showalter and Delisa L. Showalter, owners, in consideration of the benefit to be obtained from the utility lines which are the subject of these easements, payment of the sum of \$1.00 and other valuable consideration, receipt of which is hereby acknowledged, do hereby convey and assign to the CITY OF WINFIELD, Cowley County, Kansas, permanent easements and right-of-way for the purpose of installation, construction, maintenance, repair, and removal of said utilities and the necessary appurtenances therefor, in, over, under, and across the real estate in the Southwest corner of the Southeast Quarter of Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas, described as follows:


Five feet either side of the utility lines as constructed across a tract of land described as beginning at a point 1600 and 4/13 feet East and 11 ½ feet North of the Southwest corner of the Southeast Quarter of Section 21, Township 32 South, Range 4 East of the 6th P.M. Cowley County, Kansas; thence running North 118 feet for point of beginning; thence North 31 feet; thence East 90 feet; thence South 31 feet; thence West 90 feet to place of beginning.

The amount of money as set forth herein is in full payment for the use of said property and the undersigned releases the City of Winfield, Kansas, from any claims for damages for acts or omissions pertaining to the purpose as set forth herein except for negligence on the part of said City. There are no other agreements, oral or written, between the parties except as set forth herein.

This easement is binding upon the heirs, executors, administrators, successors, trustees, and assigns of the parties hereto.


Dated this 28 day of September, 2018.


Scott A. Showalter


Delisa L. Showalter

STATE OF KANSAS
COUNTY of COWLEY, SS.

On this 28 day of September, 2018, before me a notary public in and for said county and state, personally appeared Scott A. Showalter and Delisa L. Showalter, to me known to be the person named in and who executed the foregoing instrument, and duly acknowledged the execution thereof.


Notary Public

My commission expires:

Aug 21,
2022



Accepted and authorized for filing in the Office of Register of Deeds, Cowley County, Kansas, this day of 2018, by Resolution No. of the Governing Body of the City of Winfield, Kansas.

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk

A RESOLUTION

ACCEPTING and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas.

WHEREAS, it was necessary to acquire a certain permanent easement to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances in Cowley County, Kansas; and,

WHEREAS, said easement has been successfully negotiated.

BE IT RESOLVED BY THE GOVERNING BODY OF THE CITY OF WINFIELD, KANSAS, THAT:

Section 1. The Mayor and Clerk of the City of Winfield, Kansas, are hereby authorized and directed to accept a certain permanent easement in Cowley County, Kansas, granted by William Bloedel and Elin Bloedel, owners in Cowley County, Kansas, Gregory N. Thompson, Mayor, necessary to provide right-of-way for the purpose of installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across the real estate described as follows:

Five feet either side of the utility lines as constructed across a tract of land described as beginning at a point 1839 8/13 feet East and 151 ½ feet North of the Southwest corner of the Southeast Quarter of Section 21, Township 32 South, Range 4 East of the 6th P.M. in Cowley County, Kansas; thence North 120 feet; thence West 80 feet; thence South 120 feet; thence East 80 feet to the place of beginning.

Section 2. The Clerk of the City of Winfield, Kansas shall record said easement with the Register of Deeds of Cowley County, Kansas.

Section 3. This resolution shall be in full force and effect from and after its adoption.

ADOPTED this 1st day of October, 2018.

(SEAL)

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk

Approved as to form: _____
William E. Muret, City Attorney

Approved for Commission action: _____
Jeremy Willmoth, City Manager /ps

PERMANENT EASEMENT

We, A. William Bloedel, Jr. and Elin A. Bloedel, owners, in consideration of the benefit to be obtained from the utility lines which are the subject of these easements, payment of the sum of \$1.00 and other valuable consideration, receipt of which is hereby acknowledged, do hereby convey and assign to the CITY OF WINFIELD, Cowley County, Kansas, permanent easements and right-of-way for the purpose of installation, construction, maintenance, repair, and removal of said utilities and the necessary appurtenances therefor, in, over, under, and across the real estate in the Southwest corner of the Southeast Quarter of Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas, described as follows:

Five feet either side of the utility lines as constructed across a tract of land described as beginning at a point 1839 8/13 feet East and 151 ½ feet North of the Southwest corner of the Southeast Quarter of Section 21, Township 32 South, Range 4 East of the 6th P.M. in Cowley County, Kansas; thence North 120 feet; thence West 80 feet; thence South 120 feet; thence East 80 feet to the place of beginning.

The amount of money as set forth herein is in full payment for the use of said property and the undersigned releases the City of Winfield, Kansas, from any claims for damages for acts or omissions pertaining to the purpose as set forth herein except for negligence on the part of said City. There are no other agreements, oral or written, between the parties except as set forth herein.

This easement is binding upon the heirs, executors, administrators, successors, trustees, and assigns of the parties hereto.

Dated this 17th day of September, 2018.

A. William Bloedel, Jr.
A. William Bloedel, Jr.


Elin A. Bloedel
Elin A. Bloedel

STATE OF KANSAS
COUNTY of COWLEY, SS.

On this 17th day of September, 2018, before me a notary public in and for said county and state, personally appeared A. William Bloedel, Jr. and Elin A. Bloedel, to me known to be the person named in and who executed the foregoing instrument, and duly acknowledged the execution thereof.

Danielle C. Fullhart
Notary Public

My commission expires: Aug 21, 2022



Accepted and authorized for filing in the Office of Register of Deeds, Cowley County, Kansas, this _____ day of _____ 2018, by Resolution No. _____ of the Governing Body of the City of Winfield, Kansas.

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk

Block 203

GILBERT'S ADDITION

Block: 204
Lot: 10

Block: 204
Lot: 12

Block: 204
Lot: 11

City of Winfield
Proposed Utility Easement
Bloedel Property
615 E 4TH
July, 2018



Legend

- Existing Easements
- Proposed Easement




Proposed 10'
Utility Easement

Bloedel Property
615 E 4TH

SE 1/4 21 - 32 S - 04 E

NE 1/4 28 - 32 S - 04 E



A RESOLUTION

ACCEPTING and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas.

WHEREAS, it was necessary to acquire a certain permanent easement to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances in Cowley County, Kansas; and,

WHEREAS, said easement has been successfully negotiated.

BE IT RESOLVED BY THE GOVERNING BODY OF THE CITY OF WINFIELD, KANSAS, THAT:

Section 1. The Mayor and Clerk of the City of Winfield, Kansas, are hereby authorized and directed to accept a certain permanent easement in Cowley County, Kansas, granted by Daniel Bader and Jenni Bader, owners in Cowley County, Kansas, Gregory N. Thompson, Mayor, necessary to provide right-of-way for the purpose of installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across the real estate described as follows:

The East 10 feet of a tract of land described as beginning at a point 1600 and 4/13 feet East and 11 ½ feet North of the Southwest corner of the Southeast Quarter of Section 21, Township 32 South, Range 4 East of the 6th P.M., in the City of Winfield, Cowley County, Kansas; thence running North 39 feet; thence running east 96 feet; thence running South 39 feet; thence running West 96 feet to the place of beginning.

Section 2. The Clerk of the City of Winfield, Kansas shall record said easement with the Register of Deeds of Cowley County, Kansas.

Section 3. This resolution shall be in full force and effect from and after its adoption.

ADOPTED this 1st day of October 2018.

(SEAL)

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk

Approved as to form: _____
William E. Muret, City Attorney

Approved for Commission action: _____
Jeremy Willmoth, City Manager /ps

PERMANENT EASEMENT

We, Daniel J. Bader and Jenni Bader, owners, in consideration of the benefit to be obtained from the utility lines which are the subject of these easements, payment of the sum of \$1.00 and other valuable consideration, receipt of which is hereby acknowledged, do hereby convey and assign to the CITY OF WINFIELD, Cowley County, Kansas, permanent easements and right-of-way for the purpose of installation, construction, maintenance, repair, and removal of said utilities and the necessary appurtenances therefor, in, over, under, and across the real estate in the Southwest Corner of the Southeast Quarter of Section 21, Township 32 South, Range 4 East of the 6th P.M., City of Winfield, Cowley County, Kansas, described as follows:


The East 10 feet of a tract of land described as beginning at a point 1600 and 4/13 feet East and 11 ½ feet North of the Southwest corner of the Southeast Quarter of Section 21, Township 32 South, Range 4 East of the 6th P.M., in the City of Winfield, Cowley County, Kansas; thence running North 39 feet; thence running east 96 feet; thence running South 39 feet; thence running West 96 feet to the place of beginning.

The amount of money as set forth herein is in full payment for the use of said property and the undersigned releases the City of Winfield, Kansas, from any claims for damages for acts or omissions pertaining to the purpose as set forth herein except for negligence on the part of said City. There are no other agreements, oral or written, between the parties except as set forth herein.

This easement is binding upon the heirs, executors, administrators, successors, trustees, and assigns of the parties hereto.


Dated this 11th day of September, 2018.


Daniel J. Bader


Jenni Bader

STATE OF KANSAS
COUNTY of COWLEY, SS.

On this 11th day of September, 2018, before me a notary public in and for said county and state, personally appeared Daniel Bader, to me known to be the person named in and who executed the foregoing instrument, and duly acknowledged the execution thereof.


Notary Public

My commission expires: Aug. 21, 2022



Accepted and authorized for filing in the Office of Register of Deeds, Cowley County, Kansas, this ___ day of _____ 2018, by Resolution No. _____ of the Governing Body of the City of Winfield, Kansas.

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk

City of Winfield
 Proposed Utility Easement
 Bader Property
 428 BLISS
 July, 2018

Block: 204
 Lot: 10

Block: 204
 Lot: 12

Block: 204
 Lot: 11



Legend


- Existing Easements
- Proposed Easement

Bader Property
 428 BLISS

Proposed 10'
 Utility Easement

SE 1/4 21 - 32 S - 04 E

NE 1/4 28 - 32 S - 04 E



A RESOLUTION

ACCEPTING and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in the East Half of Section 10, Township 33 South, Range 4 East of the 6th P.M., Cowley County, Kansas.

WHEREAS, it was necessary to acquire a certain permanent easement to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances in Cowley County, Kansas; and,

WHEREAS, said easement has been successfully negotiated.

BE IT RESOLVED BY THE GOVERNING BODY OF THE CITY OF WINFIELD, KANSAS, THAT:

Section 1. The Mayor and Clerk of the City of Winfield, Kansas, are hereby authorized and directed to accept a certain permanent easement in Cowley County, Kansas, granted by Michael Reynolds, owner in Cowley County, Kansas, Gregory N. Thompson, Mayor, necessary to provide right-of-way for the purpose of installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across the real estate described as follows:

Ten feet either side of the utility lines as constructed across a tract of land described as commencing at the Southwest corner of said East Half ; thence north 00deg 11 min. 22 sec. East (assumed), along the West line of said East Half, a distance of 2070.00 feet to a 1/2" rebar-cap#1323 being the point of beginning of the herein described tract; thence continuing North 00 deg. 11 min. 22 sec. East, along the West line of said Southeast Quarter, a distance of 120.00 feet to a 1/2" rebar-cap#1323; thence North 84 deg. 59 min. 38 sec. East, a distance of 490.00 feet to a 1/2" rebar-cap#1323; thence North 19 deg. 48 min. 30 sec. East, a distance of 614.0 feet, more or less, to the centerline of the Walnut River, thence Southeasterly along the centerline of the Walnut River, a distance of 721.0 feet, more or less, to a point; thence South 36 deg. 50 min. 17 sec. West, a distance of 493.0 feet, more or less to a 1/2" rebar-cap#1323; thence North 87 deg. 42 min. 25 sec. West, a distance of 1010.0 feet to the point of beginning.

Section 2. The Clerk of the City of Winfield, Kansas shall record said easement with the Register of Deeds of Cowley County, Kansas.

Section 3. This resolution shall be in full force and effect from and after its adoption.

ADOPTED this 1st day of October 2018.

(SEAL)

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk

Approved as to form: _____
William E. Muret, City Attorney

Approved for Commission action: _____
Jeremy Willmoth, City Manager /ps

PERMANENT EASEMENT


I, Michael Reynolds, owner, in consideration of the benefit to be obtained from the utility lines which are the subject of these easements, payment of the sum of \$1.00 and other valuable consideration, receipt of which is hereby acknowledged, do hereby convey and assign to the CITY OF WINFIELD, Cowley County, Kansas, permanent easements and right-of-way for the purpose of installation, construction, maintenance, repair, and removal of said utilities and the necessary appurtenances therefor, in, over, under, and across the real estate in the East Half of Section 10, Township 33 South, Range 4 East of the 6th P.M., Cowley County, Kansas, described as follows:

Ten feet either side of the utility lines as constructed across a tract of land described as commencing at the Southwest corner of said East Half ; thence north 00deg 11 min. 22 sec. East (assumed), along the West line of said East Half, a distance of 2070.00 feet to a 1/2" rebar-cap#1323 being the point of beginning of the herein described tract; thence continuing North 00 deg. 11 min. 22 sec. East, along the West line of said Southeast Quarter, a distance of 120.00 feet to a 1/2" rebar-cap#1323; thence North 84 deg. 59 min. 38 sec. East, a distance of 490.00 feet to a 1/2" rebar-cap#1323; thence North 19 deg. 48 min. 30 sec. East, a distance of 614.0 feet, more or less, to the centerline of the Walnut River, thence Southeasterly along the centerline of the Walnut River, a distance of 721.0 feet, more or less, to a point; thence South 36 deg. 50 min. 17 sec. West, a distance of 493.0 feet, more or less to a 1/2" rebar-cap#1323; thence North 87 deg. 42 min. 25 sec. West, a distance of 1010.0 feet to the point of beginning.

The amount of money as set forth herein is in full payment for the use of said property and the undersigned releases the City of Winfield, Kansas, from any claims for damages for acts or omissions pertaining to the purpose as set forth herein except for negligence on the part of said City. There are no other agreements, oral or written, between the parties except as set forth herein.


This easement is binding upon the heirs, executors, administrators, successors, trustees, and assigns of the parties hereto.

Dated this 24th day of September, 2018.



Michael Reynolds

STATE OF KANSAS
COUNTY of COWLEY, SS.

On this 24th day of September, 2018, before me a notary public in and for said county and state, personally appeared Michael Reynolds, to me known to be the person named in and who executed the foregoing instrument, and duly acknowledged the execution thereof.


Notary Public

My commission expires: 10/21/18



Accepted and authorized for filing in the Office of Register of Deeds, Cowley County, Kansas, this day of 2018, by Resolution No. of the Governing Body of the City of Winfield, Kansas.

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk



City of Winfield
Proposed Utility Easement
Reynolds Property
20720 95TH RD
August, 2018

S10-T33S-R4E

Reynolds Property
20720 95TH RD

Proposed 20'
Utility Easement

95TH RD

Legend

- Existing Easements
- Proposed Easement



PRODUCED BY THE CITY OF WINFIELD ENGINEERING, LLC. DEPT. USING THE BEST AVAILABLE DATA AS OF 8/1/18. THE CITY OF WINFIELD IS NOT RESPONSIBLE FOR ERRORS OR OMISSIONS. AERIAL PHOTO COURTESY OF 30.



A RESOLUTION

ACCEPTING and authorizing the filing of a certain permanent easement necessary to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across real estate in the Southeast Quarter of Section 10, Township 33 South, Range 4 East of the 6th P.M., Cowley County, Kansas.

WHEREAS, it was necessary to acquire a certain permanent easement to provide right-of-way for installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances in Cowley County, Kansas; and,

WHEREAS, said easement has been successfully negotiated.

BE IT RESOLVED BY THE GOVERNING BODY OF THE CITY OF WINFIELD, KANSAS, THAT:

Section 1. The Mayor and Clerk of the City of Winfield, Kansas, are hereby authorized and directed to accept a certain permanent easement in Cowley County, Kansas, granted by Doris Reynolds Living Trust and Michael Reynolds Trustee, owners, in Cowley County, Kansas, Gregory N. Thompson, Mayor, necessary to provide right-of-way for the purpose of installation, construction, maintenance, repair, and removal of the utilities and the necessary appurtenances therefore, in, over, under, and across the real estate described as follows:

Ten feet either side of the utility lines as constructed across a tract of land described as the Southeast Quarter of Section 10, Township 33 South, Range 4 East, except 40 acres out of the East half of said Southeast Quarter described as follows: Commencing at Southeast corner of said Southeast Quarter thence North 112 rods; thence West 56.9 rods; thence South to South line of said quarter section, thence East to place of beginning, also except that part of said Southeast Quarter lying North of middle of Walnut River, also a tract beginning at Southwest corner of Northeast Quarter of section 10-33-4 and running thence North 21 rods; thence a little North of East to a cluster of elm trees close to Walnut River 1 ½ rods North of deep ravine; thence East to center of Walnut River thence down the center of said Walnut River to South line of said quarter section, thence West to place of beginning.

Section 2. The Clerk of the City of Winfield, Kansas shall record said easement with the Register of Deeds of Cowley County, Kansas.

Section 3. This resolution shall be in full force and effect from and after its adoption.

ADOPTED this 1st day of October 2018.

(SEAL)

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk

Approved as to form: _____
William E. Muret, City Attorney

Approved for Commission action: _____
Jeremy Willmoth, City Manager /ps

PERMANENT EASEMENT

I, Doris Reynolds Living Trust and Michael Reynolds Trustee, owners, in consideration of the benefit to be obtained from the utility lines which are the subject of these easements, payment of the sum of \$1.00 and other valuable consideration, receipt of which is hereby acknowledged, do hereby convey and assign to the CITY OF WINFIELD, Cowley County, Kansas, permanent easements and right-of-way for the purpose of installation, construction, maintenance, repair, and removal of said utilities and the necessary appurtenances therefor, in, over, under, and across the real estate in the Southeast corner of the Southwest Quarter of Section 10, Township 33 South, Range 4 East of the 6th P.M., Cowley County, Kansas, described as follows:

Ten feet either side of the utility lines as constructed across a tract of land described as the Southeast Quarter of Section 10, Township 33 South, Range 4 East, except 40 acres out of the East half of said Southeast Quarter described as follows: Commencing at Southeast corner of said Southeast Quarter thence North 112 rods; thence West 56.9 rods; thence South to South line of said quarter section, thence East to place of beginning, also except that part of said Southeast Quarter lying North of middle of Walnut River, also a tract beginning at Southwest corner of Northeast Quarter of section 10-33-4 and running thence North 21 rods; thence a little North of East to a cluster of elm trees close to Walnut River 1 ½ rods North of deep ravine; thence East to center of Walnut River thence down the center of said Walnut River to South line of said quarter section, thence West to place of beginning.

The amount of money as set forth herein is in full payment for the use of said property and the undersigned releases the City of Winfield, Kansas, from any claims for damages for acts or omissions pertaining to the purpose as set forth herein except for negligence on the part of said City. There are no other agreements, oral or written, between the parties except as set forth herein.

This easement is binding upon the heirs, executors, administrators, successors, trustees, and assigns of the parties hereto.

Dated this 24th day of September, 2018.

Michael Reynolds Trustee
Doris Reynolds Living Trust
Michael Reynolds Trustee

STATE OF KANSAS
COUNTY of COWLEY, SS.

On this 24th day of September, 2018, before me a notary public in and for said county and state, personally appeared Doris Reynolds, to me known to be the person named in and who executed the foregoing instrument, and duly acknowledged the execution thereof.

Kathy J. Waite
Notary Public

My commission expires: 10/21/18



Accepted and authorized for filing in the Office of Register of Deeds, Cowley County, Kansas, this day of 2018, by Resolution No. of the Governing Body of the City of Winfield, Kansas.

Gregory N. Thompson, Mayor

ATTEST:

Brenda Peters, City Clerk



City of Winfield
Proposed Utility Easement
Reynolds Property
20688 95TH RD
August, 2018

95TH RD


S10-T33S-R4E

Reynolds Property
20688 95TH RD

Proposed 20'
Utility Easement

Legend

- Existing Easements
- Proposed Easement



PRODUCED BY THE CITY OF WINFIELD ENGINEERING (A.S. NOT USING THE BEST AVAILABLE INFORMATION OF 9/2018. THE CITY OF WINFIELD IS NOT RESPONSIBLE FOR ERRORS OR OMISSIONS. AERIAL PHOTOS CURRENTLY AS OF 2018.

Request for Commission Action

Date: 9/24/2018

Requestor: Fire/EMS Chief Vincent Warren

Action Requested:

- Consider quotes for a new ambulance appropriated in the 2018 Fire/EMS budget.

Analysis:

- The Fire/EMS Equipment Specification Committee solicited and received quotes from Braun Custom Ambulances and Emergency Services Supply (Osage Ambulances) for a new Type I Ambulance. The department would replace a 2003 unit (Medic 72), one of the original units transferred to the City from Winfield Area EMS. Medic 72 is currently out of service (needing a transmission replacement, estimated \$5,000) with over 220,000 miles.

Fiscal Impact:

- \$210,000 appropriated in 2018 Fire/EMS budget
- Staff recommendation would be to accept quote from Emergency Services Supply for a new Osage ambulance, \$198,900, through H-GAC
- City is/has been a member of H-GAC, Houston-Galveston Area Council, a cooperative purchasing program that assists local governments in reducing costs through a government-to-government procurement service available nationwide
- Current Medic 72 would be offered through online auction "as is". In current state it has minimal/no trade-in value. Osage has discussed an opportunity for the City to use an existing loaner unit upon receipt of order.

Attachments:



2014 Osage/Chevrolet Ambulance, FA#0010202



EMERGENCY SERVICES SUPPLY

6641 CHRISTOPHER DRIVE
ST. LOUIS, MO 63129
314/846-0911 Fax 314/846-4445
Cell 314/406-1723

DATE:	08/22/2018
ESTIMATION TO:	Winfield Fire & EMS
DELIVERY LOCATION:	Winfield, KS
DELIVERY TIME:	2019 (TBD on Purchase Agreement Date)
PAYMENT:	Net on delivery

2019 Osage Type I Ambulance with a 2019 Ford F450, 4X4, 6.7L Powerstroke Diesel, 169" wheelbase, dual rear wheel cab chassis & built as listed herein:

TOTAL NET DELIVERED PRICE - - - - - \$198,900.00**

** If multiple trucks agreed to, discount each truck \$1,000.00.

Quotation valid for 30 days without review.

HGAC.

Includes delivery of ambulance to Winfield, KS.

Kyle Shimmens
Emergency Services Supply / Osage Ambulances
573.469.5683
kshimmens@osageind.com



WARRANTY

Three Year / 36,000 Mile Product Conversion

Five Year / 100,000 Mile (Non Pro-rated) Modular Paint

3 year / 36,000 Mile Graphics

Seven Year / 72,000 Mile Electrical System

Lifetime Modular Body Structure

CHASSIS

2019 Ford F450,4X4 w/ 47A Ambulance Prep Package - RED

169" Wheel Base w/ Dual Rear Wheels

Liquid Spring Suspension

GVWR: 16,500 LBS

6.7 L Turbo Diesel w/ Ford Block Heater

Ford Engine Hour Meter

Ford Auxiliary Idler Control Unit

Torqshift™ 6-Speed Automatic Transmission w/ Tow / Haul Feature

4-Wheel Disc Brakes w/ ABS

Recessed Rear Tow Hooks

Thunderstruck Full Bumper Replacement

Aluminum Wheels

Aluminum Grip-Strut Running Boards

Rear Mud Flaps

Dual Air Bags

Grip Strut Running Boards

Dual Map Lights

Custom Center console to include Control Panel, Siren, Radios, Cup Holders, Padded arm rests

Aluminum Map Slots on rear wall of cab

Tilt Steering Wheel & Cruise Control

Electric Windows & Door Locks

Keyless Remote Entry

110V / USB outlet

Hidden Switch in Grill for Door Locks

AM/FM Stereo Clock Radio w/ CD & Cassette

Deluxe Cloth High Back Captains Chairs

Rubber Floor Mat I.L.O. Carpet

Ford OEM Mirrors, Heated and Power Adjust

Daytime Running Lights

MODULE

Module Dimensions: 156"L x 83"H x 96" W

Totally "Seamless" Body Construction

Exterior Side & Roof Panels .125" Aluminum

One-Piece Exterior Side Panels

One-Piece Crowned Roof

Frame Members 2" x 2" Aluminum Tubing

Frame Members on 12" Centers

Diamond Plate Shields:

- Across Lower Rear of Body
- Across Lower Front of Body
- Lower 1/3 of Entry Doors

All Exterior Doors "Pan-Formed" / Extruded Double Break Construction

All Body Openings "Seamless"

All Door Latches Mounted Behind Gaskets

Exterior Compartment @ Front Left for Storage of Oxygen Tanks – Full width shelf above

Curbside Backboard Storage #5

Exterior Compartment Adjustable Shelving

Cast "Grabber" Door Holders

Lower Body Impact Rub Rails

Dry Deck All Compartments

Polished Stainless Steel Fenderettes
Grip Strut Rear Step Bumper w/ Flip-up Center Section & 4" x 18" Dock Bumpers
Full Automotive Undercoating

WARNING SYSTEM

Two Red Whelen 7x3 LED's Mounted in Grill
Two Red Whelen 5x2 LED Intersection Lights Mounted in the Front Fenders
Two Red/Clear Whelen 7x3 LED Lights Mounted over rear wheel wells
Fourteen Red/Blue LED Whelen 9x7 Modular Lights
Two Red/Amber LED Whelen 9x7 Lights window height rear
One Clear LED Whelen 9x7 Front Center
One Amber LED Whelen 9x7 Rear Center
Two Whelen 90COENZR 24-DIODE LED 9x7 Scene Lights per Side – On in Reverse
Two Whelen 90COENZR 24-DIODE LED 9x7 Rear Load Lights
Chrome Flanges for all Exterior Lighting
Primary / Secondary Switching
Whelen 295 HFSC9 Dual Tone Siren
Buell Dual Air Horns Mounted Under Front Bumper
Cast Siren Speakers
Rear DOT Lighting Whelen LED 4x6 w/ Chrome Flanges: Red Tail / Brake, Amber Arrow Turn, Reverse
LED Clearance / Marker Lights

PAINT / GRAPHICS

See Mock-up of Winfield Paint/Graphics schematic – UPDATED WITH NO FLAG SCHEME ON REAR
Base Coat / Clear Coat Modular Paint
"No Smoking" & "Fasten Seat Belt" Signs

ELECTRICAL

Vanner Inverter / Conditioner w/ Remote Switch, Model 20-1050-CUL
Ford OEM Dual Alternators, 320 Amps
Auxiliary Condenser mounted on Upper Front of Module
Digital Voltmeter
Audible Low Voltage Alarm
Bosch, Vanner, Cole-Herse & Weldon Components
Weldon V-Mux 100% Solid State Micro-Processor Based Multiplex Electrical System
Wiring Color-Coded and Heat Embossed Every 6" w/ Function
Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area
Front Switch Console Mounted on the Floor
Hinge Mounted Attendant Switch Console
Hansom 7222 Color Reverse and Interior Cameras
Control Console Backlighting Dimmer
Battery Switch Activated via Ignition Switch
Open Door Warning Light
Power Door Locks on All Exterior Compartment Doors
Techniques E-41 LED Strip Lighting in all Exterior Compartments
Hand Held 300,000 CP Spotlight
Eight (8) Whelen Dual Intensity LED Patient Compartment Dome Lights
Exterior Auto-Eject Weatherproof Shoreline Receptacle – 20amp rear of ambulance w/ indicator light
Six Interior 110V Duplex Receptacles
USB outlet at action area counter
Dual USB outlets in curbside housing
Four Pre-Wire Antenna Cables, Pre-Wire & Ground for Radios w/ antenna bases installed
Electrical Back-up Alarm w/ Auto Re-set

INTERIOR

74" Interior Headroom
49" Aisle Width
All Vertical Corners 1" Radii
Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"

Lon-Plate non-skid Vinyl Flooring Rolled 3" Up Both Sides of Aisle – GUNMETAL
Speckled Gray Counter tops
Custom Black Vinyl
EMT Seat, Swivel Pedestal Mounted Deluxe Vinyl Captains Chair w/ 5-point Child Seat
CPR Seat, Three Piece Molded Cushions – 6-point harness & positioned further rearward (see drawings)
Storage below CPR seat
Custom Squad Bench (see drawings) – 6-point harnesses & storage below seats
Custom cabinet at rear end of squad bench seating
Flip-Up plexiglass storage above squad bench seating
Cargo Net forward end of curbside seating
Custom Housing for VMUX Switch Panel, Radios, outlets, HVAC controls at curbside
All Seat Cushions Seamless
Retractable Seat Belts for All Locations
Handicap Style, 1 ½" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating.
Handicap Style, 1 ½" Diameter, Stainless Steel Door Pulls on Patient Compartment Doors. These Bars shall be treated with Agion Anti-Bacterial Coating.
12" Stainless Grab Handle at side entry door
Double entry step on curbside entry door.
ALL Aluminum Cabinetry Interior – Color TBD
Painted Aluminum Headliner – Color TBD
Sliding "Pass-thru" Window between Cab and Patient Compartment
Interior Cabinet Lighting w/On/Off Switch Mounted in Action Panel (Strip LED)
2 plexiglass flip-ups on both sides of Ceiling HVAC duct on bulkhead wall
ALS Compartment w/ In/Out Access – Full Plexiglass Doors
2 Adjustable & 1 Fixed Shelf in ALS
SouthCo Stainless Steel Latches
Tilt-Up Speed Load Cabinets Upper Street Side
Interior Access to Exterior Compartment #4 – See drawings
R-29 Reflectix Insulation throughout Module, Sound Deadening Under Floor, 3M Sound Deadening on Back of Exterior Compartments, Delux Insulation on Side Entry Step
Digital Thermostat - Controlled Patient Compartment Heat & Cool System
3-Speed Manual Fan Control
Rear Heat & Cool Unit Mounted Floor Level;

- Moisture Drains Directly Through Floor
- Short Coolant Circulation Distance
- Eliminates Vertical Circulation of Coolant
- Unit Easily Accessible for Maintenance

Ceiling HVAC Vents - Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation
Two Recessed, Swing-up Dual IV Hangers
Two (2) "Zico" Retaining Bracket for Oxygen "M" Cylinders
One (1) Electric O2 Solenoid w/Switch
Two (2) Amico Digital O2 Gauges w/Regulators
One (1) O2 Flow Meter / Dial-Type Flowmeter
Two (2) Zico Portable O2 Brackets QRD2 - Mounted below pass-through window
SSCOR Self-Contained Suction System
Recessed Suction in Left Aisle Wall with Door
Glove Storage Over Side Entry Door (3 glove)
Glove Storage at Rear Street Side Doors (4 glove)
Sharps & Waste Drawer at the head of squad bench
Sharps & Waste thru Counter into #2 Compartment at Action Area
Digital Atomic Clock w/ Seconds
Knox Med Vault mounted above pass-through window
Stryker Performance Load Cot Fastener with Floor Plate & Hook



QUOTATION

City of Winfield Fire/EMS
Vince Warren
2701 East 9th. Ave.
Winfield, KS 67156

Pinnacle Emergency Vehicles
Justin Jarvis
10024 Hidden Acres Road
Gravette, AR 72736
(417) 540-0600
justin@pinnacle-ev.com

Exp. Date: 06/04/2018
Quote No: WINFIELD-0002
AMB I: 18EXP+I Express Plus 2018 Type I MOD 150"

04/05/2018

Page 1

PART NO	DESCRIPTION	QTY
	== Express Plus 2018 Type I MOD 150" - 18,400 03/07/18 ==	1
00-01-0004	3% CONTINGENCY ALLOWANCE INCLUDED 3% Contingency Allowance included = \$5,770	1
00-01-0006	DYNAMIC SIDE IMPACT & ROLLOVER TESTS KKK CHANGE NOTICE 8 REQUIRED	1
00-01-0018	BIDDER KKK-A-1822F CHANGE NOTICE 8 COMPLIANT	1
00-01-0019	BIDDER KKK-A-1822F CHANGE NOTICE 9 COMPLIANT	1
00-01-0020	BIDDER KKK-A-1822F CHANGE NOTICE 10 COMPLIANT	1
00-01-0021	WEIGHT RATINGS SPECIFIED, INTERIOR, LABELS, CN10 COMPLIANT All interior storage cabinets and drawers shall each have an affixed label that identifies weight rating specifications that must be adhered to in order to comply with all applicable requirements of KKK-A 1822F Change Notice 10.	1
00-01-0024	HGAC CONTRACT HGAC = Houston Galveston Area Council Fees include HGAC \$1000.00	1
00-01-0031	NO PERFORMANCE BOND REQUIRED No Performance Bond Required	1
00-01-0041	NO BID BOND REQUIRED No Bid Bond Required	1
00-01-0051	NO REQUIRED DELIVERY DATE No Specific Required by Delivery Date	1
00-01-0053	PRECONSTRUCTION MEETING NOT REQUIRED / REQUESTED The purchaser and / or end user does not wish to request a Pre-Construction meeting with the manufacturer.	1
00-01-0062	LEAD TIME DEFINED PLEASE NOTE: Vehicle lead time is established upon date of accepted order and receipt of chassis.	1
00-01-0081	OEM - CHASSIS INCENTIVE REQUEST FORM Amount shown is representation of the potential qualifying OEM chassis incentive at the time of the quote. Braun is not responsible for any incentive differences between OEM model years of any change in the available programs and can only honor amount received for order's qualifying chassis. The Ram incentive is included in the	1

PART NO	DESCRIPTION	QTY
	chassis price.	
00-01-0091	REQUIRED REMAINING EQUIPMENT PAYLOAD: The required remaining equipment payload for this unit is: _____	1
	CHASSIS PACKAGES	1
09-10-0001	** IMPORTANT ** CHASSIS NOTIFICATION Manufacturer is not responsible nor can control the OEM chassis production build out dates and change of model years. Published model years and pricing are subject to change between data sets and may need to be updated during the quote and / or order process.	1
00-01-0160	-- TYPE I - AMBULANCE - EXPRESS + I - 72" INTERIOR HEADROOM 2018 Express Plus Type I - 150" Module - 72" Interior Headroom	1
10-04-0046	-- CHASSIS - 2018 RAM 4500 168.5" WB 4X4 2018 price with the incentive. The last day to order 2018 is 4/12/18.	1
15-00-0004	-- YES CUSTOM CHASSIS REQUIRED SPECIAL CHASSIS QUOTED	1
15-00-0061	-- ALUMINUM WHEELS - INCLUDED WITH CHASSIS Aluminum wheels shall be ordered with the chassis. These will include the hub, hat and lug covers. Price to be included with custom quoted chassis /item is not standard. You will need to manually delete the Braun standard SS Wheel liners when applicable.	1
15-00-0126	-- CHASSIS PAINT - OPTIONAL PAINT COLOR - FLAME RED CLEAR COAT Chassis to be ordered in an optional paint color. Color to be Flame Red Clear Coat.	1
	OPTIONAL CHASSIS ITEMS - EXPRESS D4500 4X2 / 4X4	1
15-00-0078	-- BUMPER/GRILLE GUARD - THUNDERSTRUCK - DHD13-200 Install a Thunderstruck model #DHD13-200 Front End Replacement Bumper & Grille Guard. Grille lights will be mounted to the grille guard area. Siren speakers to be mounted behind the bumper with Star-of-Life cutouts in bumper. Air horns mounted in outer wings of bumper. Configuration to match customer's previous unit #6885. Per dwg. #1	1
20-20-0291	-- LIGHTS, DOME WELDON 8080 RED/CLEAR A Weldon #8080 dome light with red/clear push on/off lenses shall be installed in the cab headliner. The lights shall be activated by individual lamp switches.	1
	AUDIBLE WARNING ITEMS	1
30-10-0012	-- AIR HORNS - BUELL DUAL TRUMPETS 10" & 12", UNDR BMPR W/SW Air Horn - (Buell) dual trumpets, one (1) 10" and one (1) 12", mounted thru outer wings of replacement front bumper, one each side, compressor w/cover in OSS #2. The air horns shall be activated by a push button located on the MCC (master control console). See Dwg #1	1
30-10-0030	-- BACKUP ALARM An (OSHA approved) back up alarm shall be installed with a disable control for silent backing. The disable control shall be located on the MCC (master control console).	1
30-10-0753	-- SIREN, WHELEN 295-HFSA7-REMOTE WITH MICROPHONE A Whelen 295-HFSA7 remote dual siren amplifier shall be flush-mounted in the master control console located in the cab. The siren shall be capable of hands-free operation and shall be equipped with a noise canceling microphone.	1

PART NO	DESCRIPTION	QTY
30-10-0814	-- SIREN SPEAKERS, WHELEN SA315 - IN THE BUMPER OPENING Whelen dual 100 watt siren speakers shall be installed in the bumper opening.	1
STANDARD CHASSIS ITEMS		1
20-10-0099	-- FUEL TANK - FULL UPON FACTORY RELEASE	1
20-10-0103	-- SUSPENSION - LIQUID SPRING Liquid Spring	1
20-10-0209	-- BATTERY - TWO SYSTEM - D SERIES CHASSIS	1
20-10-0603	-- ENGINE BLOCK HEATER - OEM PLUG	1
20-20-0133	-- FLOOR CONSOLE - ANGLED FACE REMOVABLE PLATES - ALUMINUM A center floor console manufactured out of aluminum and covered in a black onyx scratch resistant, multi-use polychromatic coating with a clear epoxy finish shall be installed in the cab	1
20-10-0112	-- INBOARD ARM RESTS FOR ALUMINUM CONSOLE Install inboard arm rests in the cab. (arm rests Havis Shields C-ARM-102 mount to the aluminum floor console) Reference truck 5875	1
20-20-0252	-- HEAT SHIELDS, PROTECTIVE Three (3) aluminized steel protective heat shields shall be installed to the upper laterals above the exhaust system.	1
20-30-0210	-- MIRRORS, EXTERIOR OEM POWER TRAILER TOW MIRRORS The chassis shall have OEM foldaway power/heated trailer tow mirrors.	1
20-30-0806	-- RUNNING BOARDS - STAR PUNCHED DIAMOND PLATE	1
20-40-0208	-- OEM WHEELS - WITH VALVE STEM EXTENSIONS Delete the Stainless Steel Wheel liners, Keep Valve Extensions and OEM wheels.	1
30-25-3139	-- LIGHTS, FRONT GRILLE - (2) WHELEN 700 SUPER LED (1-RED/1-BLUE) W/CLEAR LENS Two (2) Whelen 700 series super LED warning lights, one (1) Red, and one (1) Blue with clear lenses shall be installed in the grille area of the chassis IPOS. Per dwg #1. Mount on grille guard.	1
30-27-1114	-- LIGHTS, INTERSECTION FRONT - WHELEN 700 SUPER LED - RED W/CLR LENS Two (2) Whelen 700 series red super LED warning lights, with clear lens and water-proof connectors shall be mounted, in 15 degree tilt housings on the front chassis fenders, one (1) on each side.	1
ELECTRICAL SYSTEM FEATURES		1
30-10-0072	-- CAMERA REAR VIEW - DUAL SYSTEM - VISTA SCREEN Install camera system dual system for rear view and patient area view. Tied to M-tech display screen. See Dwg #2 and #8	1
30-10-0262	-- INVERTER, VANNER - 1050 WATT, #20-1050CUL-DC CHARGER Vanner 20-1050CUL 1050-DC watt inverter with battery conditioner/charger, w/remote switch - non-hardwired shall be installed in OSS #2	1
30-10-0508	-- LIGHTS, INTERIOR CABINETS, RIDGEBACK 12V LED STRIP LIGHT, WHITE All polycarbonate door(s), interior cabinets shall have Ridgeback 12V white LED strip lights for interior compartment lighting. One (1) strip light will be located down each side of the cabinet, for a total of two (2) strips in each interior cabinet(s). Lights to be controlled by button on Vista Screen. NOTE: This excludes any interior I/O access openings.	1
30-10-0673	-- RADIO TIE-IN POINT - (2) 12V/25 AMP- CAB CONSOLE & PATIENT COMPT One (1) set of 12 volt/25 amp radio tie-in points shall be installed in the cab console	1

PART NO	DESCRIPTION	QTY
	area of the unit. The set shall include one (1) Battery Hot, one (1) Ignition Hot, and one (1) "Grounded" junction stud.	
	One (1) set of 12 volt /25 amp radio tie-in points shall be installed in the patient compartment attendant control panel area of the unit. The set shall include one (1) Battery Hot, one (1) Ignition Hot, and one (1) Grounded junction stud	
30-06-0005	-- ELECTRICAL SYSTEM - WELDON V-MUX, MICRO PROCESSOR BASED A Weldon V-MUX 100% solid state microprocessor based multiplex system shall be installed: (2) color control consoles (Vista) / (3) control nodes: (2) High Content nodes and (1) 8X 16 node / cab warning display	1
30-06-0015	-- VISTA IV ACP - PUSH BUTTON	1
30-06-0026	-- WARNING DISPLAY - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0050	-- DAYTIME RUNNING LAMPS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0076	-- MASTER CONTROL CONSOLE (MCC) - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0101	-- ATTENDANT CONTROL PANEL (ACP) - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0126	-- ELECTRICAL COMPARTMENT (PDQ) - MULTIPLEX ELECTRICAL SYSTEM electrical compartment shall have drop in door w/ (2) two chrome locking lever latches and shall be located on the partition wall behind the attendant seat.	1
30-06-0150	-- SPARE CIRCUIT - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0175	-- WIRING HARNESS CONNECTORS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0200	-- RADIO TIE-IN POINTS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0225	-- EMERGENCY MASTER SWITCH - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0250	-- CONTROL PANEL SWITCHES - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0275	-- MODULE POWER SWITCH - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0285	-- MODULE DISCONNECT - MULTIPLEX ELECTRICAL SYSTEM An In-Power disconnect shall be installed to keep the module power switch engaged, after the ignition is switched to the "off" position.	1
30-06-0300	-- VOLTMETER - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0325	-- FLASHER - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0350	-- FLASHING HEADLIGHTS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0375	-- PARK OVERRIDE - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0400	-- LOAD MANAGER-SEQUENTIAL SWITCHING SYSTEM - MULTIPLEX ELECTRIC SYSTEM	1
30-06-0410	-- WARNING LIGHTS FLASH PATTERN SIGNAL ALERT 75 - MULTIPLEX ELECTRICAL SYSTEM The default flash pattern for the vehicle warning lights shall be Signal Alert 75.	1
30-06-0450	-- FRONT CLEAR DISABLE SWITCH - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0475	-- CURBSIDE SCENE LIGHTS "ON" WITH CURBSIDE DOOR - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0500	-- REAR SCENE LIGHTS "ON" WITH REAR DOORS OPEN - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0525	-- DISABLE SWITCH FOR REAR SCENE LIGHTS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0550	-- DISABLE SWITCH FOR SIDE SCENE LIGHTS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0575	-- REVERSE (TRANSMISSION) FUNCTIONS - MULTIPLEX ELECTRICAL SYSTEM	1
30-10-0901	-- SYSTEM ACTIVE AND CHECK OUT LIGHTS - 15 MINUTES	1
30-11-0106	-- LIGHTS, DOME SUPER LED (8) WHELEN Eight (8) Whelen #LED (80C0EHCR) dome lights, shall be installed. See dwg #9	1
50-60-0257	-- EXHAUST VENTILATOR, 3-SPEED - MULTIPLEX ELECTRIC SYSTEM Locate on front wall per Dwg #7	1

PART NO	DESCRIPTION	QTY
50-60-0640	<p>I-- OXYGEN SYSTEM, ELECTRIC - MULTIPLEX ELECTRIC SYSTEM - DUAL TANKS</p> <p>Install Electric Oxygen system IPOS manual (this includes bypass) for DUAL tank system. Reference programming on unit #6885 for functionality. Low pressure alarm to be set to 100psi.</p>	1
50-60-0629	<p>I-- FLOW METER, OXYGEN - THORPE STYLE</p> <p>One (1) Thorpe style oxygen flow meter shall be shipped loose with the completed vehicle. (Braun #15920)</p>	1
30-10-0110	ELECTRICAL CIRCUITS	1
30-10-0190	GROUND FAULT CIRCUIT INTERRUPTER (GFCI)	1
30-10-0414	<p>LIGHT OSS COMPARTMENT - LED ROPE</p> <p>Each outside storage compartment shall be equipped with LED rope lighting which shall be located across the top and down both sides of the door opening, IPOS. This includes all 6 OSS compartments.</p>	1
30-10-0535	<p>OUTLETS, 125VAC - FIVE (5) INTERIOR DUPLEX</p> <p>One (1) in forward action area (std). Located per dwg. #5.</p> <p>Two (2) in rearward portion of forward action area. Located per dwg. #5.</p> <p>One (1) in lower front wall cabinet (std). Located per dwg. #7.</p> <p>One (1) on the curbside wall above the head end of squad bench. Located per dwg. #6.</p>	1
30-10-0560	<p>OUTLETS, 12VDC - THREE (3) INTERIOR POWERPOINT</p> <p>One (1) in forward action area (std)</p> <p>One (1) in lower front wall cabinet (std)</p> <p>One (1) on the curbside wall above the head end of squad bench. Located per dwg. #6.</p>	1
30-10-0663	<p>RADIO ANTENNA BASES - FOUR (4)</p> <p>Antenna Base - Install two (2) additional base and coax,</p> <p>Two (2) antenna bases are to terminate in the MCC.</p> <p>One (1) to terminate to the vented radio cabinet.</p> <p>One (1) to terminate in flat radio mounting area in Action Area.</p>	1
30-10-0722	<p>RECEPTACLE SHORELINE INLET-SUPER 20 AMP, AUTO EJECT - YELLOW COVER - RELOCATED</p> <p>Install Kussmaul 20 AMP auto eject with yellow cover IPOS on rear of module per Dwg #2.</p>	1
30-11-0156	<p>LIGHTS, DELETE LIGHTS ON PANEL CURBSIDE ANGLED</p> <p>The lights on panel, curbside angled, shall be not be installed if raised cabinets #1 & #2 curbside are present.</p>	1
EXTERIOR LIGHTING		1
30-25-0122	<p>LIGHTS, ICC / LED CLEARANCE - ON MODULE FRONT - TECNIQ</p> <p>The vehicle shall have five (5) amber Tecniq LED (S33-AA00-1) clearance / ICC lights on the front of the module near the roof line. Per Dwg #1</p>	1
LIGHTING - FRONT EXTERIOR		1
30-25-4254	<p>LIGHTS, FRONT MODULE - WHELEN (7)900 - (2) RED, (2) BLUE, (1) CLEAR W/CLEAR LENS</p> <p>Seven (7) Whelen 900 series super LED lights with chrome flanges shall be installed on the module front. There shall be four (4) red, two (2) blue, and one (1) center clear light. All lights to have clear lens IPOS</p>	1

PART NO	DESCRIPTION	QTY
LIGHTING - REAR EXTERIOR		
30-26-3009	LIGHTS, REAR TAIL - WHELEN 600 LED STOP, TURN, & MAXIMUM INTENSITY BACK-UP One (1) pair each of Whelen 600 series LED stop/tail lights, turn lights, and fully populated MAXIMUM intensity LED back-up lights with chrome bezels shall be installed on the rear of the module.	1
30-26-5115	LIGHTS, REAR WINDOW-LEVEL - WHELEN (2)900 SUPER LED - BLUE W/CLEAR LENS Two (2) Whelen 900 series blue super LED lights w/clear lenses and chrome flanges shall be installed on the rear of the module at window level, one (1) on each side IATS. Per dwg #2	1
30-25-0123	-- LIGHTS, ICC / LED CLEARANCE - ON MODULE REAR - TECNIQ The vehicle shall have five (5) red TECNIQ LED (S33-RR00-1)clearance / ICC lights on the rear of the module near the roof line. Per Dwg #2	1
30-26-6155	-- LIGHTS, REAR MODULE -WHELEN (5)900, (2)RED, (1)AMB LED, (2)LED SCN CLR LENS Two (2) Whelen 900 series red super LED lights w/clear lens, two (2) Whelen 900 series 24 diode LED scene/load lights, and one (1) Whelen 900 series amber super LED light w/clear lens shall be installed on the rear of the module w/chrome flanges. See dwg #2	1
30-26-7002	LICENSE PLATE HOLDER - CPI CAST RECESSED WITH DUAL LED LIGHT - CENTERED A Cast Products license plate holder shall be installed on the rear of the module CENTERED in the rear kickplate below the doors. The holder shall be recessed into the module and shall have dual Whelen Mini LED lights, which activate with the chassis headlamp switch. (Holder Braun #16415)	1
LIGHTING - SIDE EXTERIOR		
30-27-1102	LIGHTS, ICC / LED CLEARANCE - ON MODULE SIDE - TECNIQ The vehicle shall have two (2) Tecniq (S330) red mini LED marker lights : one (1) red on each side at the rear of the vehicle which will also flash with turn signal. Per Dwg #3 and #4	1
30-27-2008	LIGHTS, SIDE MODULE SCENE - WHELEN 900 24 DIODE LED - CLEAR Four (4) Whelen 900 series 24 diode LED scene lights with chrome flanges shall be installed, two (2) each module side, street side: inboard of the warning lights; curbside: stacked.	1
30-27-3009	LIGHTS, SIDE MODULE WARNING - WHELEN 900 SUPER LED - RED W/CLR LENS Four (4) Whelen 900 series red super LED warning lights with clear lenses and chrome flanges shall be installed, two (2) each module side. Streetside (1) warning light outboard of the side module rear scene light/ (1) warning light outboard of the module front scene light. Curbside (1) warning light outboard of the side module rear scene light/ (1) warning light outboard of the module front scene light; curbside forward stacked. These lights shall operate from a switch on the master control console labeled "Flashers".	1
30-27-4110	LIGHTS, INTERSECTION REAR - WHELEN 700 SUPER LED - RED W/CLR LENS Two (2) Whelen 700 series red super LED warning lights with clear lenses, chrome flanges and water-proof connectors, shall be installed above the rear wheel wells, one (1) on each side Per Dwg #3 & #4	1

PART NO	DESCRIPTION	QTY
MODULE BODY CONSTRUCTION AND CONNECTIONS		
39-00-0001	MODULE BODY CONSTRUCTION - SEAMLESS	1
39-00-0002	SOLE SOURCE MODULE BODY CONSTRUCTION	1
39-00-0005	AWS ALUMINUM CERTIFIED WELDERS	1
MODULE FEATURES / EXTERIOR		
40-00-0009	ALUMINUM PARTS - MODULE EXTERIOR	1
40-00-0010	CORROSION MINIMIZATION - MODULE	1
40-00-0019	DOOR SKINS, OUTSIDE STORAGE COMPARTMENTS - DIAMOND PLATE INTERIOR SKINS The interior door skins for all outside storage compartments shall be constructed of .063" thick aluminum diamond plate.	1
40-00-0020	DOOR CONSTRUCTION - GASKET PLACEMENT	1
40-00-0030	EXTERIOR COMPARTMENTS DESIGN	1
40-00-0051	EXTERIOR COMPARTMENTS, VENTING	1
40-00-0055	EXTERIOR COMPARTMENTS, VENTING - OXYGEN STORAGE	1
40-00-0061	EXTERIOR COMPARTMENTS - SWEEP-OUT	1
40-00-0070	HANDLES, EBERHARD - CHROME FREE FLOATING TYPE	1
40-00-0080	INSULATION - POLYURETHANE SPRAY FOAM	1
40-00-0091	THRESHOLD, STAINLESS STEEL - ALL OSS STORAGE COMPARTMENTS	1
40-10-0066	DOOR SLIDING - MODULE CURBSIDE PASSAGE	1
40-10-0072	LOWERED MODULE SIDES	1
40-10-0083	DOORS - REAR PASSAGE There shall be a 49.00" wide x 59" high rear door opening in the patient compartment/doors flush without a protruding flange or lip/right rear passage door lockable, chrome exterior handle/ left rear door non-locking, chrome exterior handle /all handles installed with a gasket to protect the paint/ hinge full length stainless steel with a 3/16" stainless steel hinge pin two-way adjustable/ Each rear door two point slam action automotive type rotary latching system to the body/ right rear door shall lock to the body at the top and bottom, not to the left rear door/doors shall have .213" steel door latch activator rods with clevis adjusters/ doors lockable from the inside and outside. All doors shut on molded, air-core, automotive type door seals	1
40-10-0103	FENDERETTES - POLISHED ALUMINUM	1
40-10-0120	HOLD-OPEN - REAR DOORS - GRABBERS Door grabbers (1 pair) with hard rubber inserts shall be installed on the rear doors. Reference dwg #2 for location.	1
40-10-0130	EMERGENCY RELEASE LEVER, EXPOSED, REAR PATIENT PASSAGE DOORS Install emergency release lever with a ball knob /attached to each rear passage door latch/ operated with a sliding motion within a slotted track located towards the edge of the door frame.	1
40-10-0188	LOCKS POWER - PASSAGE, COMPARTMENTS, KEY FOBS Install power door locks on module passage doors, and (6) OSS compartments use OEM key fobs.	1
40-10-0151	-- SWITCH UNLOCK, WATERPROOF - HIDDEN IN FRONT GRILLE AREA An exterior hidden door unlock switch shall also be included.	1
40-10-0204	MUD FLAPS, REAR - BLACK RUBBER FIBERGLASS REINFORCED - THREE COLOR	1
40-10-0266	REAR STEP/BUMPER -FLIP-UP CENTER SECTION - STAR PUNCHED AND ANODIZED	1
40-10-0280	RUB RAILS, ANODIZED ALUMINUM Bright dip anodized polished aluminum rub rails shall be installed on the lower sides of the body below the outside compartment sill areas. The rub rails shall be offset 3/16" from the body to facilitate wash down of road debris.	1
60-25-0101	-- BLACK REFLECTIVE MATERIAL IN RUB RAILS Install black reflective material in rub rails.	1

PART NO	DESCRIPTION	QTY
40-10-0322	STEPWELL, CURBSIDE DOORWAY The curbside doorway step area shall be covered with a washable sprayed-on multi-use polychromatic coating.	1
40-10-0340	STONE GUARDS, MODULE FRONT - ANODIZED DIAMOND PLATE (24" H)	1
40-10-0360	KICKPLATE/THRESHOLD, REAR DOORWAY - ANODIZED DIAMOND PLATE A bright dip anodized aluminum diamond plate kick plate shall be installed at the rear exterior doorway, providing a kick / scuff plate at the rear of the vehicle above the rear step, per dwg. # 2.	1
40-10-0505	WINDOWS, PASSAGE DOOR - (CURB SLIDING, REAR FIXED)	1
	MODULE SPECIAL OPTIONS	1
40-SP-0001	OXYGEN CYLINDER MOUNT, ADDITIONAL Install an additional Oxygen cylinder mount in OSS #1 next to the standard mount. The unit will be capable of carrying dual "M" size oxygen cylinders.	1
	OUTSIDE STORAGE COMPARTMENTS	1
41-01-0311	OUTSIDE STORAGE #1 - STREETSIDE FORWARD - DUAL OXYGEN STORAGE	1
41-02-0101	-- SHELF, FIXED, ONE (1) IN OSS #1 Install one (1) fixed shelf in OSS #1 just above O2 cylinders.	1
42-01-0311	OUTSIDE STORAGE #2 - STREETSIDE CENTER - FOR STAIR CHAIR OSS #2 will be for storage of a customer supplied/customer installed Stryker 6252 Stairchair. Stair chair to be mounted on the back wall of the compartment. Per dwg. #2.	1
42-02-0107	-- SHELF ONE (1) IN OSS #2 - DELETED DELETE standard adjustable shelf in OSS #2.	1
42-02-0054	-- SHELF TRACK - EXPOSED - OSS #2 - DELETED DELETE exposed shelf track in OSS #2.	1
43-01-0311	OUTSIDE STORAGE #3 - STREETSIDE REAR - TALL DOOR	1
43-02-0110	-- SHELVES TWO (2) IN OSS #3 Install two (2) adjustable shelves in OSS #3	1
43-02-0051	-- SHELF TRACK - EXPOSED - OSS #3 Install "T" grooved exposed shelf track in OSS #3. (Exposed tracks will be welded in place and coated with Gatorhyde material for a cleaner look and no exposed fasteners)	1
44-01-0311	OUTSIDE STORAGE #4 - CURBSIDE REAR - BACKBOARD/SCOOP Install two (2) fixed vertical dividers and one (1) fixed shelf in OSS #4. One (1) vertical divider will be full-height installed 5.00" from left wall. A fixed shelf will be installed from this divider to the right wall at 35.00" from floor. The second fixed divider will be installed from the ceiling to the fixed shelf, centered between full-height divider and right wall. Per dwg #4.	1
45-01-0311	OUTSIDE STORAGE #5 WHEEL WELL - LOWER- BETWEEN #4 & WHEEL	1
46-01-0312	OUTSIDE STORAGE #6 - CURBSIDE FORWARD #6 (forward curbside compartment) shall have be split into two (2) compartments/ inside/outside storage/ three (3) adjustable shelves. (Reference the lower front wall cabinet in patient compartment specification for interior dimensions). #6B: compartment door shall be held open with a spring loaded gas cylinder. A locking handle shall be installed on the exterior of the door.	1
	MODULE INTERIOR / PATIENT COMPARTMENT FEATURES	1

PART NO	DESCRIPTION	QTY
50-00-0201	ROUNDED INTERIOR CORNERS	1
	CABINETS	1
50-21-0101	<p>-- RIBBED MATTING - LOWER FRONT WALL CABINET SHELVES</p> <p>The shelves located in the ALS cabinet (lower front wall) shall be covered / protected with ribbed matting. The matting shall be installed under the shelf edge trim.</p>	1
50-51-1001	<p>-- CABINET CONSTRUCTION - INTERIOR - ALUMINUM</p> <p>All interior cabinets shall be constructed of .090" thick welded aluminum.</p>	1
50-51-1011	<p>-- RECESSED ADJUSTABLE SHELF TRACK - CABINETS</p> <p>Install recessed adjustable shelf track in cabinets.</p>	1
50-51-1013	<p>-- HOLD OPENS FOR INTERIOR DOORS</p> <p>All interior cabinets with doors less than 6" tall shall have friction hinges as hold opens for door(s). Doors 6" and taller shall be designed using gas shocks as hold opens for the door(s).</p>	1
50-51-1014	<p>-- CATCH, MAGNETIC - ADHESIVE BACK FOR INTERIOR DOOR(S) OVER 36 INCHES</p> <p>All interior doors that are over 36" inches tall with a latch on the top of the door shall have an adhesive back magnetic catch installed on the bottom of the door.</p>	1
50-51-2002	<p>-- CABINET DOORS - CLEAR POLYCARBONATE</p> <p>All sliding cabinet doors shall be clear polycarbonate material / installed in aluminum track lined with PPL inserts / An edge mounted aluminum handle shall be installed on each sliding cabinet door.</p>	1
50-51-3001	<p>-- CABINETS/ WALLS - POLYCHROMATIC COATING - MARBLE STONE</p> <p>Headliner, walls, cabinet faces, and cabinet interiors MultiSpec color to be #99-7371 Marble Stone</p>	1
50-51-4001	<p>-- COUNTER TOP - RECESSED ALUMINUM - POLYCHROMATIC SPRAY COATED</p> <p>Recessed counter top with MultiSpec color to match cabinets</p>	1
50-51-5001	<p>-- UPHOLSTERY - SPRADLING "ARCTIC" CHARCOAL #9017</p> <p>All cushions, head pads and seating surfaces shall be covered with Spradling International "Arctic" Charcoal # 9017 expanded vinyl upholstery material.</p>	1
50-51-6003	<p>-- LONPLATE II, NON-SLIP EMBOSSED SM. GRID - GUNMETAL #424</p> <p>The floor in the patient compartment shall be covered with Lonseal brand "Lonplate II" non-slip; small grid (embossed) Gunmetal #424,</p>	1
50-01-0408	<p>LATCHES, CABINET, CN10 COMPLIANT AS APPLICABLE</p> <p>The ACP (attendant control panel) door, the PDQ (power distribution quarters) door, and the radio cabinet door shall be secured with chrome locking lever latches/ all remaining interior hinged cabinet doors with center squeeze latches/ All interior drawers with locking flush pull latches.</p>	1
50-10-0132	<p>CABINET - LEFT WALL, UPPER REAR #1 - FIXED FRAME - MODIFIED</p> <p>The left wall, upper rear interior cabinet (#1): enclosed by one (1) set of sliding polycarbonate doors w/ full length handles /outer most sliding door shall have handles on both ends / (1) adjustable shelf. Cabinet to be MODIFIED in width due to relocated CPR seat.</p>	1
50-10-0226	<p>LEFT WALL - ATTENDANT CONTROL PANEL - HINGED PANEL - MODIFIED</p> <p>Attendant control panel to be modified - Chief XL style with flat radio installation area</p>	1

PART NO	DESCRIPTION	QTY
	and angled portion shifted rearward. The color micro processor screen shall be installed on a hinged access panel and secured with two (2) locking lever latches. Per dwg #5.	
50-10-0334	CABINET - LEFT WALL, UPPER OVER PANEL #2 - FIXED FRAME - MODIFIED The left wall, interior cabinet (#2) above the attendant control panel: enclosed by one (1) set of sliding polycarbonate doors w/full length handles / outer most sliding door shall have a handle on both ends. Cabinet to have fixed center divider with one (1) adjustable shelf on each side of divider. Cabinet to be widened rearward due to relocated CPR seat.	1
50-10-0515	CABINET - LEFT WALL, LOWER REAR #3 - INSIDE/OUTSIDE - MODIFIED Left wall cabinet #3 to be modified in height. Cabinet is to be built per dwg. #5 dimensions. Cabinet will have inside/outside access to OSS #3. Cabinet is to be enclosed by a set of hinged acrylic doors. Doors are to be secured by CN10 compliant latches. Per dwg. #5.	1
50-10-0529	DRAWER - LEFT WALL, LOWER UNDER REAR ACTION AREA #4 - RELOCATED Lower cabinet #4 below rear action area to be a single deep drawer RELOCATED due to CPR seat to pull out toward cot. Drawer to be pre-wired for a customer-installed IV warmer. The wire for the pre-wire is to enter the right rear corner of the drawer. The drawer is to be 14.5" deep.	1
50-10-0616	PRIMARY ACTION AREA - MODIFIED Primary action area will be lengthened due to relocated CPR seat.	1
50-10-0648	SECONDARY ACTION AREA - DELETED Secondary action area will be DELETED due to relocated CPR seat.	1
50-20-0139	CABINET - FRONT WALL, UPPER #1 - MODIFIED The front wall, upper interior cabinet (#1): constructed of aluminum w/ polycarbonate insert, w/ hold-opens /secured with a center squeeze latch / one (1) adjustable shelf. **Width modified due to Ducted HVAC unit**	1
50-20-0383	CABINET - FRONT WALL, LOWER BELOW PDQ (SINGLE VENTED DOOR) Install one (1) side hinged vented aluminum door on the cabinet below the PDQ. (cabinet door opening towards the rear of the truck). Door to be secured with a chrome locking lever latch.	1
50-20-0417	CABINET - FRONT WALL, LOWER #2 / #3 W/ INSIDE / OUTSIDE ACCESS Front wall interior cabinets (#2 / #3) w/ hinged polycarbonate double doors and center squeeze latches / (3) adjustable shelves. I/O access.	1
50-20-0507	PASS THROUGH - CAB TO MODULE, WINDOW OPENING	1
50-41-0203	HEAT/AIR CONDITIONING, CENTER DUCTED Install combination Heat/AC unit in the upper front wall with center ducting trough installed on headliner above cot.	1
50-41-0211	-- CONDENSER - MODULE FRONT, TOP CENTER MOUNT A condenser shall be installed on the front of the module. The condenser shall be top center mounted with steel mounting brackets. Condenser and brackets are to be painted to match the module. Condenser to be located per dwg #1. Condenser mounted on front of module may affect front module lighting choices.	1
	SEATING	1
50-50-0104	ATTN SEAT - EVS HiBAC, INTEGRAL CHILD, SWIVEL BASE CN8 COMPLIANT A rear facing EVS HiBAC attendant seat shall be installed at the head of the patient	1

PART NO	DESCRIPTION	QTY
	cot. The seat shall be equipped with a sliding swivel base and incorporate an integral child safety restraint system. The seat shall be KKK-A-1822F Change Notice 8 compliant with V4 harness style shoulder / seat belt and conform to all applicable FMVSS and SAE J3026 requirements. Documentation from a certified independent testing facility shall be required stating the seat has passed SAE J3026 requirements and tested in accordance with SAE J2917, Occupant Restraint and Equipment Mounting Integrity – Frontal Impact System-Level Ambulance Patient Compartment and SAE J2956, Occupant Restraint and Equipment Mounting Integrity – Side Impact System-Level Ambulance Patient Compartment. The seat shall be padded and covered with color coordinated, cushioned vinyl.	
50-50-0317	CPR SEAT FIXED - V4 HARNESS / CN8 COMPLIANT - RELOCATED - W/STORAGE	1
	A CPR seat shall be installed on the street side of the patient compartment aft of the main action area counter. The CPR seat shall be KKK-A-1822F Change Notice 8 compliant with V4 harness style shoulder / seat belt. The head pad and back pad will be constructed of energy absorbing material. The seat bottom, backrest, and headrest shall be padded and covered with color coordinated, cushioned vinyl. ***CPR Seat shifted rearward to secondary action area location, per dwg #5*** ***Seat to be built-up to squad bench height and have hinged seat cushion with storage below seat.***	
50-31-0018	<p align="center">PACKAGE SQUAD BENCH - BASE / LID WITH SHARPS AND TRASH</p> <p> -- CABINETS - RIGHT WALL, UPPER #3- #4 NO ANGLED PANEL WITH LIGHTS</p> <p>Two (2) cabinets shall be installed on the curbside above the squad bench: enclosed by one (1) set of top hinged polycarbonate doors / center squeeze latches. There shall be a minimum of 43" of headroom below the cabinet.</p> <p>** THIS WILL NOT ALLOW ANGLED LIGHTS ABOVE SQUAD BENCH & RELOCATES IV HANGER FROM ABOVE THE SQUAD BENCH **</p>	1
50-50-0006	<p> -- SEATING - SQUAD BENCH BASE W/ STORAGE CN8 COMPLIANT</p> <p>A Squad bench seat with two (2) individual seating positions will be installed on the curb side of the patient compartment. The squad bench seat shall be KKK-A-1822F Change Notice 8 compliant with (2) V4 harness style shoulder / seat belts and conform to all applicable FMVSS and SAE J3026 requirements. The seat bottom, backrest, and headrest of the seat shall be padded and covered with color coordinated, cushioned vinyl. The squad bench base shall be constructed of .090" thick aluminum for maximum storage capacity and minimum weight. A storage area shall be provided in the squad bench base. The interior dimensions of the storage area shall measure 14.50" high x 48.00" wide x 18.75" deep. The interior of the squad bench shall be sprayed with sound absorbing polyurethane material.</p>	1
50-50-0556	-- SQUAD BENCH LID - WITH SHARPS AND TRASH ACCESS	1
50-50-0541	-- HOLD OPENS - SQUAD BENCH LID - GAS CYLINDERS	1
50-60-0709	-- SHARPS AND TRASH CONTAINERS - ACCESS THRU SQUAD BENCH LID	1
50-60-0718	-- SQUAD BENCH FACE - VINYL FLOORING MATERIAL	1
	COT MOUNT FASTENERS	
50-58-0001	-- COT MOUNT / FASTENER FEATURES	1
50-60-0153	<p> -- COT FASTENER - STRYKER SINGLE - CENTER POSITION</p> <p>Install a Stryker single position center mount</p>	1
	OPTIONAL PATIENT COMPARTMENT ITEMS	
50-60-0143	<p> -- COT SAFETY HOOK - STRYKER - LONG HOOK</p> <p>A Stryker (6060-036-018) cot rear capture / safety long hook shall be provided and installed. Exact location and model to be determined at the pre-construction meeting. (Braun #13245)</p>	1
50-60-0271	<p> -- F W #521 STORAGE BRACKET FOR "D", OR JUMBO "D" CYLINDER</p> <p>Ferno Washington #521 crash stable storage bracket shall be installed for one (1) "D", or Jumbo "D" oxygen cylinder shall be installed beneath the pass through</p>	2

PART NO	DESCRIPTION	QTY
	located per dwg. #7.	
50-60-0322	<p>-- GLOVE DISPENSER - (3) BOX - ABOVE ENTRY DOOR - CURBSIDE (ABS)</p> <p>An ABS three (3) - box glove dispenser unit, with a clear polycarbonate hinged access panel with three (3) cut-outs, shall be provided above the curbside entry door. (holder to accommodate three (3) 5.375" wide x 10.125" long x 3.25" deep glove boxes) A 1/4" turn latch will be installed on the face of the glove box access panel.</p>	1
50-60-0590	<p>-- NET, SQUAD BENCH - CURBSIDE INTERIOR (RED)</p> <p>Net, Squad Bench - red shall be installed at the head of the squad bench.</p>	1
50-60-0618	<p>-- OXYGEN OUTLET (1) ADDITIONAL - OHIO MEDICAL TYPE</p> <p>Install One (1) additional Ohio Medical flush mounted, quick release oxygen outlet in the patient compartment in the action area.</p>	1
50-60-0018	<p>ASPIRATOR / SUCTION - SSCOR - WITH ELECTRIC PUMP - RECESSED</p> <p>A SSCOR suction system shall be recessed into the street side lower interior wall near the attendant's seat. The 12 VDC SSCOR electric vacuum pump to be installed in the standard OSS compartment (must use SSCOR pump and tubing)</p>	1
50-60-0037	<p>ASSIST HANDLES, (2) 'V' STAINLESS STEEL, (4) BLACK URETHANE</p> <p>A total of six (6) assist handles shall be provided: two (2) 1-1/4" diameter stainless steel 'V' handles, one (1) on each rear passage door; and four (4) 10-7/8" black vulcanized rubber with steel core assist handles, two (2) handles at the rear doorway, one (1) at the curbside doorway, and one (1) on the curbside sliding door.</p>	1
50-60-0220	EMBLEMS / SIGNS - REAR PATIENT COMPARTMENT	1
50-60-0300	FLOOR CONSTRUCTION- PATIENT COMPARTMENT, NON-WOOD COMPOSITE	1
50-60-0301	FLOORING - COVE	1
50-60-0340	GRAB RAIL, 1-1/4" DIAMETER, (96") OVER COT AREA	1
50-60-0391	HEADLINER - REAR PATIENT COMPARTMENT	1
50-60-0431	<p>I V HANGERS - CEILING RECESSED - CAST PRODUCTS #IV2008-1 (2)</p> <p>Two (2) Cast Products #IV2008-1 recessed, dual ceiling I.V. hangers shall be provided per Dwg #9 locations.</p>	1
50-60-0613	<p>OXYGEN OUTLETS (2) WALL/(1)CEILING - OHIO MEDICAL TYPE</p> <p>Three (3) Ohio Medical flush mounted, quick release outlets shall be installed. One (1) in the forward street side cabinet action area, one (1) shall be installed in the wall above the squad bench and one (1) shall be installed in the ceiling above the head end of the cot.</p>	1
50-60-0660	PADDED EDGING PROTECTION	1
50-60-0661	PADS, HEAD AND BACK	1
50-60-0730	<p>DOOR PANELS - MODULE PASSAGE DOORS - FULL LENGTH ALUMINUM - W/ACCESS PANELS</p> <p>Interior rear and curbside passage door panels to be full length aluminum, Multi-Spec sprayed to match interior color and contain removable latch access panel per dwg. # 6 & # 8. (Total 3).</p>	1
50-60-0761	STAINLESS STEEL WALL PROTECTION - INTERIOR STREETSIDE	1
50-60-0820	TURTLE TILE - SKID-RESISTANT MAT, CURBSIDE STEPWELL	1
	PATIENT COMPARTMENT SPECIAL OPTIONS	1
50-SP-0001	<p>GLOVE DISPENSER - (4) BOX - STREETSIDE (ALUMINUM)</p> <p>An aluminum four (4) - box glove dispenser unit, with a clear polycarbonate hinged access panel with four (4) cut-outs, shall be provided inside the left rear door, below the street side rear interior cabinet.</p>	1
50-SP-0002	<p>CABINET - FRONT WALL ABOVE PASS-THRU WINDOW - WITH KNOX MEDVAULT</p> <p>A Knox MedVault will be provided and installed on the front wall above the pass-thru</p>	1

PART NO	DESCRIPTION	QTY	
	window. Located per dwg. #7. Model 5520		
50-SP-0003	DRAWER WITH HINGED WRITING SURFACE - BELOW ACTION AREA A drawer will be installed below the primary action area counter top with a hinged writing surface. Drawer is to be built per dwg. #5. dimensions. Drawer is to be secured with a Southco stainless steel flush pull locking latch. Per dwg. #5.	1	
	PAINT / GRAPHICS	1	
60-20-0303	-- CHEVRON STRIPING - PERIMETER - NO DOORS Red/Yellow Reflexite chevron striping 6" wide shall be installed on the perimeter of the rear module, not on the doors. See 60-SP-0001	1	
60-01-0001	PAINT PROCEDURE	1	
60-10-0110	PAINT MODULE ALL ONE SOLID COLOR, PLUS CLEAR COAT - WHITE ROOF The module will be painted OEM Red with a white roof extending down the module sides approximately 2 inches matching customer's previous unit #6885.	1	
60-01-0003	CLEAR COATING - MODULE PAINT	1	
60-01-0004	BUFFING, PAINT - MODULE	1	
60-01-0005	STANDARDS AND SPECIFICATIONS FOR VEHICLE PAINT APPEARANCE	1	
60-10-0108	CAB - OEM PAINT - WHITE ROOF AND PILLARS Cab is to be painted per the attached layout. The cab will be ordered OEM red and will need to be painted white on roof and pillars.	1	
60-30-0200	DOOR REFLECTIVITY	1	
60-SP-0001	GRAPHICS - SPECIAL OPTION Striping on cab and sides of module to be 1" Gold Reflective, 4" White Reflective, 1" Gold Reflective with 1" space between each stripe. Stripes and graphics to match customer's previous unit #6885 including rear window American Flag perf.	1	
	KKK / NFPA / WARRANTIES	1	
80-10-0101	KKK-A-1822F COMPLIANCE	1	
	VEHICLE MANUALS	1	
80-20-0001	VEHICLE MANUALS (1) PACKAGE SET One (1) Delivery Manual Package shall be supplied with the vehicle, and shall include the following items: Ambulance manufacturer parts, service and operation manuals OEM chassis owner's guide Complete 12 VDC and 125 VAC wiring schematics for all included standard and optional systems Multiplex Electrical system programming - electronic media	1	
	WARRANTIES	1	
90-10-0007	STATEMENT OF LIMITED WARRANTY NEW AMBULANCES	1	
	Total		199,126.00